
Beyond integers: Rationals and Reals

The Rational Numbers all numbers that can be written as where m and n are integers and n is not 0.

$$\begin{pmatrix}
9 & 0.3 = \frac{3}{10} & \frac{1}{2} = \frac{2}{4} = \frac{3}{6} = -\frac{3}{4}
\end{pmatrix}$$

The Real Numbers all (decimal) numbers — distances to points on a number line.







Mathematical proof

Solving and computing

Mathematics underpins STEM subjects. In many cases, we are concerned with solving and computing





Work out $\frac{1}{3} \times \frac{1}{5}$

Find the general solution, in degrees, of the equation $2\sin(3x + 45^{\circ}) = 1$

5 miles = 8 kilometres

Which is longer, 26 miles or 45 km?


Statements

Which of the following are true?

■ "26 miles is longer than 45 km."

■ An integer doubled is larger than the integer.

■ The sum of any two odd numbers is even.




■ We can't believe a statement just because it appears to be true.

We need a proof that the statement is true or a proof that it is false.

Example: Drivers behaviour¹

```
do {
     KeAcquireSpinLock();
     nPacketsOld = nPackets;
     if (request) {
          request = request > Next;
          KeReleaseSpinLock();
          nPackets++:
} while (nPackets != nPacketsOld);
KeReleaseSpinLock();
```


Does this code obey the locking rules?




You don't need to understand the actual code!

¹from Microsoft presentations on Static Driver Verifier (part of Visual Studio)

Historical detour: Visual proofs





32.5 = 31.5

Proofs

- A mathematical proof is as a **carefully reasoned argument** to convince a sceptical listener (often yourself) that a given statement is true.
- Both discovery and proof are integral parts of problem solving. When you think you have discovered that a certain statement is true, try to figure out why it is true.
- If you succeed, you will know that your discovery is genuine. Even if you fail, the process of trying will give you insight into the nature of the problem and may lead to the discovery that the statement is false.

Example: Properties of odd and even numbers

- 1. ls 0 even?
 2. ls -301 odd?
- 3. Is the sum of any two odd numbers even?
- 4. Is every number either even or odd?

0 1 2 - 44 X Defriction 1 An ritger 3 even What about 1/2? Definition & An integer is over it The vent at dividay this rateger by of

What about odd unules Defritsen an ruteger 3 sold st dsvided by 2 it's not an ortger

Odd and even numbers

Definition

An integer n is **even** if, and only if, n equals twice some integer.

An integer n is **odd** if, and only if, n equals twice some integer plus 1.

Symbolically, if n is an integer, then

n is even $\Leftrightarrow \exists$ an integer k such that n=2k.

n is odd \Leftrightarrow ∃ an integer *k* such that n = 2k + 1.

Notice the use of





Conjure two plus

Even Defl Def 0,1,2,3,4,5--COMP109 1,2,7,4 COMP 116