Game Publisher Intelligence API 1.0.0

OAS 3.1

/openapi.json

An analytics-focused REST API built on the *Video Game Sales* dataset.

Key idea: dataset tables are read-only; user-created resources (e.g., dashboards) provide the required CRUD layer.

This API exposes catalogue endpoints and analytical endpoints designed for aggregation and derived metrics (publisher hit rate, efficiency, regional bias, momentum).

Contact Matthew Toon

Authorize

health Service readiness and database connectivity checks.

GET `/health` Health check

Confirms the API service is running (does not test database connectivity).

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Code	Description	Links
	Example Value Schema `"string"`	

GET `/db-check` Database connectivity check

Executes a minimal `SELECT 1` query to confirm PostgreSQL connectivity.

Parameters Try it out

No parameters

Responses

Curl

```
curl -X 'GET' \
  'https://webservicescoursework.onrender.com/db-check' \
  -H 'accept: application/json'
```

Request URL

```
https://webservicescoursework.onrender.com/db-check
```

Server response

Code	Details

200	**Response body**
	
	`{ "database": "connected", "test_query": 1 }`
	
	Download
	
	Response headers
	
	`alt-svc: h3=":443"; ma=86400`
	`cf-cache-status: DYNAMIC`
	`cf-ray: 9db4274ff8c7b0dd-MAN`
	`content-encoding: br`
	`content-length: 40`
	`content-type: application/json`
	`date: Thu,12 Mar 2026 16:25:13 GMT`
	`priority: u=1,i`
	`rndr-id: 36050a50-bb9a-4560`
	`server: cloudflare`
	`server-timing: cfExtPri`
	`vary: Accept-Encoding`

Code	Details
	x-render-origin-server: uvicorn

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

publishers Publisher catalogue and publisher-specific game listings.

GET `/publishers` List publishers

Returns a paginated list of publishers. Supports basic search by name.

Parameters Try it out

Name	Description
q `string | (string | null)` *(query)*	Case-insensitive search against publisher name. q
page `integer` *(query)*	Page number (1-indexed). *Default value* : 1 1 *minimum: 1*
page_size `integer` *(query)*	Items per page. *Default value* : 25 25

Name	Description
	maximum: 100 *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "items": [
    {
      "id": 1,
      "name": "Nintendo",
      "slug": "nintendo"
    }
  ],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 500
  }
}
```

422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/publishers/{slug}` Get publisher

Fetch a single publisher by slug.

Parameters

Try it out

Name	Description
slug * required `string` *(path)*	slug

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "id": 1,
  "name": "Nintendo",
  "slug": "nintendo"
}
```

404	Publisher not found	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
```

Code	Description	Links

```
  ]
}
```

GET `/publishers/{slug}/games` List publisher games

Returns games released by a publisher. Supports filters and pagination.

Parameters Try it out

Name	Description
slug * required `string` *(path)*	slug
year `integer | (integer | null)` *(query)*	Filter by release year. year
platform `string | (string | null)` *(query)*	Filter by platform slug. platform
genre `string | (string | null)` *(query)*	Filter by genre slug. genre
page `integer` *(query)*	Page number (1-indexed). *Default value* : 1 1 *minimum: 1*
page_size `integer` *(query)*	Items per page. *Default value* : 25 25 *maximum: 100* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "items": [
    {
      "id": 0,
      "name": "string",
      "year": 0,
      "na_sales": 0,
      "eu_sales": 0,
      "jp_sales": 0,
      "other_sales": 0,
      "global_sales": 0,
      "publisher_id": 0,
      "platform_id": 0,
      "genre_id": 0
    }
  ],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 500
  }
}
```


404	Publisher not found	*No links*
422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


catalogue

Reference data (genres, platforms) derived from the dataset.

GET `/genres` List genres

Returns all genres in the dataset, sorted alphabetically.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "items": [
    {
      "id": 1,
      "name": "Sports",
      "slug": "sports"
    }
  ]
}
```

GET `/platforms` List platforms

Returns all platforms in the dataset, sorted alphabetically.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header.	*No links*

Example Value Schema


```
{
  "items": [
    {
      "id": 1,
      "name": "Wii",
      "slug": "wii"
    }
  ]
}
```


auth

POST `/auth/register` Register a new user

Parameters Try it out

No parameters

Request body required **application/json**

Example Value Schema


```
{
  "email": "user@example.com",
  "password": "stringst",
  "display_name": "string"
}
```


Responses

Code	Description	Links
201	Successful Response Media type **application/json** Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema


```
{
  "access_token": "string",
  "token_type": "bearer"
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/auth/token` Login and get access token

OAuth2 password flow endpoint (best Swagger UX).

Parameters **Try it out**

No parameters

Request body required **application/x-www-form-urlencoded**

grant_type

`string | (string | null)`
`pattern: ^password$`

username * required

`string`

password * required

`string($password)`

scope

`string`

client_id

`string | (string | null)`

client_secret

`string | (string | null)($password)`

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "access_token": "string",
  "token_type": "bearer"
}
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

dashboards

POST /dashboards Create a dashboard

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "name": "string",
  "description": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. **Example Value** Schema	*No links*
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "id": 0,
  "user_id": 0,
  "name": "string",
  "description": "string"
}
```

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
```

Code	Description	Links

```
  ]
}
```

GET /dashboards List my dashboards

Parameters

Try it out

Name	Description
page integer (query)	*Default value* : 1 1 *minimum: 1*
page_size integer (query)	*Default value* : 25 25 *maximum: 100* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "items": [
    {
      "id": 0,
      "user_id": 0,
      "name": "string",
      "description": "string"
    }
  ],
  "meta": {
    "page": 1,
    "page_size": 25,
    "total": 500
  }
}
```

422	Validation Error Media type	*No links*

Code	Description	Links

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET /dashboards/{dashboard_id} Get a dashboard by id

Parameters

Try it out

Name	Description
dashboard_id * required integer (path)	dashboard_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links


```
{
  "id": 0,
  "user_id": 0,
  "name": "string",
  "description": "string"
}
```


422	Validation Error Media type	No links

Code	Description	Links

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


PATCH /dashboards/{dashboard_id} Update a dashboard

Parameters

Try it out

Name	Description
dashboard_id * required integer *(path)*	dashboard_id

Request body required

application/json

Example Value Schema


```
{
  "name": "string",
  "description": "string"
}
```


Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema

```
{
  "id": 0,
  "user_id": 0,
  "name": "string",
  "description": "string"
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/dashboards/{dashboard_id}` Delete a dashboard

Parameters Try it out

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

Code	Description	Links

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET /dashboards/{dashboard_id}/widgets List widgets in a dashboard

Parameters

Try it out

Name	Description
dashboard_id * required integer (path)	dashboard_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Example Value Schema


```
[
  {
    "id": 0,
    "dashboard_id": 0,
    "params": {
      "type": "publisher_overview",
      "publisher_slug": "string",
      "from_year": 0,
      "to_year": 0
    }
```

Code	Description	Links

```
  }
]
```

422 Validation Error *No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/dashboards/{dashboard_id}/widgets` Add a widget to a dashboard

Parameters **Try it out**

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id

Request body required **application/json**

Example Value Schema


```
{
  "params": {
    "type": "publisher_overview",
    "publisher_slug": "string",
    "from_year": 0,
    "to_year": 0
  }
}
```


Responses

Code	Description	Links
201	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
{
  "id": 0,
  "dashboard_id": 0,
  "params": {
    "type": "publisher_overview",
    "publisher_slug": "string",
    "from_year": 0,
    "to_year": 0
  }
}
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/dashboards/{dashboard_id}/widgets/{widget_id}`

Get a single widget from a dashboard

Parameters Try it out

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id

Name	Description
widget_id * required `integer` *(path)*	widget_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "dashboard_id": 0,
  "params": {
    "type": "publisher_overview",
    "publisher_slug": "string",
    "from_year": 0,
    "to_year": 0
  }
}
```

422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

PATCH `/dashboards/{dashboard_id}/widgets/{widget_id}`
Replace a widget's configuration

Replaces the widget config (JSON) with a newly validated config. This is a full replace, not a partial patch.

Parameters

Try it out

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id
widget_id * required `integer` *(path)*	widget_id

Request body required

application/json

Example Value Schema

```
{
  "params": {
    "type": "publisher_overview",
    "publisher_slug": "string",
    "from_year": 0,
    "to_year": 0
  }
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "id": 0,
  "dashboard_id": 0,
  "params": {
    "type": "publisher_overview",
    "publisher_slug": "string",
    "from_year": 0,
    "to_year": 0
```

Code	Description	Links

```
  }
}
```

422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE `/dashboards/{dashboard_id}/widgets/{widget_id}`

Delete a widget from a dashboard

Parameters Try it out

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id
widget_id * required `integer` *(path)*	widget_id

Responses

Code	Description	Links
204	Successful Response	*No links*
422	Validation Error	*No links*

Media type

application/json

Code	Description	Links

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


analytics

GET `/analytics/publishers/{slug}/overview`
Publisher overview (sales totals, count, top genre/platform)

Parameters Try it out

Name	Description
slug * required `string` *(path)*	slug
from_year `integer | (integer | null)` *(query)*	from_year *maximum: 2100* *minimum: 1970*
to_year `integer | (integer | null)` *(query)*	to_year *maximum: 2100* *minimum: 1970*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema

```
"string"
```

422 Validation Error *No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/analytics/publisher-hit-rate` Publisher hit rate leaderboard

Parameters **Try it out**

Name	Description
threshold `number` *(query)*	*Default value* : 1 1 *minimum: 0*
min_titles `integer` *(query)*	*Default value* : 10 10 *minimum: 1*
region `string` *(query)*	*Available values* : na, eu, jp, other, global *Default value* : global global

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/analytics/publisher-efficiency` Publisher efficiency ranking

Parameters Try it out

Name	Description
metric `string` *(query)*	*Available values* : mean, median *Default value* : mean mean
min_titles `integer` *(query)*	*Default value* : 10 10 *minimum: 1*
limit	*Default value* : 50

Name	Description
integer (query)	50 *maximum: 200* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** Schema "string"	*No links*

422	Validation Error
	Media type
	application/json
	Example Value Schema
	{
	"detail": [
	{
	"loc": [
	"string",
	0
	],
	"msg": "string",
	"type": "string",
	"input": "string",
	"ctx": {}
	}
	]
	}
		No links

GET /analytics/publisher-regional-bias Publisher regional bias index

Parameters

Try it out

Name	Description
region string (query)	*Available values* : na, eu, jp, other *Default value* : jp jp
min_titles integer (query)	*Default value* : 10 10 *minimum: 1*
limit integer (query)	*Default value* : 50 50 *maximum: 200* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
```

Code	Description	Links

```
    }
  ]
}
```

GET `/analytics/publisher-momentum` Publisher momentum score

Parameters Try it out

Name	Description
window integer *(query)*	*Default value* : 5 5 *maximum: 30* *minimum: 1*
region string *(query)*	*Available values* : na, eu, jp, other, global *Default value* : global global
min_titles integer *(query)*	*Default value* : 10 10 *minimum: 1*
limit integer *(query)*	*Default value* : 50 50 *maximum: 200* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

Code	Description	Links
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/analytics/publisher-comparison` Compare two publishers side-by-side

Parameters Try it out

Name	Description
a_slug * required `string` *(query)*	Publisher A slug a_slug
b_slug * required `string` *(query)*	Publisher B slug b_slug
from_year `integer | (integer | null)` *(query)*	from_year *maximum: 2100* *minimum: 1950*
to_year `integer | (integer | null)` *(query)*	to_year *maximum: 2100* *minimum: 1950*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

renderer

GET `/dashboards/{dashboard_id}/render` Render a dashboard

Executes all widgets in the dashboard and returns computed results.

Parameters Try it out

Name	Description
dashboard_id * required `integer` *(path)*	dashboard_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Schemas

Body_login_for_token_auth_token_post Collapse all `object`

- `grant_type` Collapse all `(string | null)`
  - Any of Collapse all `(string | null)`
    - `#0` `string` matches `^password$`
    - `#1` `null`
- `username*` `string`
- `password*` `string` `password`

scope ^ Collapse all string

Default=""

client_id ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

client_secret ^ Collapse all string | (string | null) password

Any of ^ Collapse all (string | null)

#0 string

#1 null

DashboardCreateIn ^ Collapse all object

name* string [1, 120] characters

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string ≤ 500 characters

#1 null

DashboardListOut ^ Collapse all object

items* ^ Collapse all array<object>

Items ^ Collapse all object

id* integer

user_id* integer

name* string

description ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

meta* ^ Collapse all object

page* ^ Collapse all integer

Current page number (1-indexed).

Example=1

page_size* ^ Collapse all integer

Number of items requested per page.

Example=25

total* ^ Collapse all integer

Total number of matching items.

Example=500

DashboardOut ^ Collapse all object

id* integer

user_id* integer

name* string

description Collapse all (string | null)

Any of Collapse all (string | null)

#0 string

#1 null

DashboardUpdateIn Collapse all object

name Collapse all (string | null)

Any of Collapse all (string | null)

#0 string [1, 120] characters

#1 null

description Collapse all (string | null)

Any of Collapse all (string | null)

#0 string ≤ 500 characters

#1 null

EfficiencyWidget Collapse all object

type* Collapse all string

Const="publisher_efficiency"

metric Collapse all string

Enum Collapse all array

#0="mean"

#1="median"

Default="mean"

min_titles Collapse all integer ≥ 1

Default=10

Additional properties forbidden

GameListOut Collapse all object

items* Collapse all array<object>

Items Collapse all object

id* integer

name* string

year* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

na_sales* number

eu_sales* number

jp_sales* number

other_sales* number

global_sales* number

publisher_id* integer

platform_id* integer

genre_id* integer

meta* Collapse all object

page* Collapse all integer

Current page number (1-indexed).

Example=1

page_size* Collapse all integer

Number of items requested per page.

Example=25

total* Collapse all integer

Total number of matching items.

Example=500

GameOut Collapse all object

id* integer

name* string

year* Collapse all (integer | null)

Any of Collapse all (integer | null)

#0 integer

#1 null

na_sales* number

eu_sales* number

jp_sales* number

other_sales* number

global_sales* number

publisher_id* integer

platform_id* integer

genre_id* integer

GenreListOut Collapse all object

items* Collapse all array<object>

All genres (sorted).

Items Collapse all object

id* Collapse all integer

Internal numeric identifier.

Example=1

name* ^ Collapse all string

Genre name.

Example="Sports"

slug* ^ Collapse all string

URL-safe unique identifier.

Example="sports"

GenreOut ^ Collapse all object

id* ^ Collapse all integer

Internal numeric identifier.

Example=1

name* ^ Collapse all string

Genre name.

Example="Sports"

slug* ^ Collapse all string

URL-safe unique identifier.

Example="sports"

HTTPValidationError ^ Collapse all object

detail ^ Collapse all array<object>

Items ^ Collapse all object

loc* ^ Collapse all array<(string | integer)>

Items ^ Collapse all (string | integer)

Any of ^ Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string

input any

ctx object

HitRateWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_hit_rate"

threshold ^ Collapse all number ≥ 0

Default=1

min_titles ^ Collapse all integer ≥ 1

Default=10

region ^ Collapse all string

Enum ^ Collapse all array

#0="na"

#1="eu"

#2="jp"

#3="other"

#4="global"

Default="global"

Additional properties `forbidden`

MomentumWidget ^ Collapse all `object`

`type*` ^ Collapse all `string`

Const="publisher_momentum"

`window` ^ Collapse all `integer` `[1, 30]`

Default=5

`region` ^ Collapse all `string`

Enum ^ Collapse all `array`

#0="na"

#1="eu"

#2="jp"

#3="other"

#4="global"

Default="global"

`min_titles` ^ Collapse all `integer` `≥ 1`

Default=10

Additional properties `forbidden`

PageMeta ^ Collapse all `object`

`page*` ^ Collapse all `integer`

Current page number (1-indexed).

Example=*1*

`page_size*` ^ Collapse all `integer`

Number of items requested per page.

Example=*25*

`total*` ^ Collapse all `integer`

Total number of matching items.

Example=*500*

PlatformListOut ^ Collapse all `object`

`items*` ^ Collapse all `array<object>`

All platforms (sorted).

`Items` ^ Collapse all `object`

`id*` ^ Collapse all `integer`

Internal numeric identifier.

Example=1

name* ^ Collapse all `string`

Platform name.

Example="Wii"

slug* ^ Collapse all `string`

URL-safe unique identifier.

Example="wii"

PlatformOut ^ Collapse all `object`

id* ^ Collapse all `integer`

Internal numeric identifier.

Example=1

name* ^ Collapse all `string`

Platform name.

Example="Wii"

slug* ^ Collapse all `string`

URL-safe unique identifier.

Example="wii"

PublisherComparisonWidget ^ Collapse all `object`

type* ^ Collapse all `string`

Const="publisher_comparison"

a_slug* `string`

b_slug* `string`

from_year ^ Collapse all `(integer | null)`

Any of ^ Collapse all `(integer | null)`

#0 `integer`

#1 `null`

to_year ^ Collapse all `(integer | null)`

Any of ^ Collapse all `(integer | null)`

#0 `integer`

#1 `null`

Additional properties `forbidden`

PublisherListOut ^ Collapse all `object`

items* ^ Collapse all `array<object>`

Publishers on the current page.

Items ^ Collapse all `object`

id* ^ Collapse all `integer`

Internal numeric identifier.

Example=1

name* ^ Collapse all string

Canonical publisher name.

Example="Nintendo"

slug* ^ Collapse all string

URL-safe unique identifier.

Example="nintendo"

meta* ^ Collapse all object

Pagination metadata for the result set.

page* ^ Collapse all integer

Current page number (1-indexed).

Example=1

page_size* ^ Collapse all integer

Number of items requested per page.

Example=25

total* ^ Collapse all integer

Total number of matching items.

Example=500

PublisherOut ^ Collapse all object

id* ^ Collapse all integer

Internal numeric identifier.

Example=1

name* ^ Collapse all string

Canonical publisher name.

Example="Nintendo"

slug* ^ Collapse all string

URL-safe unique identifier.

Example="nintendo"

PublisherOverviewWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_overview"

publisher_slug* string

from_year ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

to_year ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

Additional properties forbidden

RegionalBiasWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_regional_bias"

region ^ Collapse all string

Enum ^ Collapse all array

#0="na"

#1="eu"

#2="jp"

#3="other"

Default="jp"

min_titles ^ Collapse all integer ≥ 1

Default=10

Additional properties forbidden

RegisterIn ^ Collapse all object

email* string email

password* ^ Collapse all string ≥ 8 characters

Minimum 8 characters recommended.

display_name ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string ≤ 80 characters

#1 null

TokenOut ^ Collapse all object

access_token* string

token_type ^ Collapse all string

Default="bearer"

ValidationError ^ Collapse all object

loc* ^ Collapse all array<(string | integer)>

Items ^ Collapse all (string | integer)

Any of ^ Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string

input any

ctx object

WidgetCreateIn ^ Collapse all object

params* ^ Collapse all (object | object | object | object | object | object)

One of ^ Collapse all (object | object | object | object | object | object)

#0 PublisherOverviewWidget > Expand all object

#1 HitRateWidget > Expand all object

#2 EfficiencyWidget > Expand all object

#3 RegionalBiasWidget > Expand all object

#4 MomentumWidget > Expand all object

#5 PublisherComparisonWidget > Expand all object

Discriminator ^ Collapse all type object

publisher_comparison=*#/components/schemas/PublisherComparisonWidget*

publisher_efficiency=*#/components/schemas/EfficiencyWidget*

publisher_hit_rate=*#/components/schemas/HitRateWidget*

publisher_momentum=*#/components/schemas/MomentumWidget*

publisher_overview=*#/components/schemas/PublisherOverviewWidget*

publisher_regional_bias=*#/components/schemas/RegionalBiasWidget*

WidgetOut ^ Collapse all object

id* integer

dashboard_id* integer

params* ^ Collapse all (object | object | object | object | object | object)

One of ^ Collapse all (object | object | object | object | object | object)

#0 PublisherOverviewWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_overview"

publisher_slug* string

from_year ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

to_year ^ Collapse all (integer | null)

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

Additional properties forbidden

#1 HitRateWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_hit_rate"

threshold ^ Collapse all number ≥ 0

Default=1

min_titles ^ Collapse all integer ≥ 1

Default=10

region ^ Collapse all string

Enum ^ Collapse all array

#0="na"

#1="eu"

#2="jp"

#3="other"

#4="global"

Default="global"

Additional properties forbidden

#2 EfficiencyWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_efficiency"

metric ^ Collapse all string

Enum ^ Collapse all array

#0="mean"

#1="median"

Default="mean"

min_titles ^ Collapse all integer ≥ 1

Default=10

Additional properties forbidden

#3 RegionalBiasWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_regional_bias"

region ^ Collapse all string

Enum ^ Collapse all array

#0="na"

#1="eu"

#2="jp"

#3="other"

Default="jp"

min_titles ^ Collapse all integer ≥ 1

Default=10

Additional properties forbidden

#4 MomentumWidget ^ Collapse all object

type* ^ Collapse all string

Const="publisher_momentum"

window ^ Collapse all integer [1, 30]

Default=5

`region` ^ Collapse all `string`

Enum ^ Collapse all `array`

#0="na"

#1="eu"

#2="jp"

#3="other"

#4="global"

Default="global"

`min_titles` ^ Collapse all `integer` ≥ 1

Default=10

Additional properties `forbidden`

#5 `PublisherComparisonWidget` ^ Collapse all `object`

`type*` ^ Collapse all `string`

Const="publisher_comparison"

`a_slug*` `string`

`b_slug*` `string`

`from_year` ^ Collapse all `(integer | null)`

Any of ^ Collapse all `(integer | null)`

#0 `integer`

#1 `null`

`to_year` ^ Collapse all `(integer | null)`

Any of ^ Collapse all `(integer | null)`

#0 `integer`

#1 `null`

Additional properties `forbidden`

Discriminator ^ Collapse all `type` `object`

publisher_comparison=*#/components/schemas/PublisherComparisonWidget*

publisher_efficiency=*#/components/schemas/EfficiencyWidget*

publisher_hit_rate=*#/components/schemas/HitRateWidget*

publisher_momentum=*#/components/schemas/MomentumWidget*

publisher_overview=*#/components/schemas/PublisherOverviewWidget*

publisher_regional_bias=*#/components/schemas/RegionalBiasWidget*