



- 
- Technical drawing of a circular mechanical assembly, showing a top view and a side view. The drawing includes dimensions and a list of components.
- Dimensions:**
- Overall diameter: 79
  - Inner diameter: 46
  - Outer diameter of O-rings: 57
  - Thickness of the base: 3
  - Thickness of the O-rings: 3.5
  - Radius of the base: 11
  - Radius of the O-rings: 14.5
  - Radius of the inner circle: 20.5
  - Radius of the outer circle: 24
  - Radius of the inner circle: 32
  - Radius of the outer circle: 3
  - Radius of the inner circle: 42
  - Radius of the outer circle: 5
  - Radius of the inner circle: 2.3
  - Radius of the outer circle: 2.5
  - Radius of the inner circle: 5
  - Radius of the outer circle: 10
  - Radius of the inner circle: 4
  - Radius of the outer circle: 26
  - Radius of the inner circle: 4
  - Radius of the outer circle: 7
  - Radius of the inner circle: 3
- Components:**
1. Base (Super SS)
  2. O-rings (high temperature resistant polymer material)
  3. Screws (Super SS)
- Washer:**
- PTFE
  - SSS
- Nut with wings**
- Screw x 4**


### 3. Main body with top O-rings



#### 4. PTFE Shoulder Washer



#### 5. Top Lid and internal Screw with ball joint (Super SS)



#### 6. Palletizer with PTFE-sleeve

