

JET EtalInterCalibration Modelling	100.0	-5.6	-6.7	2.9	-1.0	-2.7	-1.2	-5.5	-5.2	-3.8	-0.8	-0.1	-0.9	-2.2	1.3	0.0	-0.1	-12.6	-0.2	0.1	-0.1	0.7
InterCalibration NonClosure Op2 PreRec	-5.6	100.0	-12.5	5.3	-2.0	-5.0	-2.1	-10.3	-9.7	-7.1	-1.3	-0.1	-1.7	-3.0	1.3	0.1	-0.2	-22.9	1.0	0.5	1.3	4.3
JET Flavor Composition	-6.7	-12.5	100.0	6.5	-2.4	-6.1	-2.6	-12.5	-11.7	-8.6	-1.7	-0.2	-1.9	-4.0	2.6	0.1	-0.3	-28.1	0.7	0.9	1.2	7.5
JET Flavor Response	2.9	5.3	6.5	100.0	1.0	2.6	1.1	5.3	5.0	3.7	0.7	0.1	0.8	1.8	-0.9	0.0	0.1	12.5	-0.4	-0.4	-0.2	-4.0
JET InSitu NonClosure PreRec	-1.0	-2.0	-2.4	1.0	100.0	-1.0	-0.2	-1.9	-2.0	-1.5	-0.1	0.1	-0.4	-0.8	0.2	0.1	-0.0	-3.3	0.8	1.0	1.5	10.9
JET JESUnc VertexingAlg PreRec	-2.7	-5.0	-6.1	2.6	-1.0	100.0	-1.0	-4.9	-4.7	-3.5	-0.7	-0.0	-0.8	-2.0	1.5	0.0	-0.1	-11.4	1.1	0.7	1.6	6.4
JET NNJvtEfficiency	-1.2	-2.1	-2.6	1.1	-0.2	-1.0	100.0	-2.1	-1.9	-1.3	-0.5	-0.2	-0.2	0.0	0.3	-0.1	-0.1	-7.5	-1.7	-2.0	-2.1	-22.0
JET Pileup OffsetMu	-5.5	-10.3	-12.5	5.3	-1.9	-4.9	-2.1	100.0	-9.7	-7.0	-1.4	-0.1	-1.5	-2.6	1.4	0.1	-0.2	-23.3	0.2	0.5	0.3	0.7
JET Pileup OffsetNPV	-5.2	-9.7	-11.7	5.0	-2.0	-4.7	-1.9	-9.7	100.0	-6.8	-1.2	-0.0	-1.4	-2.4	0.9	0.1	-0.2	-22.4	1.8	1.6	2.3	12.0
JET Pileup RhoTopology	-3.8	-7.1	-8.6	3.7	-1.5	-3.5	-1.3	-7.0	-6.8	100.0	-0.9	0.0	-1.1	-2.4	1.2	0.1	-0.2	-15.7	1.3	1.0	2.0	11.0
JET fJvtEfficiency	-0.8	-1.3	-1.7	0.7	-0.1	-0.7	-0.5	-1.4	-1.2	-0.9	100.0	-0.1	-0.1	0.4	0.2	-0.1	-0.0	-6.3	-0.9	-1.2	-1.3	-12.6
MUON EFF RECO SYS	-0.1	-0.1	-0.2	0.1	0.1	-0.0	-0.2	-0.1	-0.0	0.0	-0.1	100.0	0.0	-0.1	0.1	-0.0	-0.0	-1.4	-1.1	-1.9	-1.4	-21.7
PRW DATASF	-0.9	-1.7	-1.9	0.8	-0.4	-0.8	-0.2	-1.5	-1.4	-1.1	-0.1	0.0	100.0	-2.3	-1.3	0.0	-0.1	-1.8	2.2	0.4	1.7	16.1
theo_ZZ_CKkW	-2.2	-3.0	-4.0	1.8	-0.8	-2.0	0.0	-2.6	-2.4	-2.4	0.4	-0.1	-2.3	100.0	7.9	0.8	-0.8	16.1	7.7	-5.8	1.6	12.4
theo_ZZ_MUQ	1.3	1.3	2.6	-0.9	0.2	1.5	0.3	1.4	0.9	1.2	0.2	0.1	-1.3	7.9	100.0	-0.1	0.7	10.0	-9.1	10.5	2.9	62.2
theo_ggZZnoHiggs	0.0	0.1	0.1	0.0	0.1	0.0	-0.1	0.1	0.1	0.1	-0.1	-0.0	0.0	0.8	-0.1	100.0	0.0	-0.1	-0.5	-0.0	-0.3	26.3
theo_qqZZ_ew	-0.1	-0.2	-0.3	0.1	-0.0	-0.1	-0.1	-0.2	-0.2	-0.2	-0.0	-0.0	-0.1	-0.8	0.7	0.0	100.0	-0.0	-0.0	-0.6	-0.2	-19.8
theo_qqZZ_scale	-12.6	-22.9	-28.1	12.5	-3.3	-11.4	-7.5	-23.3	-22.4	-15.7	-6.3	-1.4	-1.8	16.1	10.0	-0.1	-0.0	100.0	-3.1	-1.2	-2.9	-7.5
μ(ZH 0 75)	-0.2	1.0	0.7	-0.4	0.8	1.1	-1.7	0.2	1.8	1.3	-0.9	-1.1	2.2	7.7	-9.1	-0.5	-0.0	-3.1	100.0	-1.0	-4.3	-3.8
μ(ZH 150 INF)	0.1	0.5	0.9	-0.4	1.0	0.7	-2.0	0.5	1.6	1.0	-1.2	-1.9	0.4	-5.8	10.5	-0.0	-0.6	-1.2	-1.0	100.0	-3.8	7.2
μ(ZH 75 150)	-0.1	1.3	1.2	-0.2	1.5	1.6	-2.1	0.3	2.3	2.0	-1.3	-1.4	1.7	1.6	2.9	-0.3	-0.2	-2.9	-4.3	-3.8		

JET EtalInterCalibration Modelling	100.0	-5.6	-6.7	2.9	-1.0	-2.7	-1.2	-5.5	-5.2	-3.8	-0.8	-0.1	-0.9	-2.2	1.3	0.0	-0.1	-12.6	-0.2	0.1	-0.1	0.7
InterCalibration NonClosure Op2 PreRec	-5.6	100.0	-12.5	5.3	-2.0	-5.0	-2.1	-10.3	-9.7	-7.1	-1.3	-0.1	-1.7	-3.0	1.3	0.1	-0.2	-22.9	1.0	0.5	1.3	4.3
JET Flavor Composition	-6.7	-12.5	100.0	6.5	-2.4	-6.1	-2.6	-12.5	-11.7	-8.6	-1.7	-0.2	-1.9	-4.0	2.6	0.1	-0.3	-28.1	0.7	0.9	1.2	7.5
JET Flavor Response	2.9	5.3	6.5	100.0	1.0	2.6	1.1	5.3	5.0	3.7	0.7	0.1	0.8	1.8	-0.9	0.0	0.1	12.5	-0.4	-0.4	-0.2	-4.0
JET InSitu NonClosure PreRec	-1.0	-2.0	-2.4	1.0	100.0	-1.0	-0.2	-1.9	-2.0	-1.5	-0.1	0.1	-0.4	-0.8	0.2	0.1	-0.0	-3.3	0.8	1.0	1.5	10.9
JET JESUnc VertexingAlg PreRec	-2.7	-5.0	-6.1	2.6	-1.0	100.0	-1.0	-4.9	-4.7	-3.5	-0.7	-0.0	-0.8	-2.0	1.5	0.0	-0.1	-11.4	1.1	0.7	1.6	6.4
JET NNJvtEfficiency	-1.2	-2.1	-2.6	1.1	-0.2	-1.0	100.0	-2.1	-1.9	-1.3	-0.5	-0.2	-0.2	0.0	0.3	-0.1	-0.1	-7.5	-1.7	-2.0	-2.1	-22.0
JET Pileup OffsetMu	-5.5	-10.3	-12.5	5.3	-1.9	-4.9	-2.1	100.0	-9.7	-7.0	-1.4	-0.1	-1.5	-2.6	1.4	0.1	-0.2	-23.3	0.2	0.5	0.3	0.7
JET Pileup OffsetNPV	-5.2	-9.7	-11.7	5.0	-2.0	-4.7	-1.9	-9.7	100.0	-6.8	-1.2	-0.0	-1.4	-2.4	0.9	0.1	-0.2	-22.4	1.8	1.6	2.3	12.0
JET Pileup RhoTopology	-3.8	-7.1	-8.6	3.7	-1.5	-3.5	-1.3	-7.0	-6.8	100.0	-0.9	0.0	-1.1	-2.4	1.2	0.1	-0.2	-15.7	1.3	1.0	2.0	11.0
JET fJvtEfficiency	-0.8	-1.3	-1.7	0.7	-0.1	-0.7	-0.5	-1.4	-1.2	-0.9	100.0	-0.1	-0.1	0.4	0.2	-0.1	-0.0	-6.3	-0.9	-1.2	-1.3	-12.6
MUON EFF RECO SYS	-0.1	-0.1	-0.2	0.1	0.1	-0.0	-0.2	-0.1	-0.0	0.0	-0.1	100.0	0.0	-0.1	0.1	-0.0	-0.0	-1.4	-1.1	-1.9	-1.4	-21.7
PRW DATASF	-0.9	-1.7	-1.9	0.8	-0.4	-0.8	-0.2	-1.5	-1.4	-1.1	-0.1	0.0	100.0	-2.3	-1.3	0.0	-0.1	-1.8	2.2	0.4	1.7	16.1
theo_ZZ_CKkW	-2.2	-3.0	-4.0	1.8	-0.8	-2.0	0.0	-2.6	-2.4	-2.4	0.4	-0.1	-2.3	100.0	7.9	0.8	-0.8	16.1	7.7	-5.8	1.6	12.4
theo_ZZ_MUQ	1.3	1.3	2.6	-0.9	0.2	1.5	0.3	1.4	0.9	1.2	0.2	0.1	-1.3	7.9	100.0	-0.1	0.7	10.0	-9.1	10.5	2.9	62.2
theo_ggZZnoHiggs	0.0	0.1	0.1	0.0	0.1	0.0	-0.1	0.1	0.1	0.1	-0.1	-0.0	0.0	0.8	-0.1	100.0	0.0	-0.1	-0.5	-0.0	-0.3	26.3
theo_qqZZ_ew	-0.1	-0.2	-0.3	0.1	-0.0	-0.1	-0.1	-0.2	-0.2	-0.2	-0.0	-0.0	-0.1	-0.8	0.7	0.0	100.0	-0.0	-0.0	-0.6	-0.2	-19.8
theo_qqZZ_scale	-12.6	-22.9	-28.1	12.5	-3.3	-11.4	-7.5	-23.3	-22.4	-15.7	-6.3	-1.4	-1.8	16.1	10.0	-0.1	-0.0	100.0	-3.1	-1.2	-2.9	-7.5
μ(ZH 0 75)	-0.2	1.0	0.7	-0.4	0.8	1.1	-1.7	0.2	1.8	1.3	-0.9	-1.1	2.2	7.7	-9.1	-0.5	-0.0	-3.1	100.0	-1.0	-4.3	-3.8
μ(ZH 150 INF)	0.1	0.5	0.9	-0.4	1.0	0.7	-2.0	0.5	1.6	1.0	-1.2	-1.9	0.4	-5.8	10.5	-0.0	-0.6	-1.2	-1.0	100.0	-3.8	7.2
μ(ZH 75 150)	-0.1	1.3	1.2	-0.2	1.5	1.6	-2.1	0.3	2.3	2.0	-1.3	-1.4	1.7	1.6	2.9	-0.3	-0.2	-2.9	-4.3	-3.8	100.0	3.6
#norm(ZZ)	0.7	4.3	7.5	-4.0	10.9	6.4	-22.0	0.7	12.0	11.0	-12.6	-21.7	16.1	12.4	62.2	26.3	-19.8	-7.5	-3.8	7.2	3.6	100.0
JET EtalInterCalibration Modelling																						
InterCalibration NonClosure Op2 PreRec																						
JET Flavor Composition																						
JET Flavor Response																						
JET InSitu NonClosure PreRec																						
JET JESUnc VertexingAlg PreRec																						
JET NNJvtEfficiency																						
JET Pileup OffsetMu																						
JET Pileup OffsetNPV																						
JET Pileup RhoTopology																						
JET fJvtEfficiency																						
MUON EFF RECO SYS																						
PRW DATASF																						
theo_ZZ_CKkW																						
theo_ZZ_MUQ																						
theo_ggZZnoHiggs																						
theo_qqZZ_ew																						
theo_qqZZ_scale																						
μ(ZH 0 75)																						
μ(ZH 150 INF)																						
μ(ZH 75 150)																						
#norm(ZZ)																						