What is a hierarchy?

1

Define digital.

2

Define analogue.

3

How many values can be represented by a binary number containing n bits?

4

Arrange AND, OR *and* NOT *in order of operator precedence.*

5

What is the symbol for AND*?*

6

What is the symbol for OR*?*

7

What is the symbol for NOT

8

An entity that can reside in one of two states at any one time.

A hierarchy is a group of objects arranged in tiers of descending magnitude, importance or complexity.

2

1

2^n

An entity that can reside in an infinite number of possible states.

4

3

$\cdot$

E.g. $A \cdot B$

NOT, AND, OR

6

5

$\overline{}$

E.g. $\overline{A}$

$+$

E.g. $A + B$

8

7

What is the symbol for XOR

9

What is De Morgan's theorem commonly used for when designing digital circuits?

10

What is the symbol for an AND *gate?*

11

What is the symbol for an OR *gate?*

12

What is the symbol for an XOR *gate?*

13

What is the symbol for an NOT *gate?*

14

What is the symbol for an NAND *gate?*

15

What is the symbol for an NOR *gate?*

16

Converting gates such as AND, OR, XOR *etc into* NAND *and* NOR
since they are cheap and fast.

$\oplus$
E.g. $A \oplus B$

10

9

12

11

14

13

16

15

What's the symbol for a n:1 multiplexer?

17

What is the truth table for binary addition?

A	B	c_{in}	S	c_{out}
0	0	0		
0	0	1		
0	1	0		
0	1	1		
1	0	0		
1	0	1		
1	1	0		
1	1	1		

18

How do you negate a binary number?

19

Convert binary 6 to -6

20

Which bit is the signed bit when using 2's complement?

21

*How do you subtract two binary numbers?*

22

What is the sum-of-products?

23

What is the product-of-sums?

24

What is the truth table for binary addition?

A	B	c_{in}	S	c_{out}
0	0	0	0	0
0	0	1	1	0
0	1	0	1	0
0	1	1	0	1
1	0	0	1	0
1	0	1	0	1
1	1	0	0	1
1	1	1	1	1

1. Start with `0110`
2. Invert the bits - `1001`
3. Add 1 - `1010`

1. Invert the bits
2. Add 1

1. Invert the number you're subtracting
2. Add 1 to the inverted number
3. Add the number you're subtracting from with the inverted number.
Basically, add the original number to the 2's complement negative of what you're taking away.

The left most bit.

When a number of `OR` *gates are* `AND`*'ed together.*

When a number of `AND` *gates are* `OR`*'ed together.*

What is the structure of a half adder (in terms of gates)?

25

What is the truth table for the half adder?

A	B	S	c_{out}
0	0		
0	1		
1	0		
1	1		

26

Define propagation delay.

27

Fill in the table:

State	Symbol
Low	
High	
Tristate	
Unknown	

28

What does active high and active low mean?

29

What are the advantages of a hierarchy:

30

What is a combinatorial circuit?

31

What is a sequential circuit?

32

What is the truth table for the half adder?

A	B	S	c_{out}
0	*0*	*0*	*0*
0	*1*	*1*	*0*
1	*0*	*1*	*0*
1	*1*	*0*	*1*

Fill in the table:

State	Symbol
Low	*0*
High	*1*
Tristate	*Z*
Unknown	*X*

Propagation delay is the time taken for the output of a gate to change after it's inputs have changed.

1. Encapsulation
2. Reuse of logic
3. Only have to define and test things once

If a signal is active high, then it is interpreted as `True` *when the signal is high (e.g. a light is on, or the voltage is positive etc).*
If a signal is active low, then it is interpreted as `True` *when the signal is low (e.g. a light is off, or the voltage is negative etc).*

A circuit where the value of the output depends on the values of the input and the past history of it's inputs. A sequential circuit requires a clock and memory.

A circuit where the value of the output depends only on the values of the input.

What is a synchronous clock?

33

What is a clock edge?

34

Define bistable.

35

What is a flip flop?

36

What is a register made of?

37

What is a finite state machine?

38

What do S and R stand for on a S-R flip flop?

39

The point on a clock signal where the signal is going from low to high (rising or positive edge) or high to low (falling or negative edge.)

A synchronous clock is one that is effective system wide; all components in the system adhere to this clock.

34

33

A bistable device that latches onto a state.

An entity that can be in one of two stable states.

36

35

A digital system that holds the current state of itself and progresses to a new state based on the value of the current state.

A series of flip flops, each containing one bit.

38

37

S - Set
R - Reset

39