Template to copy

*/table of content zone

*/table of content

1. Heading 1
    1.1. Heading 2
        - 1.1.1. Heading 3
        - 1.1.2. Heading 3
    1.2. Heading 2
        - 1.2.1. Heading 3
        - 1.2.2. Heading 3
2. Heading 1

1. Heading 1

1.1. Heading 2

1.1.1. Heading 3

1.1.2. Heading 3

1.2. Heading 2

1.2.1. Heading 3

1.2.2. Heading 3

2. Heading 1

*/info

Phasellus nec magna scelerisque, fringilla ligula non, molestie purus.

*/note

Phasellus nec magna scelerisque, fringilla ligula non, molestie purus.

*/warning

Phasellus nec magna scelerisque, fringilla ligula non, molestie purus.

*/error

Phasellus nec magna scelerisque, fringilla ligula non, molestie purus.

*/custom panel

🚶 Phasellus nec magna scelerisque, fringilla ligula non, molestie purus.

*/expand

A big image!

*/image



My image caption!

Application code!

Big code that breaks the momentum of the documentation below!

*/code snippet

```
#include <BLEDevice.h>
#include <BLEUtils.h>
#include <BLEScan.h>
#include <BLEAdvertisedDevice.h>

int scanTime = 3; // durée du scan en secondes
BLEScan* pBLEScan;

void setup() {
  Serial.begin(115200);
  Serial.println("Démarrage du scan BLE...");

  BLEDevice::init("");
  pBLEScan = BLEDevice::getScan(); // créer un nouveau scan
```

```
  pBLEScan->setActiveScan(true); // le scan actif utilise plus de puissance, mais obtient des résultats plus rapidement
  pBLEScan->setInterval(100);
  pBLEScan->setWindow(99);  // valeur inférieure ou égale à setInterval
}

void loop() {
  // démarrer le scan
  BLEScanResults foundDevices = pBLEScan->start(scanTime, false);

  // afficher le nombre de périphériques trouvés
  Serial.print("Périphériques trouvés : ");
  Serial.println(foundDevices.getCount());

  // afficher les informations de chaque périphérique trouvé
  for (int i = 0; i < foundDevices.getCount(); i++) {
    BLEAdvertisedDevice device = foundDevices.getDevice(i);
    Serial.print("Adresse du périphérique : ");
    Serial.println(device.getAddress().toString().c_str());
    Serial.print("Nom de l'appareil : ");
    Serial.println(device.getName().c_str());
    Serial.print("RSSI : ");
    Serial.println(device.getRSSI());
  }

  // effacer les résultats du buffer de scan pour libérer de la mémoire
  pBLEScan->clearResults();
}
```

*/table

Product	Price	Quantity
Apple	1.09€	1
Banana	0.88€	2

*/bullet list

- Apple
- Banana
- Strawberry

*/link

Link to myself!

*/divider