
# RocketMQ 发送与消费消息

## producer


topic: cx-test-topic

nameserver: 47.102.136.138:9876


共发送 1000 条消息



#### 查找结果



#### 通过 msgId 查询 message



### Cosumer

```
public class Consumer {

public static void main(String[] args) throws InterruptedException, MQClientException {

/*

* Instantiate with specified consumer group name.

*/

DefaultMQPushConsumer consumer = new DefaultMQPushConsumer(consumerGroup "cx-test-group");

consumer.setNamesrvAddr("47.102.136.138:9876");

consumer.setConsumeFromWhere(ConsumeFromWhere.CoNSUME_FROM_FIRST_OFFSET);

/*

* Subscribe one more topic to consume.

*/

consumer.subscribe( hppic; "cx-test-topic", subExpression: "*");

/*

* Register callback to execute on arrival of messages fetched from brokers.

*/

ConsumerStarted.
ConsumeRessageThread_cx-test-group_18 Receive New Messages: [MessageExt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-17, sysFlage0, bornt consumeRessageThread_cx-test-group_8 Receive New Messages: [MessageExt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-17, sysFlage0, bornt consumeRessageThread_cx-test-group_8 Receive New Messages: [MessageExt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-17, sysFlage0, bornt consumeRessageThread_cx-test-group_8 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-17, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-7, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-7, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-16, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-16, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [brokerName-broker-a, queueId-1, storeSize-206, queueOffset-16, sysFlage0, bornt consumeRessageThread_cx-test-group_7 Receive New Messages: [MessageXxt [br
```

