

Práctica 6 Rabbit MQ

Mauricio Joel Flores Garzofino

Registro de usuario:

```
curl -X POST http://localhost:3000/register \
-H "Content-Type: application/json" \
-d '{"name":"Juan Perez","email":"juan.perez@example.com","cell":"780000000"}'

{"ok":true,"user":{"id":1759366846172,"name":"Juan Perez","email":"juan.pere
z@example.com","cell":"780000000","createdAt":"2025-10-02T01:00:46.172Z"}}
```


Logs consumer:

```
docker compose logs -f consumer
WARN[0000] /home/w33/Code/COM600/MicroserviciosFGMJ/Prácticas/Practica-6/docker-compose.yml: the attribute `version` is obsolete
, it will be ignored, please remove it to avoid potential confusion
consumer
consumer | > consumer@1.0.0 start
consumer | > node index.js
consumer | [dotenv@17.2.3] injecting env (0) from .env -- tip: ✨ write to custom object with { processEnv: myObject }
consumer | Esperando mensajes en la cola: email_queue
consumer | Mensaje recibido: {
consumer |   type: 'NEW_USER',
consumer |   user: {
consumer |     id: 1759367701568,
consumer |     name: 'Juan Perez',
consumer |     email: 'juan.perez@example.com',
consumer |     cell: '780000000',
consumer |     createdAt: '2025-10-02T01:15:01.568Z'
consumer |   }
consumer | }
consumer | Simulando envío de correo a: juan.perez@example.com (nombre:
consumer | Juan Perez)
consumer | Correo "enviado" a juan.perez@example.com (simulado)
```

Logs Producer:

```
docker compose logs -f producer
WARN[0000] /home/w33/Code/COM600/MicroserviciosFGMJ/Prácticas/Practica-6/docker-compose.yml: the attribute `version` is obsolete, it w
ill be ignored, please remove it to avoid potential confusion
producer
producer | > producer@1.0.0 start
producer | > node index.js
producer | [dotenv@17.2.3] injecting env (0) from .env -- tip: ⚠️ prevent committing .env to code: https://dotenvx.com/precommit
producer | Conectado a RabbitMQ en amqp://guest:guest@rabbitmq:5672 cola: email_queue
producer | Productor API en http://localhost:3000
producer | Mensaje enviado a la cola: {
producer |   type: 'NEW_USER',
producer |   user: {
producer |     id: 1759367701568,
producer |     name: 'Juan Perez',
producer |     email: 'juan.perez@example.com',
producer |     cell: '780000000',
producer |     createdAt: '2025-10-02T01:15:01.568Z'
producer |   }
producer | }
producer | }
```

RabbitMQ UI



Docker-compose.yml

```
version: '3.8'

services:
  rabbitmq:
    image: rabbitmq:3-management
    container_name: rabbitmq
    ports:
      - "5672:5672" # AMQP
      - "15672:15672" # UI
    environment:
      RABBITMQ_DEFAULT_USER: guest
      RABBITMQ_DEFAULT_PASS: guest

  producer:
    build: ./producer
    container_name: producer
    environment:
      RABBITMQ_URL: amqp://guest:guest@rabbitmq:5672
      QUEUE_NAME: email_queue
      PORT: "3000"
```

```
ports:
  - "3000:3000"

consumer:
  build: ./consumer
  container_name: consumer
  environment:
    RABBITMQ_URL: amqp://guest:guest@rabbitmq:5672
    QUEUE_NAME: email_queue
```