





- → univariate bar plot
- → bivariate bar plot
  - → grouped
  - → stacked
  - → proportional
- → mosaic plot
- → pie chart
- → donut chart


- → <u>Slides</u>
- → Code & Data
- → RStudio Cloud
- → Online Course
- → Blog Post























- → Bar charts provide a visual representation of categorical data
- → Use grouped bar chart to make comparison against different categories of data
- → Use stacked bar chart while looking at cumulative data
- → Use proportional bar chart when you want to concurrently observe each of the several variables as they fluctuate
- → Use mosaic plot to discover associations between two variables
- → Use pie chart and donut chart when comparing each group's contribution to the whole



- https://forcats.tidyverse.org/
- https://r4ds.had.co.nz/factors.html
- https://recipes.tidymodels.org/reference/discretize.html
- https://ggplot2.tidyverse.org/
- https://haleyjeppson.github.io/ggmosaic/
- https://rpkgs.datanovia.com/ggpubr/reference/ggdonutchart.html

- → Website
- → Free Online R Courses
- → R Packages
- → Shiny Apps
- $\rightarrow$  Blog
- → <u>GitHub</u>
- → <u>YouTube</u>
- → <u>Twitter</u>
- → <u>Linkedin</u>



## Thank You

For more information please visit our website www.rsquaredacademy.com