























# Matched IDQ-IDR Empirical Summary

















# IDQ Detail: Three Direction Mechanisms (6 sessions)



6 sessions; 5814 noisy trials  
Predictor: rectStep  
Mean step 19.03%  
Stream SD mean 3.03%  
 $g_D$  1.356;  $g_N$  -0.123  
Sum-max  $\Delta$ NLL 2.299  
Winner identity is model-implied

# IDR Detail: Preferred and Probe Mechanisms (99 sessions)



99 sessions; 53318 noisy trials  
Predictor: rectStep  
Excluded offset: 1 deg  
Shared p 98.80  
Sum-max  $\Delta$ NLL 3.149  
1-sided lower p 1.42  
Winner identity is model-implied

# IDQ-IDR Stimulus and Analysis Contract

IDQ  
01 6 sessions; 5814 step-noise trials  
  
02 Three directions per patch: drift and +/-120 deg  
03 Three physical noise streams per patch  
04 Step magnitude is the physical coherence step  
05 Step-integrated stream SDs: 3.03, 3.02, 3.05 % coherence  
06 Mean coherence step: 19.03 %  
07 Preferred:null sensitivity ratio 2.42

IDR  
01 99 sessions; 53318 step-noise trials  
  
02 Preferred direction plus offset probes  
03 Paired yoked probe candidates except 180 deg  
04 Effective probe predictor sums yoked streams  
05 Candidate predictor represents one probe mechanism  
06 Step magnitude = stepCoh - prestepCoh  
07 Excluded probe offset: 1 deg  
08 Preferred:null sensitivity ratio 2.42

COMMON ANALYSIS CONTRACT  
INC trials  
Physical coherence signs retained  
Step-rectangular trialwise noise predictors  
Session-threshold alignment  
Pooled Weibull shape and lapse  
Bernoulli trial likelihood  
Winning mechanism remains behaviorally latent

Interpretive boundary: physical-coherence overlap is not neural candidate overlap.  
A shared forward model must add MT tuning, divisive normalization, internal variability,  
within-patch selection, and comparison of patch outputs.