



ANDROID STATIC ANALYSIS REPORT




 Facebook (569.0.0.42.72)

File Name:	facebook-569-0-0-42-72.apk
Package Name:	com.facebook.katana
Scan Date:	July 18, 2026, 8:51 p.m.

App Security Score:

49/100 (MEDIUM RISK)

Grade:



Trackers Detection:

9/432

 FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
4	163	2	2	2

FILE INFORMATION

File Name: facebook-569-0-0-42-72.apk

Size: 145.86MB

MD5: 94557c6b03369143d7d8dda31458be4c

SHA1: 5eae7b57b485b4cba171c080590956fce43784a2

SHA256: 8b39563b77bb09d32fad97fc51359cd7575393e38ffeff07a875848b214bad27

APP INFORMATION

App Name: Facebook

Package Name: com.facebook.katana

Main Activity: com.facebook.notifications.settings.InAppNotificationSettingsActivity

Target SDK: 36

Min SDK: 30

Max SDK:

Android Version Name: 569.0.0.42.72

Android Version Code: 472948026

APP COMPONENTS

Activities: 1002

Services: 153

Receivers: 115

Providers: 27

Exported Activities: 60

Exported Services: 32

Exported Receivers: 33

Exported Providers: 11

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: None

X.509 Subject: C=US, ST=CA, L=Palo Alto, O=Facebook Mobile, OU=Facebook, CN=Facebook Corporation

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2009-08-31 21:52:16+00:00

Valid To: 2050-09-25 21:52:16+00:00

Issuer: C=US, ST=CA, L=Palo Alto, O=Facebook Mobile, OU=Facebook, CN=Facebook Corporation

Serial Number: 0x4a9c4610

Hash Algorithm: md5

md5: 3fad024f2dcbe3ee693c96f350f8e376

sha1: 8a3c4b262d721acd49a4bf97d5213199c86fa2b9

sha256: e3f9e1e0cf99d0e56a055ba65e241b3399f7cea524326b0cdd6ec1327ed0fdc1
sha512: cd0c5bea15efd4c2620b5632a2d7618bc1cffb2edfc0f70e2f03ce593c162a93f655771bb2e22238889d4a5740f3dcbcd5b14b8a266602048500c67b0f07d14
PublicKey Algorithm: rsa
Bit Size: 1024
Fingerprint: f399a11f1d0ba109236e9b0cd20c7384a55d02042ba6c2500cec5a0001e165a1
Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_MEDIA_LOCATION	dangerous	access any geographic locations	Allows an application to access any geographic locations persisted in the user's shared collection.
android.permission.READ_MEDIA_VISUAL_USER_SELECTED	dangerous	allows reading user-selected image or video files from external storage.	Allows an application to read image or video files from external storage that a user has selected via the permission prompt photo picker. Apps can check this permission to verify that a user has decided to use the photo picker, instead of granting access to READ_MEDIA_IMAGES or READ_MEDIA_VIDEO . It does not prevent apps from accessing the standard photo picker manually. This permission should be requested alongside READ_MEDIA_IMAGES and/or READ_MEDIA_VIDEO , depending on which type of media is desired.
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	normal	permission for using Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.	Permission an application must hold in order to use Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WRITE_CONTACTS	dangerous	write contact data	Allows an application to modify the contact (address) data stored on your phone. Malicious applications can use this to erase or modify your contact data.
android.permission.GET_ACCOUNTS	dangerous	list accounts	Allows access to the list of accounts in the Accounts Service.
android.permission.MANAGE_ACCOUNTS	dangerous	manage the accounts list	Allows an application to perform operations like adding and removing accounts and deleting their password.
android.permission.AUTHENTICATE_ACCOUNTS	dangerous	act as an account authenticator	Allows an application to use the account authenticator capabilities of the Account Manager, including creating accounts as well as obtaining and setting their passwords.
android.permission.READ_SYNC_SETTINGS	normal	read sync settings	Allows an application to read the sync settings, such as whether sync is enabled for Contacts.
android.permission.WRITE_SYNC_SETTINGS	normal	write sync settings	Allows an application to modify the sync settings, such as whether sync is enabled for Contacts.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.BROADCAST_STICKY	normal	send sticky broadcast	Allows an application to send sticky broadcasts, which remain after the broadcast ends. Malicious applications can make the phone slow or unstable by causing it to use too much memory.
com.facebook.katana.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference
com.facebook.orca.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference
com.facebook.services.identity.FEO2	unknown	Unknown permission	Unknown permission from android reference
com.facebook.mlite.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference
com.facebook.pages.app.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference
com.oculus.twilight.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.facebook.appmanager.UNPROTECTED_API_ACCESS	unknown	Unknown permission	Unknown permission from android reference
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	unknown	Unknown permission	Unknown permission from android reference
android.permission.NFC	normal	control Near-Field Communication	Allows an application to communicate with Near-Field Communication (NFC) tags, cards and readers.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
com.facebook.permission.prod.FB_APP_COMMUNICATION	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.READ_BASIC_PHONE_STATE	normal	allows read-only access to basic phone state information.	Allows read only access to phone state with a non dangerous permission, including the information like cellular network type, software version.
android.permission.READ_CALENDAR	dangerous	read calendar events	Allows an application to read all of the calendar events stored on your phone. Malicious applications can use this to send your calendar events to other people.
android.permission.WRITE_CALENDAR	dangerous	add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.READ_PROFILE	dangerous	read the user's personal profile data	Allows an application to read the user's personal profile data.
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.GET_TASKS	dangerous	retrieve running applications	Allows application to retrieve information about currently and recently running tasks. May allow malicious applications to discover private information about other applications.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.ACCESS_AD_SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_AD_SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_AD_SERVICES_CUSTOM_AUDIENCE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_AD_SERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
android.permission.CREDENTIAL_MANAGER_SET_ALLOWED_PROVIDERS	normal	allows specifying candidate credential providers.	Allows specifying candidate credential providers to be queried in Credential Manager get flows, or to be preferred as a default in the Credential Manager create flows.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	normal	enables foreground services with connected device use.	Allows a regular application to use Service.startForeground with the type "connectedDevice".
android.permission.DETECT_SCREEN_CAPTURE	normal	notifies when a screen capture of the app's windows is attempted.	Allows an application to get notified when a screen capture of its windows is attempted.
android.permission.DETECT_SCREEN_RECORDING	normal	Grants an application the ability to receive notifications when audio or screen recording is in progress.	Allows an application to get notified when it is being recorded.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.BATTERY_STATS	signature	modify battery statistics	Allows the modification of collected battery statistics. Not for use by common applications.
com.google.android.apps.aicore.service.BIND_SERVICE	unknown	Unknown permission	Unknown permission from android reference
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.CAPTURE_VIDEO_OUTPUT	normal	allows capturing of video output.	Allows an application to capture video output.
android.permission.FOREGROUND_SERVICE_PHONE_CALL	normal	enables foreground services during phone calls.	Allows a regular application to use Service.startForeground with the type "phoneCall".
android.permission.FOREGROUND_SERVICE_MEDIA_PROJECTION	normal	allows foreground services for media projection.	Allows a regular application to use Service.startForeground with the type "mediaProjection".
android.permission.FOREGROUND_SERVICE_CAMERA	normal	allows foreground services with camera use.	Allows a regular application to use Service.startForeground with the type "camera".
android.permission.FOREGROUND_SERVICE_MICROPHONE	normal	permits foreground services with microphone use.	Allows a regular application to use Service.startForeground with the type "microphone".
android.permission.REORDER_TASKS	normal	reorder applications running	Allows an application to move tasks to the foreground and background. Malicious applications can force themselves to the front without your control.
com.facebook.katana.permission.CREATE_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.MANAGE_OWN_CALLS	normal	enables a calling app to manage its own calls.	Allows a calling application which manages it own calls through the self-managed ConnectionService APIs.
com.facebook.katana.permission.RECEIVE_ADM_MESSAGE	unknown	Unknown permission	Unknown permission from android reference
com.amazon.device.messaging.permission.RECEIVE	unknown	Unknown permission	Unknown permission from android reference
com.nokia.pushnotifications.permission.RECEIVE	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.motorola.launcher3.permission.UNREAD_BADGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.RUN_USER_INITIATED_JOBS	normal	allows using the user-initiated jobs API.	Allows applications to use the user-initiated jobs API. For more details see JobInfo.Builder.setUserInitiated(boolean) .
android.permission.USE_BIOMETRIC	normal	allows use of device-supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.facebook.receiver.permission.ACCESS	unknown	Unknown permission	Unknown permission from android reference
com.facebook.katana.permission.CROSS_PROCESS_BROADCAST_MANAGER	unknown	Unknown permission	Unknown permission from android reference
com.facebook.katana.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.READ_PHONE_NUMBERS	dangerous	allows reading of the device's phone number(s).	Allows read access to the device's phone number(s). This is a subset of the capabilities granted by READ_PHONE_STATE but is exposed to instant applications.
android.permission.ANSWER_PHONE_CALLS	dangerous	permits an app to answer incoming phone calls.	Allows the app to answer an incoming phone call.
android.permission.READ_CALL_LOG	dangerous	grants read access to the user's call log.	Allows an application to read the user's call log.

APKID ANALYSIS

FILE	DETAILS	
94557c6b03369143d7d8dda31458be4c.apk	FINDINGS	DETAILS
	Anti Disassembly Code	illegal class name
	Manipulator Found	Resources Confusion

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check network operator name check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	unknown (please file detection issue!)
classes10.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name
classes11.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes12.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check Build.BOARD check
	Compiler	unknown (please file detection issue!)
classes13.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name
classes14.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check network operator name check possible ro.secure check possible VM check
	Compiler	unknown (please file detection issue!)
classes15.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes16.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check possible Build.SERIAL check network operator name check
	Compiler	unknown (please file detection issue!)
classes17.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check Build.TAGS check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	unknown (please file detection issue!)
classes18.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check SIM operator check ro.kernel.qemu check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
classes19.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check SIM operator check network operator name check
	Compiler	unknown (please file detection issue!)
classes20.dex	FINDINGS	DETAILS
	Compiler	dx
classes3.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
classes4.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
classes5.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check possible Build.SERIAL check SIM operator check network operator name check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name
classes6.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MANUFACTURER check subscriber ID check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name
classes7.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes8.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
classes9.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)
lib/arm64-v8a/libbreakpad.so	FINDINGS	DETAILS
	anti_hook	syscalls
lib/arm64-v8a/libfbunwindstack.so	FINDINGS	DETAILS
	anti_hook	syscalls

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.facebook.katana.UriAuthHandler	Schemes: fblogin://,
com.facebook.adinterfaces.AdInterfacesObjectiveActivity	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, Path Prefixes: /page_promotions/create, /marketing_dl_facebook/boosted_message, /page_promotions/edit, /page_promotions/ftae,
com.facebook.fx.thirdpartyoauth.FxGbThirdPartyOAuthActivity	Schemes: fb://, Hosts: third_party_oauth,
libraries.bkmmasdk.launcher.MetaManagedAccountLoginActivity	Schemes: http://, https://, mwassoblocks-reauth://, Hosts: work.meta.com, sso531728, Paths: /work/sso/mwassoblocks/531728, /work/sso/mwassoblocks-reauth/531728,

ACTIVITY	INTENT
com.facebook.silentapp.SilentAppActivity	Schemes: http://, https://, xapplva://, sflvavs://, sfbth://, sfbf://, sfbfi://, sfbfs://, Hosts: www.facebook.com, m.facebook.com, Path Prefixes: /login_via/app/, /unified/login_via/app/, /fb/login_via/app/, /branded_page/exp/,
com.facebook.deeplinking.aliasactivity.CatchAllUriAliasActivity	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, www.prod.facebook.com, www.beta.facebook.com, www.alpha.facebook.com, fb.com, web.facebook.com, facebook.com, m.alpha.facebook.com, free.facebook.com, m.beta.facebook.com, m.prod.facebook.com, mbasic.alpha.facebook.com, mbasic.beta.facebook.com, mbasic.prod.facebook.com, mbasic.facebook.com, mobile.facebook.com, mtouch.facebook.com, p.facebook.com, touch.facebook.com, x.facebook.com, m.fbwat.ch, www.fbwat.ch, fb.watch, m.fb.watch, www.fb.watch, www.fb.me, fb.me, www.fb.audio, fb.audio, Paths: /login/index.php, /login/index.php/, Path Prefixes: /inter_app/redirect, Path Patterns: /.*,

ACTIVITY	INTENT
com.facebook.katana.IntentUriHandler	Schemes: http://, https://, facebook://, fb://, fbbpth://, fbbpf://, fbbpfi://, fbbps://, dialtone://, Hosts: www.facebook.com, m.facebook.com, www.prod.facebook.com, www.beta.facebook.com, www.alpha.facebook.com, fb.com, web.facebook.com, facebook.com, m.alpha.facebook.com, free.facebook.com, m.beta.facebook.com, m.prod.facebook.com, mbasic.alpha.facebook.com, mbasic.beta.facebook.com, mbasic.prod.facebook.com, mbasic.facebook.com, mobile.facebook.com, mtouch.facebook.com, p.facebook.com, touch.facebook.com, x.facebook.com, m.fbwat.ch, www.fbwat.ch, fb.watch, m.fb.watch, www.fb.watch, www.fb.gg, fb.gg, www.fb.me, fb.me, www.fb.audio, fb.audio, m.me, www.m.me, familycenter.facebook.com, Paths: /device, /devices, /payments/offsite_button_login, /permalink.php, /story.php, /home.php, /photo.php, /checkwifi, /profile.php, /friends, Path Prefixes: /avatar/edit, /stories/collab, /stories, /fb_challenge, /fb_ayc, /mobile-redirect/login, /donate, /events, /share, /fundraisers, /group_subfeed/.*, /recommendations, /fb_shorts/viewer, /messenger_kids/redirect/invite, /messenger_kids, /privacy/checkup, /creator_oauth_link, /mediaplaylist, /ads/experience/confirmation, /free_suite_ads/live/, /free_suite_ads/stories/, /free_suite_ads/offers/, /free_suite_ads/groups/, /profile/edit/infotab/section/forms/, /fanning_send_page_invite, /marketing_dl_facebook/recommendations_hub, /marketing_dl_facebook/mp_seller_listings, /marketing_dl_facebook/page_surface, /marketing_dl_facebook/poe_create, /marketing_dl_facebook/live_shopping, /marketing_dl_facebook/sbg_engagement, /free_suite_ads/inbox/, /free_suite_ads/choose_cta/, /free_suite_ads/create_post/get_messages, /loyalty_opt/magic_link, /reels/audio, /reelsaudio, /reels/hashtag, /reelshashtag, /reels/topic, /reelstopic, /watch, /storiescomposerforadscampaign, /watch/channel, /events/creation, /pages/create/, /pages/creation/, /pages/place_claim/redirect_email_invite, /safetycheck, /crisisresponse, /xdl/approve, /private_sharing/home_view, private_sharing/home_view, /location_history, /place_curation, /dating, /local_business_discovery, /business_nearby, /supportsmallbusinessONP/groups, /.*/*/subscribe, /book/, /covidsupport, /coronavirus_info/request_offer_help, /saved/list, /topic/request/, /share/a, /meta-ai-answers, /carrier_wifi/, /avatars_create, /local/communities, /neighborhoods, /wifi_profile/, /pages/whatsapp/, /page/whatsapp/verification/, /page/whatsapp/linking/, /page_admin_completion_meter, /transfer_your_information/redirect/, /tyi/mobile/redirect/, /tyi, /reelscomposer, /app_direct_install/, /preferred_businesses/link_account/, /feed_story_permalink_non_encoded_id, /oauth_account_linking_mobile/login_redirect, /oauth_account_linking/login_redirect/fb_bloks, /shops_checkout, /messaging_thread, /ai_character_drafts, /ai_character, /wear-it-with-ai, /ai_character_profile_switch, /ai_interactives, /shop_pay_did_finish, /inter_app/redirect, /account_link_auth, /meta_ai_answer_sheet, /meta_credit_funding_response, /pokes, /groups/email_verification, /groups/answers/.*, /fb-answers, /local_guide, /gaming/, /acredirect, /accounts_center/add_wa_finished, /groups, /photo, /commerce/products/, /fbrdr/2048/, /fbrdr/274/, /n/, /nd/, /campaign/app_landing, /x/payout/help, /order_food, /orderfood, /page_select_cta/, /page_config_cta/, /custom_cta/mobile_admin/destination_types/, /qr, /pg/, /coronavirus_info, /emotional_health, /biz_info_center, /business_resources, /coronavirus_business_info, /discovery/hub/.*, /votinginformationcenter, /votinginfocenter, /voyager, /business_economic_relief, /facebook_pay, /ads_lwi, /accountquality, /supporthome, /commerce/notification/catalogs, /ar/commerce/try, /mobile_center, /premium_content, /communityexplore/.*, /SoutenonsLesBonnesIdees, /VerdientGefundenZuWerden, /fb_shop_referral, /fb_shop_leave_review, /fantasy_games, /hub_order_details, /orders_hub, /fb_payout_hub, /update_payment, /childhood_vaccines, /digital_wallets, /digital_collectibles, /applet/, /consent_experiences_kit, /checkwifi/, /meta_reward, /cpdp, /creator_hub, /account_status, /creator_bonuses, /reels_ads_onboarding, /iwl/, /fx_cal/fb, /profile_edit_pronouns, /meta_verified, /meta_subscriptions, /engaged_followers, /marketplace, /settings, /gen_ai_characters, /public_channels_directory, /broadcastchannelsdirectory, /fbchannels/create, /fandom_settings, /fan_challenge, /checkpoint_epsilon/, /hacked/disavow, /last_resort_recovery/hacked_form/start/, /last_resort_recovery/deeplink, /identity/wizard/trigger/handoff, /nonprofit-manager, /auth-platform-continue, /fbnotes, /collaboration_invite, /pending_collaboration_invites, /professional_dashboard/collaborations, /@, /-, /p/, /ai_character_create_profile, //, Path Patterns: /.*/*/subscribenow, /affiliate_partnerships, /affiliate_partnerships/.*, /facebook_creator_marketplace/.*, /.*/*/storefront, /.*/*/storefront/.*, /.*/*/exclusives, /.*/*/exclusives/.*, /hashtag/.*, /.*/*/videos/.*, /reel/.*, /fb_shorts/viewer.*, /live, /.*/*/live, /.*/*/live/.*, /.*/*/live_videos, /.*/*/live_videos/.*, /creator_oauth_link/.*, /creator_oauth_link/..*, /watch/music, /music, /watchparty, /watchparty/.*, /watch/.*, /watch/subscription/.*, /playlist/.*, /.*/*/playlist/.*, /.*/*/playlists/.*, /settings/page_access_limits.*, /.*/*/menu/.*, /.*/*/menu/.*, /rewards/program/.*, /search, /search/top/, /search/latest/, /.*/*/gizmos/.*, /groups/./preview/.*, /.*/*/posts/.*, /places/././.*, /fbcameraeffects/tryit/.*, /.*/*/photos/.*, /.*/*/shop, /.*/*/shop/, /.*/*/shop/.*, /.*/*/shop/..*, /job.*, /jobs.*, /engaged_followers/.*, /friendship/.*, /friends/.*, /profile/.*, /.*/*/sports, /.*/*/reels_tab, /.*/*/videos, /.*/*/photos, /.*/*/photos_by, /.*/*/groups, /.*/*/reviews_given, /.*/*/about, /.*/*/photos_albums, /.*/*/allactivity, /.*/*/about_contact_and_basic_info, /.*/*/about_places, /.*/*/about_overview, /.*/*/about_work_and_education, /.*/*/about_family_and_relationships, /.*/*/about_life_events, /.*/*/places_recent, /media/set/.*, /index.php, /home.php, /made_for_you, /bookmarks, /bookmarks/, /menu/bookmarks, /messages, /buddylist.php, /profile.php, /profile.php/, /profile.php/.*, /.*/*/mp/..*, /e/..*, /g/..*, /live/..*, /soundbites/..*, /cm/..*, /ch/..*, /ce/..*, /j/..*,

ACTIVITY	INTENT
com.meta.foa.deeplink.FoaDeeplinkActivityAliasAppScheme	Schemes: fb://, Hosts: bloks_lab,
com.facebook.deeplinking.aliasactivity.OpcAcceleratorOnboardingAliasActivity	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, facebook.com, Path Prefixes: /creator_programs,
com.facebook.deeplinking.aliasactivity.FacebookLoggedInUsersDeeplinkAliasActivity	Schemes: http://, https://, Hosts: www.facebook.com, m.facebook.com, facebook.com, www.alpha.facebook.com, www.beta.facebook.com, www.prod.facebook.com, m.alpha.facebook.com, Paths: /, /sharer, Path Prefixes: /help/, /dialog/share, /dialog/share_open_graph, /dialog/feed, /sharer.php, /sharer/sharer.php, Path Patterns: /v.*\\.*/*dialog/share, /v.*\\.*/*dialog/share_open_graph, /v.*\\.*/*dialog/feed, /v.*\\.*/*sharer.php, /v.*\\.*/*sharer/sharer.php,
com.facebook.deeplinking.aliasactivity.SmsNotificationShortUrlAliasActivity	Schemes: http://, https://, Hosts: fb.me, Path Patterns: /.*,
com.facebook.registration.activity.AccountRegistrationActivity	Schemes: https://, Hosts: m.facebook.com, Paths: /reg/, /regd/,
com.spotify.sdk.android.auth.browser.RedirectUriReceiverActivity	Schemes: https://, Hosts: facebook.com, Path Patterns: /spotify-login-callback,

NETWORK SECURITY

HIGH: 2 | WARNING: 1 | INFO: 1 | SECURE: 2

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.
2	*	warning	Base config is configured to trust system certificates.

NO	SCOPE	SEVERITY	DESCRIPTION
3	facebook.com fbcdn.net fbsbx.com facebookcorewwwi.onion fbcdn23dssr3jqnq.onion fbsbx2q4mvcl63pw.onion instagram.com cdninstagram.com workplace.com oculus.com facebookvirtualassistant.com discoverapp.com freebasics.com internet.org viewpointsfromfacebook.com meta.com llama.com h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	secure	Domain config is securely configured to disallow clear text traffic to these domains in scope.
4	facebook.com fbcdn.net fbsbx.com facebookcorewwwi.onion fbcdn23dssr3jqnq.onion fbsbx2q4mvcl63pw.onion instagram.com cdninstagram.com workplace.com oculus.com facebookvirtualassistant.com discoverapp.com freebasics.com internet.org viewpointsfromfacebook.com meta.com llama.com h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	info	Certificate pinning expires on 2027-07-01. After this date pinning will be disabled. [Pin: x4QzPSC810K5/cMjb05Qm4k3Bw5zBn4ITdO/nEW/Td4= Digest: SHA-256,Pin: ICGRfpgmOUXIwCQ/HXPLQtkFPEFPoDyJvH7ohhQpjzs= Digest: SHA-256,Pin: grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvprLg5yRME= Digest: SHA-256,Pin: 58qRu/uxh4gFezqAcERupSkRYBIBAvfcw7mEjGPLnNU= Digest: SHA-256,Pin: r/mlkG3eEpVdm+u/ko/cwxzOMo1bk4TyHIIByibiA5E= Digest: SHA-256,Pin: i7WTqTvh0OiolrulfFR4kMPnBqrS2rdiVPI/s2uC/CY= Digest: SHA-256,Pin: uUwZgwDOxcBXrQcntwu+kYFpkiVkOaezL0WYEZ3anjc= Digest: SHA-256,Pin: WoiWRyIOVNa9ihaBciRSC7XHJliYS9VwUGOlud4PB18= Digest: SHA-256,Pin: Wd8xe/qfTwq3yIFNd3IpaqLHZbh2ZNCLluVzmeNkcpw= Digest: SHA-256,Pin: ape1HIIZ6T5d7GS61YBs3rD4NVvkfnVwELcCRW4Bqv0= Digest: SHA-256,Pin: oC+voZLly4HLE0FVT5wFtxzKKokLDRKY1oNkfjYe+98= Digest: SHA-256,Pin: K87oWBWM9UZfyddvDfoxL+8lpNyoUB2ptGtn0fv6G2Q= Digest: SHA-256,Pin: cGuxAXyFXfKwM61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest: SHA-256,Pin: aCdH+LpiG4fN07wpXtXKvOciocDANj0daLOJKNJ4fx4= Digest: SHA-256,Pin: rn+WLLnmp9v3uDP7GPqbcaiRdd+UnCMrap73yz3yu/w= Digest: SHA-256,Pin: C5+lpZ7tcVwmwQIMcRtPbsQtWLABXhQzejna0wHFr8M= Digest: SHA-256,Pin: diGVwiVYbubAI3RW4hB9xU8e/CH2GnkuvVFZE8zmgl= Digest: SHA-256,Pin: q4PO2G2cbkZhZ82+jgmRUyGMOAeozA+BSXVXQWB8XWQ= Digest: SHA-256]

NO	SCOPE	SEVERITY	DESCRIPTION
5	h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.
6	h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. []

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Certificate algorithm vulnerable to hash collision	high	Application is signed with MD5. MD5 hash algorithm is known to have collision issues.

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 157 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App has a Network Security Configuration[android:networkSecurityConfig=@xml/APKTOOL_DUMMYVAL_0x7f170004]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Content Provider (com.facebook.katana.provider.AttributionIdProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Content Provider (com.facebook.platform.common.provider.PlatformProviderBase) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Content Provider (com.facebook.twilight.deeplinks.DeferredDeeplinkProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Content Provider (com.facebook.messaging.push.dedup.provider.ClientMessagePushDedupInfoProvider) is Protected by a permission.Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
7	Service (com.facebook.audienzenetwork.AudienceNetworkService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	TaskAffinity is set for activity (com.facebook.account.twofac.push.LoginApprovalsPushActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
9	Activity (com.facebook.katana.activity.FbMainTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity-Alias (com.facebook.katana.LoginActivity.worldcup_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity-Alias (com.facebook.katana.LoginActivity.fab_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Activity-Alias (com.facebook.katana.LoginActivity.vaporwave_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Activity-Alias (com.facebook.katana.LoginActivity.fierce_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (com.facebook.katana.LoginActivity.loved_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
15	Activity-Alias (com.facebook.katana.LoginActivity.dreamy_ic) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity-Alias (com.facebook.katana.LoginActivity.quiet_cool) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity-Alias (com.facebook.katana.LoginActivity.katana) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
18	Activity-Alias (com.facebook.katana.LoginActivity.blue_fb) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
19	Activity-Alias (com.facebook.katana.LoginActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
20	Activity (com.facebook.katana.immersiveactivity.ImmersiveActivity) is Protected by a permission.Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
21	Activity (com.facebook.katana.immersiveactivity.ImmersivePortraitActivity) is Protected by a permission.Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
22	Activity (com.facebook.katana.immersiveactivity.ImmersiveDeeplinkingActivity) is Protected by a permission.Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
23	TaskAffinity is set for activity (com.facebook.notifications.tray.service.SystemTrayLogWrapperActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
24	Activity (com.facebook.katana.GoogleNowIntentHandler) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
25	Activity (com.facebook.katana.UriAuthHandler) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
26	Activity (com.facebook.platform.common.activity.PlatformWrapperActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
27	Activity (com.facebook.sotto.SottoConsiderationActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
28	Service (com.facebook.katana.platform.FacebookAuthenticationService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
29	Service (com.facebook.katana.platform.TokenRefreshService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
30	Service (com.facebook.platform.common.service.PlatformService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
31	Activity (com.facebook.adinterfaces.AdInterfacesObjectiveActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
32	Broadcast Receiver (com.facebook.messaging.notify.client.MessagesNotificationBroadcastReceiver) is Protected by a permission. Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	A Broadcast Receiver is found to be exported, but is protected by permission.
33	Broadcast Receiver (com.facebook.common.init.OnAppUpdateReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
34	Broadcast Receiver (com.facebook.katana.urimap.warmstart.WarmStartBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
35	Broadcast Receiver (com.facebook.katana.crossapp.warmup.ReelWarmupBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
36	Broadcast Receiver (com.facebook.watson.WatsonBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
37	Broadcast Receiver (com.facebook.ui.mainview.tabshortcut.TabShortcutCreator\$ShortcutMadeIntentReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
38	Broadcast Receiver (com.facebook.games.entrypoint.shortcut.GamesShortcutHelper\$GamingTabBookmarkShortcutCreatedIntentReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
39	TaskAffinity is set for activity (com.facebook.messenger.intents.MediaEditShareIntentHandler)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
40	Activity (com.facebook.messenger.intents.MediaEditShareIntentHandler) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
41	Activity-Alias (com.facebook.composer.shareintent.ShareToGroupsSimpleLabelAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
42	Activity-Alias (com.facebook.composer.shareintent.ShareToGroupsAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
43	Activity-Alias (com.facebook.composer.shareintent.ShareToReelAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
44	Activity-Alias (com.facebook.composer.shareintent.AddToStoryAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
45	Activity-Alias (com.facebook.composer.shareintent.ImplicitShareIntentHandlerDefaultAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
46	Activity (com.facebook.inspiration.fbshorts.shareintent.InspirationFbShortsExternalShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
47	Activity-Alias (com.facebook.inspiration.fbshorts.shareintent.InpirationFbShortsShareMultipleAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
48	Activity-Alias (com.facebook.inspiration.fbshorts.shareintent.InpirationFbShortsSharePhotoAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
49	Activity-Alias (com.facebook.inspiration.fbshorts.shareintent.InpirationFbShortsShareAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
50	Activity-Alias (com.facebook.inspiration.platformsharing.activity.InspirationCameraShareToStoryTextSimpleLabelAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
51	Activity-Alias (com.facebook.inspiration.platformsharing.activity.InspirationCameraShareToStoryTextAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
52	Activity-Alias (com.facebook.inspiration.platformsharing.activity.InspirationCameraShareMultipleCollageAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
53	Activity-Alias (com.facebook.inspiration.platformsharing.activity.InpirationCameraShareMultipleAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
54	Activity-Alias (com.facebook.inspiration.platformsharing.activity.InpirationCameraShareDefaultAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
55	Activity (com.facebook.inspiration.platformsharing.activity.InspirationEditsExternalShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
56	Activity (com.facebook.inspiration.platformsharing.activity.InspirationMessengerExternalShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
57	Service (com.facebook.smartglasses.ipc.service.SmartGlassesTunnelService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
58	Content Provider (com.facebook.messaging.sharekey.contentprovider.SecureMessagingKeyContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
59	TaskAffinity is set for activity (com.facebook.rooms.call.app.RoomActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
60	TaskAffinity is set for activity (com.facebook.rooms.mainapp.helpers.activity.CallIntentHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
61	TaskAffinity is set for activity (com.facebook.rooms.call.endcall.blokssurvey.SurveyHostActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
62	TaskAffinity is set for activity (libraries.bkmmasdk.launcher.MetaManagedAccountLoginActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
63	Activity (libraries.bkmmasdk.launcher.MetaManagedAccountLoginActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
64	Broadcast Receiver (com.facebook.caa.shared.identityhash.IdentityHashReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
65	TaskAffinity is set for activity (com.facebook.silentapp.SilentAppActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
66	Activity (com.facebook.silentapp.SilentAppActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
67	Activity-Alias (com.facebook.deeplinking.aliasactivity.CatchAllUriAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
68	TaskAffinity is set for activity (com.facebook.katana.IntentUriHandler)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
69	Activity (com.facebook.katana.IntentUriHandler) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
70	Activity-Alias (com.meta.foa.deeplink.FoaDeeplinkActivityAliasUniversalLink) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
71	Activity-Alias (com.meta.foa.deeplink.FoaDeeplinkActivityAliasAppScheme) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
72	Activity-Alias (com.facebook.deeplinking.aliasactivity.OpcAcceleratorOnboardingAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
73	Activity-Alias (com.facebook.deeplinking.aliasactivity.FacebookLoggedInUsersDeeplinkAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
74	Activity-Alias (com.facebook.deeplinking.aliasactivity.SmsNotificationShortUrlAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
75	Service (com.meta.wearable.acdc.sdk.service.ACDCRegistrationService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
76	Activity (com.facebook.games.gamingservices.deeplink.GamingServicesDeeplinkActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
77	Activity (com.facebook.fbpay.w3c.views.PaymentActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
78	TaskAffinity is set for activity (com.facebook.mhe.activity.FbMheHorizon2DAActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
79	TaskAffinity is set for activity (com.facebook.mhe.activity.FbMheBugReportShimActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
80	Activity (com.facebook.whatsapp.iab.WalabCallbackDeeplinkActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
81	Service (com.meta.mfa.service.MfaCrossAppServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
82	Service (com.facebook.ppml.receiver.ReceiverService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
83	Service (com.meta.trusteddevice.service.TrustedDeviceFoundationServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
84	Activity (com.facebook.zero.internal.FOSACTIONSActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
85	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.AppComponentManagerTestingReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
86	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.FirstEnableStageTestReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
87	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.SecondEnableStageTestReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
88	Activity (com.facebook.inspiration.composer.activity.messaging.InspirationComposerXmaShareUriLauncherActivity) is Protected by a permission.Permission: com.facebook.permission.prod.FB_APP_COMMUNICATION</br>protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
89	Broadcast Receiver (com.facebook.battery.monitor.ContinuousBatteryMonitorService\$BroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
90	Broadcast Receiver (com.facebook.credentials.AuthTokenDebugLogger) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
91	Activity (com.facebook.googleplaystore.GooglePlaystoreOverlayExternalActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
92	TaskAffinity is set for activity (com.facebook.groups.admin.adminassist.activities.GroupAdminAssistActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
93	Broadcast Receiver (com.facebook.googleplay.GooglePlayInstallReferrerReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
94	Service (com.facebook.ads.internal.ipc.AudienceNetworkRemoteService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
95	Activity (com.facebook.ads.internal.ipc.AudienceNetworkExportedActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
96	Service (com.facebook.fbpay.w3c.ipc.IsReadyToPayServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
97	Service (com.fbpay.w3c.ipc.AutofillKeyFetchServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
98	Content Provider (com.facebook.katana.liteprovider.usdid.UsdidValuesProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
99	Content Provider (com.facebook.katana.liteprovider.FirstPartyUserValuesLiteProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
100	Content Provider (com.facebook.katana.provider.UserValuesProvider) is Protected by a permission.Permission: com.facebook.katana.provider.ACCESS</br>protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
101	Content Provider (com.facebook.katana.provider.FirstPartyUserValuesProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
102	Content Provider (com.facebook.katana.provider.InstallReferrerProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
103	Content Provider (com.facebook.katana.provider.LastUsedTimestampProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
104	Content Provider (com.facebook.katana.provider.CacheProvider) is Protected by a permission.Permission: com.facebook.katana.provider.ACCESS</br>protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
105	Service (com.facebook.push.fcm.GetFcmTokenRegistrarGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
106	Content Provider (com.facebook.oxygen.preloads.integration.dogfooding.AppManagerSsoProvider) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.facebook.appmanager.ACCESS [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
107	Service (com.facebook.rti.push.service.FbnsService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
108	Broadcast Receiver (com.facebook.rti.orca.FbnsLiteBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
109	Activity (com.facebook.katana.ProxyAuth) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
110	Activity (com.facebook.katana.FBLoginSSOActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
111	Service (com.facebook.browser.helium.trampoline.fb4a.FB4ARendererHostService0) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
112	Service (com.facebook.browser.helium.trampoline.fb4a.FB4ARendererHostService1) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
113	Service (com.facebook.conditionalworker.LollipopConditionalWorkerService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
114	Service (com.facebook.conditionalworker.GooglePlayConditionalWorkerService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
115	Activity (com.facebook.zero.v2.simulation.ZeroV2SimulationActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
116	Broadcast Receiver (com.facebook.secure.usdid.signing.CrossSigningBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
117	Service (com.facebook.secure.usdid.signing.CrossSigningService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
118	Broadcast Receiver (com.facebook.notifications.tray.util.NotificationsClientSignalFamilyStaticBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
119	Broadcast Receiver (com.facebook.notifications.tray.util.NotificationsM4aClientSignalStaticBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
120	Broadcast Receiver (com.facebook.notifications.tray.util.NotificationsPreloadsFbnsClientSignalStaticBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
121	TaskAffinity is set for activity (com.facebook.rooms.mainapp.RoomIntermediateActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
122	Activity (com.facebook.smartglasses.intenthandler.MwaShareIntentHandler) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
123	Activity (com.facebook.smartglasses.intenthandler.OptInActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
124	Activity (com.facebook.timeline.stagingground.ProfilePictureShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
125	Activity-Alias (com.facebook.timeline.stagingground.Fb4aProfilePictureShareActivityAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
126	Broadcast Receiver (com.facebook.photos.upload.receiver.ConnectivityChangeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
127	Broadcast Receiver (com.facebook.oxygen.preloads.integration.sso.PostInstallSsoReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.facebook.appmanager.ACCESS [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
128	Activity (com.facebook.inspiration.shortcut.cameralauncher.InspirationCameraExternalLaunchActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
129	Broadcast Receiver (com.facebook.quicksilver.util.QuicksilverShortcutCreationUtil\$ShortcutMadeIntentReceiver) is Protected by a permission.Permission: com.facebook.katana.permission.CREATE_SHORTCUT</br>protectionLevel: signature [android:exported=true]	info	A Broadcast Receiver is found to be exported, but is protected by permission.
130	Activity (com.facebook.quicksilver.shortcut.QuicksilverShortcutExternalActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
131	Activity-Alias (com.facebook.quicksilver.QuicksilverShortcutExternalActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
132	TaskAffinity is set for activity (com.facebook.messaging.marketplace.viewlisting.ThreadNotificationViewListingActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
133	TaskAffinity is set for activity (com.facebook.messaging.threadmute.ThreadNotificationMuteDialogActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
134	Service (com.facebook.wearlistener.DataLayerListenerService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
135	Broadcast Receiver (com.facebook.leadgen.util.otp.LeadGenPhoneOTPWACodeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
136	Broadcast Receiver (com.facebook.caa.shared.wacoderetriever.CAAREgWACodeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
137	Broadcast Receiver (com.facebook.confirmation.task.SMSBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
138	Service (com.facebook.media.local.UpdateLocalMediaStoreGcmTaskService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
139	TaskAffinity is set for activity (com.facebook.notifications.messaginginblue.actions.MibNotificationMuteDialogActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
140	Broadcast Receiver (com.facebook.push.adm.MessageAlertReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.device.messaging.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
141	Service (com.facebook.push.adm.AdmWorkGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
142	Broadcast Receiver (com.facebook.push.fbnslite.FbPushSdkFbnsReceiverShim) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
143	Broadcast Receiver (com.facebook.push.fbnslite.FbnsLiteRtcPushNotificationReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
144	Broadcast Receiver (com.facebook.push.nna.NNABroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.nokia.pushnotifications.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
145	Service (com.facebook.push.registration.FacebookPushServerRegistrarGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
146	Service (com.facebook.push.registration.FacebookPushServerFinishNotifiedGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
147	Service (com.facebook.push.registration.PushNegativeFeedbackGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
148	Service (com.facebook.pushlite.PushLiteGCMJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
149	Broadcast Receiver (com.facebook.oxygen.preloads.sdk.firstparty.managedappcache.IsManagedAppReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.facebook.appmanager.ACCESS [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
150	TaskAffinity is set for activity (com.facebook.notifications.permissions.AndroidTSystemDialogActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
151	TaskAffinity is set for activity (com.facebook.messaging.notify.permissions.AndroidTNotificationsPermissionDialogActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
152	TaskAffinity is set for activity (com.facebook.messaging.notify.permissions.plugins.postprompt.inboxnux.AndroidTNotificationPermissionPostPromptNuxActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
153	Service (com.facebook.bugreporter.core.scheduler.GCMBugReportService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
154	Service (com.facebook.bugreporter.core.scheduler.LollipopBugReportService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
155	Activity (com.spotify.sdk.android.auth.browser.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
156	Broadcast Receiver (com.facebook.quicklog.filelogger.QPLFileLogBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
157	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
158	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
159	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
160	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
161	Broadcast Receiver (com.facebook.device_id.UniquelIdSupplier) is Protected by a permission.Permission: com.facebook.receiver.permission.ACCESS</br>protectionLevel: signature [android:exported=true]	info	A Broadcast Receiver is found to be exported, but is protected by permission.
162	Broadcast Receiver (com.facebook.fdidlite.FDIDSyncLiteReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
163	Content Provider (com.facebook.fdidlite.FDIDLiteProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
164	Service (com.facebook.graphql.executor.offlinemutations.OfflineMutationsRetryGCMTaskService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
165	Service (com.facebook.analytics2.logger.GooglePlayUploadService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
166	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
167	Activity-Alias (com.facebook.secure.packagefinder.PackageFinderActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
168	High Intent Priority (999) - {8} Hit(s) [android:priority]	warning	By setting an intent priority higher than another intent, the app effectively overrides other requests.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 4 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	X/AbstractC104131hQw.java X/AbstractC1069153e.java X/AbstractC13580p4.java X/AbstractC182158e4.java X/AbstractC188648qM.java X/AbstractC213919uV.java X/AbstractC27090CaC.java X/AbstractC63368SrN.java X/AbstractC76950Yqz.java X/C0N7.java X/C104383hVZ.java X/C113083kQk.java X/C124845rJ.java X/C125915t7.java X/C167137mn.java X/C178648Ub.java X/C180058aO.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	X/AbstractC104133hQy.java X/AbstractC104408hW9.java X/AbstractC113458kd7.java X/AbstractC12230mb.java X/AbstractC94607eNf.java X/AbstractC94660eOf.java X/AbstractSurfaceHolderCallback2C10630iG.java X/C0QP.java X/C0R8.java X/C104336hUj.java X/C104337hUk.java X/C104584hZk.java X/C106291i5n.java X/C112616kGm.java X/C18740yw.java X/C22057Ale.java X/C24561Pp.java X/C4Q3.java X/C4Y6.java X/C53452iO.java X/C77224Yvf.java X/C80169aDe.java X/C85G.java X/C99379fVb.java X/EnumC111058jia.java X/YGO.java org/fmod/AudioDevice.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	X/C012707x.java X/EnumC199314k.java
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	X/C73296WyL.java
5	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	X/iUa.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libbreakpad.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	arm64-v8a/libunwindstack_binary.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN/./__unwindstack_binary-binary__shared_libs_symlink_tree:\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
3	arm64-v8a/libsuperpack-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '__strncpy_chk', '__strchr_chk', '__strlen_chk', '__fread_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	arm64-v8a/libbreakpad_cpp_helper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
5	arm64-v8a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	arm64-v8a/libbunwindstack.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
7	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk', '__vsprintf_chk', '__fwrite_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	arm64-v8a/libsurface_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
9	arm64-v8a/libdextricks-early.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	arm64-v8a/libsuperattic.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__read_chk']	True info Symbols are stripped.
11	arm64-v8a/libdistract-config.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	arm64-v8a/libappcomponentfactory-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsprintf_chk']	True info Symbols are stripped.
13	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
14	arm64-v8a/libgraphics-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '__memmove_chk', '_vsnprintf_chk']	True info Symbols are stripped.
15	arm64-v8a/libachilles-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	arm64-v8a/libbreakpad.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__read_chk']	True info Symbols are stripped.
17	arm64-v8a/libunwindstack_binary.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN/./_unwindstack_binary-binary__shared_libs_symlink_tree:\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
18	arm64-v8a/libsuperpack-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '__strncpy_chk', '__strchr_chk', '__strlen_chk', '__fread_chk']	True info Symbols are stripped.
19	arm64-v8a/libbreakpad_cpp_helper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
20	arm64-v8a/libimage_processing_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk']	True info Symbols are stripped.
21	arm64-v8a/libbunwindstack.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
22	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_read_chk', '__vsprintf_chk', '__fwrite_chk']	True info Symbols are stripped.
23	arm64-v8a/libsurface_util_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
24	arm64-v8a/libdextricks-early.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
25	arm64-v8a/libsuperattic.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
26	arm64-v8a/libdistract-config.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
27	arm64-v8a/libappcomponentfactory-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
28	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
29	arm64-v8a/libgraphics-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '__memmove_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
30	arm64-v8a/libachilles-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	X/AbstractC18530yE.java X/AbstractC25469Bm5.java X/AbstractC74753hg.java X/C08240cc.java X/C103198hA5.java X/C18550yG.java X/C1Bn.java
00065	Get the country code of the SIM card provider	collection	X/AbstractC73161WvX.java
00132	Query The ISO country code	telephony collection	X/AbstractC73161WvX.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	X/C012707x.java
00162	Create InetAddress object and connecting to it	socket	X/C17R.java
00163	Create new Socket and connecting to it	socket	X/C17R.java

🔗 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	18/25	android.permission.ACCESS_COARSE_LOCATION, android.permission.WAKE_LOCK, android.permission.VIBRATE, android.permission.READ_CONTACTS, android.permission.GET_ACCOUNTS, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.CAMERA, android.permission.RECORD_AUDIO, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_PHONE_STATE, android.permission.SYSTEM_ALERT_WINDOW, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.GET_TASKS, android.permission.INTERNET, android.permission.READ_EXTERNAL_STORAGE, android.permission.READ_CALL_LOG
Other Common Permissions	17/44	com.google.android.gms.permission.AD_ID, android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS, android.permission.WRITE_CONTACTS, android.permission.AUTHENTICATE_ACCOUNTS, android.permission.BROADCAST_STICKY, android.permission.READ_CALENDAR, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.CHANGE_NETWORK_STATE, android.permission.CHANGE_WIFI_STATE, android.permission.BLUETOOTH, android.permission.FOREGROUND_SERVICE, android.permission.BATTERY_STATS, com.android.launcher.permission.INSTALL_SHORTCUT, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.c2dm.permission.RECEIVE, android.permission.BLUETOOTH_ADMIN, android.permission.CALL_PHONE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.oculus.com	ok	IP: 157.240.197.50 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.family.tree.familytreeentriesscreenquery	ok	No Geolocation information available.
www.hsh.join	ok	No Geolocation information available.
www.bloks.commerce.cart.statepublish.async	ok	No Geolocation information available.
android.googleusercontent.com	ok	IP: 142.250.0.82 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
facebook.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
mobile.facebook.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
m.facebook.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map

DOMAIN	STATUS	GEOLOCATION
transparency.meta.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.bloks.group.invites	ok	No Geolocation information available.
android.googleapis.com	ok	IP: 172.217.118.4 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.fxcal.link.async	ok	No Geolocation information available.
graph.facebook.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
nnapi.oivi.com	ok	No Geolocation information available.
www.bloks.commerce.cart.singlemerchantcart	ok	No Geolocation information available.
www.threads.com	ok	IP: 157.240.197.63 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.yp.familycenter.async	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
fburl.com	ok	IP: 157.240.197.18 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.usf.generic	ok	No Geolocation information available.
www.screen	ok	No Geolocation information available.
www.meta.birthday	ok	No Geolocation information available.
play.google.com	ok	IP: 172.217.192.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
cloud.notify.windows.com	ok	No Geolocation information available.
connectivitycheck.gstatic.com	ok	IP: 108.177.123.94 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
maps.google.com	ok	IP: 64.233.186.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
b-www.facebook.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
fb.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
mqtt.parse.com	ok	No Geolocation information available.
www.paypal.com	ok	IP: 151.101.229.21 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.shop.collection.screen	ok	No Geolocation information available.
api.development.push.apple.com	ok	IP: 17.188.168.149 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
www.lassovideos.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.bloksshellexampleprebundledscreenquery	ok	No Geolocation information available.
api.amazon.com	ok	IP: 98.82.158.80 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.meta	ok	No Geolocation information available.
www.streamable.com	ok	IP: 151.101.193.63 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.sharechat.com	ok	IP: 34.111.108.23 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.search.nullstate	ok	No Geolocation information available.
www.minishops.link.app	ok	IP: 142.250.0.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.meta.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.meta.private.sharing.collections.details	ok	No Geolocation information available.
www.events.permalink.invite.instant	ok	No Geolocation information available.
paypal.com	ok	IP: 151.101.195.1 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.mapbox.com	ok	IP: 151.101.52.143 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.youtube.com	ok	IP: 142.251.150.4 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.msg.ixt.triggers.messenger	ok	No Geolocation information available.
www.bloks.horizon.world	ok	No Geolocation information available.
www.threads.net	ok	IP: 157.240.197.63 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.instagram.com	ok	IP: 157.240.197.174 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.fxcal.settings.async	ok	No Geolocation information available.
gateway.push.apple.com	ok	No Geolocation information available.
updates.push.services.mozilla.com	ok	IP: 151.101.229.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.msg.ixt.triggers.proactive	ok	No Geolocation information available.
api.push.apple.com	ok	IP: 17.188.170.156 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
www.fbwat.ch	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
schemas.android.com	ok	No Geolocation information available.
www.fbpay.hub	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.fb.watch	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.bloks.professional	ok	No Geolocation information available.
www.bloks.commerce.cart.multimerchantcart	ok	No Geolocation information available.
www.payments.p2m.p2m	ok	No Geolocation information available.
www.mv.unified	ok	No Geolocation information available.
portal.fb.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.fbpay.care.receipt	ok	No Geolocation information available.
0.push.samsungosp.com	ok	No Geolocation information available.
www.community	ok	IP: 75.2.38.108 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
chrome.googleapis.com	ok	IP: 172.217.117.4 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.whatsapp.com	ok	IP: 157.240.197.60 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.bloks.mwb.scams.marketplace.ixt.interstitial	ok	No Geolocation information available.
www.facebook.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.meta.explore.main	ok	No Geolocation information available.
www.fam.native.ads.bloks.main.controller	ok	No Geolocation information available.
www.fb-and-messenger.family	ok	No Geolocation information available.
z-m-portal.fb.com	ok	IP: 157.240.197.35 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
wa.me	ok	IP: 157.240.197.60 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map

DOMAIN	STATUS	GEOLOCATION
dm3p.notify.windows.com	ok	IP: 57.152.109.49 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
lookaside.facebook.com	ok	IP: 157.240.197.15 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.netflix.com	ok	IP: 207.45.72.1 Country: United States of America Region: California City: Fremont Latitude: 37.517979 Longitude: -121.929489 View: Google Map
www.fx.settings.individual	ok	No Geolocation information available.
www.fb.group.nickname	ok	No Geolocation information available.
www.caa.login.login	ok	No Geolocation information available.
fcm.googleapis.com	ok	IP: 216.239.38.55 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
push.apple.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
secure.oculus.com	ok	IP: 157.240.197.50 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.avatar.editor.cds.launcher	ok	No Geolocation information available.
github.com	ok	IP: 140.82.113.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.groups.chats.join	ok	No Geolocation information available.
www.messenger.com	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.bloks.profile	ok	No Geolocation information available.
www.storefront.template.general	ok	No Geolocation information available.
www.meta.ai	ok	IP: 157.240.197.17 Country: Peru Region: Lima City: Lima Latitude: -12.043333 Longitude: -77.028336 View: Google Map
www.gen	ok	No Geolocation information available.
www.bloks.profile.manage.posts	ok	No Geolocation information available.



TRACKER	CATEGORIES	URL
Facebook Ads	Advertisement	https://reports.exodus-privacy.eu.org/trackers/65
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Audience	Analytics	https://reports.exodus-privacy.eu.org/trackers/47
Facebook Flipper	Analytics	https://reports.exodus-privacy.eu.org/trackers/392
Facebook Notifications		https://reports.exodus-privacy.eu.org/trackers/68
Facebook Places		https://reports.exodus-privacy.eu.org/trackers/69
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/48
Mapbox		https://reports.exodus-privacy.eu.org/trackers/171

HARDCODED SECRETS

POSSIBLE SECRETS

3082059d3082038502143160e1f50c1859ba8b7b7acf067f078cbfcf959c300d06092a864886f70d01010b0500308189311c301a06035504030c134d65746120506c6174666f726d7320496e632e31143012060355040b0c0b4d657461204d6f62696c65311c301a060355040a0c134d65746120506c6174666f726d7320496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b30090603550406130255533020170d3233303132363130353733365a180f32303533303132353130353733365a308189311c301a06035504030c134d65746120506c6174666f726d7320496e632e31143012060355040b0c0b4d657461204d6f62696c65311c301a060355040a0c134d65746120506c6174666f726d7320496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b300906035504061302555330820222300d06092a864886f70d01010105000382020f003082020a0282020100aca0b68381b85da953428ec7e955a7dc4ffac48a070988d3c170f12a27ebdb3e0992309093936bf7187fdf3e09a770f98f18463e0d54a6bff3bf311d21d12b35565ba06949d8a0b6e2014c7ec923c3fd26d2c899babeeca7acfd5afb66bb3e0587605128645612eeb4588df197d949f4f305fd7b89efdf146edf1b2bce60ec069f13a3d01ca4a309ab350d7a0fcf943109df22dbde608a55b1dcbb7a7c5cfd2d388dde6a7fdbe3a292dbfcadd4583d8c974ed3f2833e3a9fea6eac299d13977e35b48a306617b377beec9a21da82901d5f678a8e4be0d5636c71cd2775dd2336902413795a41edfdf1d0b571dce5f841ee29cf56a325ab33343e9a9222dbb18ed4c5a4cb4e360e4c781aa72cb20279faf2ea5c61a762ecb6f127dd7fad6d33b49fc2384756dbcf55d1c059aaaf47cce7337a92d9ffb008d73474dc7c084dfad3378c00c09f581fd8bfdf65fe12ac8e21412baa3e47a061e36d4586449b4e13ff0c3afc7006020c661e10a3c4b9cfd0bfedf11d590faaddadc66fd0c4d8533631480f9ac8a32e3c4747e83e7fe9ab3b4dfefb97495e189687ece26fde846a14192ac83b45f8370f3f62a0d05a2230df73066106283ef8064fd84b02932a6d6b03ce15ee56d37297d9bed3707fd7bfede058bd5b535de1a2b02f7c6211753be3a00ec2417764642deb52aadd4c1f33c085055fb44d10397a8cd2b7061499e350203010001300d06092a864886f70d01010b050003820201004bf00f58a9f528600486111bc4f414a92e96b5fc2bb4af059ac715141d5650b2e48a7136e97cc71f99e6df2a2e9bcfea4d2fc2fc4c73026287084fac93db0a5c6dae0b3b26c6999d26b787faade034a5a420fd1114cbb4a91eed3599c782a025892458ec28ef55e8ed86b221f7cbf499a60063bd32a6bd271c97412dbdc1d482c62e5f6d7b04098d4a3c406a69f5b9167134d5b04102f77ca7937d260b61d7f6f9e8fdd46279fd8962b55f0279017b13558185abf76f3ad07169e4fda6a37e92f5c19f9607c99260c798a9271f7998fda69222330290b10473cee6bd51ffc72f93c5a0124abd7fb39442381b627f4786e8619161c49058f8a708c8e1f2d391961ce775abb1ac8dc39bdfd5acaa927f0f2fb607021ff4e950f61ed285f5a7865cc489fa12c6e36903737e9ab8fce80e16964b89de84694071775fcd8f9d835610a824ecca4490180345058220e289828186d86c25217f12f38b91d2035420b05efcc9b423b739bab0744497f5f92481e277a5cf54d062e73be7a9aef6f3a2321280631951455550b6a4603ee19f0f37e44d06a08cf6826664891709d2b8a70ee7c714e0c7fa6dcb528f08f5406cd085327fcd88b38759d20a053457e1baf49df8ecb6d596b46c508e2ed43f40f44df5ea961e3c6372be123dbc1af57a879ce30524c8240961bf66e0da7f01e2833bbd5f9d06cc09c79c035584b48ede2b

POSSIBLE SECRETS
308203a33082028ba00302010202043bf7ce11300d06092a864886f70d01010b0500308181310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31163014060355040a130d46616365626f6f6b20496e632e31183016060355040b130f46616365626f6f6b204d6f62696c65311630140603550403130d46616365626f6f6b20496e632e301e170d3136303430383230323732305a170d3433303832353230323732305a308181310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31163014060355040a130d46616365626f6f6b20496e632e31183016060355040b130f46616365626f6f6b204d6f62696c65311630140603550403130d46616365626f6f6b20496e632e30820122300d06092a864886f70d01010105000382010f003082010a0282010100a09e4f30e482383ab2021a5efd8db0cf67e40ee7bf98340486fc15c1392fb0663999aa946452748ebd619c0306d3d3a1885ac8bbd80366fdd839bf5261a2c74bc83adc4179632865ea556371ed708b4be945f7be06cea483fdd5f1c751e28bebeae00fb5216b0dbaba29f8a183681c6a388c7f5c7081757e4b5ba63dae8990a7d124495a33247d56304495f2487e5d23c79b516bf775c02435a7c3219bf546ca04dac7a112e04d8190d16097002ab0026e70ba418854536b57b9323d1d6577a3da770c466a44be72a58519b9538c77a6181683724240b94fa21140cd998dee2db12f4445886cd24bfdfd8f07b394002d42171c699093990d48717e62efe77d1b0203010001a321301f301d0603551d0e04160414d1a2853abf61f5b382015c1c046c62ff339d07bc300d06092a864886f70d01010b050003820101007de29b76bf3787fec4de674186fc1c16f2c91a5db68b8b79c372ea5db683b296b99db373ac28dfa82a6df83ec42f3a17197cc4ae2e6dff2f62423ad10e0c361a9dd4a19331d9993e51493255e1be1404f37e66614f3798afe85b8cf54c8cf774b4aa30fc171373f5005834867cc511e0f7ccf5cd3f684c6007f47ae91a11cb5cf9d63032507405541c8df2fd696a84e11536271194c40aba02077891e7e0ea59a80abb60d9250f20b635e5e78d7814bc3ec24f401f41c70203cc3c770e6833e12636a094f3f1f026fd658a723fc5ca9b6bde3d4a1ce915a8ef84e40047fb4a88aaa2124bd7eb2f08280c7177e6b47adb237c95366b22ce3b634fd0a6c408feff
08a7a27fb4fff39965176a2f36d163f2c2c1fecdc98b2bb1096182472eff7986
a28ef7729e466af4e50d45a2f532251cf671b29b
62f8ce9f74b12f84c123cc23437a4a32
308202c0308201a8020101300d06092a864886f70d01010b0500302531233021060355040a0c1a425554544552464c5920454646454354205054452e204c54442e3020170d3235303331313036353335315a180f32313234303231363036353335315a302531233021060355040a0c1a425554544552464c5920454646454354205054452e204c54442e30820122300d06092a864886f70d01010105000382010f003082010a028201010097070f2d16536c820bbfbc6449273a9bf39282edd332e7d0a1a31e6333abaf0997241bded50d61db07624db49e6fe76d7055106458b5a23323d7310776d02131b9325f360271fd785a2dc4c36e81d65720e98caf1ae856a592c4c439f5b208323686aacb9b98bc0c0231b8e839363852862df443efc9cd8fcb14ba82df04ef31df7ee7af6b5a331427af11503e7f512ac7ba6accdbd5fd56af80886398eb5a620e61f02786ac1aad1bbd71ee7c5b52c008a2c50ac7c30c4aa7af27ea758ccb4f5fc458a17a87831207d7f3cf7151ebb67b6572a281ff73710e0630be84238a470d9ed7b90f82e9f55027a782137b4d2afe1ebc4df9ded96453a5bbf574b51ba50203010001300d06092a864886f70d01010b050003820101008f0f7e80789c5f210244af8e7113ac954eafbe1ece76d3d98d22e80519be8a20ecbb8117b60cb8f784d79cc0db64fc9843a92846e4ebe96d7de25dbca4b64d5d05417d7aa9107fec3323ceb156e0ceccda496528a1293247e67126464d95aa2e8e4e0cc944ee91afdba2dc7a956cbb91459d36dd42836a2160bd6eb63d0a946b76ccbd4ddf9a9d2c9ce27c8b3014bc2852b962af972284068f51eedbbd759e2afc000a5bae90cea36df8f5b5c6e89b80bd1182049405abf83bfa0bff48a645e94e467f407452ab924474cfe9c176591f56e2f8d32a354ec4d7ba11305247e098f001fc5f170725ca845a118e350abee4a8da75b066f853502667de57a22f08f8
aCdH+LpIG4fN07wpXtXKvOciocDANj0daLOJKNJ4fx4=
1c28d1ed20a4e6296cba7b92d434fa7424f6928a
grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvpLg5yRME=

POSSIBLE SECRETS

3082065f30820447a0030201020214608af6f97a000d1858206016571e5747d3373664300d06092a864886f70d01010b0500306e3116301406035504030c0d46616365626f6fb20496e632e310b30090603550406130255533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e3020170d323303931323230303634365a180f32303533303931313230303634365a306e3116301406035504030c0d46616365626f6fb20496e632e310b30090603550406130255533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e30820222300d06092a864886f70d01010105000382020f003082020a0282020100b6365e7d75bdf3f02f67825c97f466d1983a2dba829c4201dd7e5ab5cc8a039a919800c0f1366a67d5f799d88aa0ad5bd181990388b0824ee05fc249cc69b7a2d9f02ea9a7ff76a4ec3fbc86984c5840745beac35a3cd4bfd913aa0514e9b48b1ae64ff4057a52db64d46fa48bbd12a562b7761accf3420f0e65ca892d28affc0b5d5bc1f5e6de1d950df3f26275ba0da61572251f0fab79eb45b7f758dc3f04b26ae34eb5046815398cb5812a324d4398c3c6e0164ddd959e627800c6e5331b3bea97d2832a3ed47004194f94eba1e438dabd58accba0412166a5fd0463fc3df03db053637dff108fe7c9b3ad64d07ee8869e1e6ec6727277b856d6f48a4657c6445167165471fa711d3e625ca583072350dabb2af178de87d721c13b640c234949878632e67851149b25c1d7d5a1bfd381da8bb133f54be984d08bf94e87cf95c60016b4c51c5a168581bf5f04a0b69dd8c2c5889b13345483ad6c7c4f90af4b270a805b50f2bf0e47118fd892e571fd2e5d80cc7a9803b69db0ae48c08758eab4c698c8c15ee05620ba31560811c1db03fa9cf383640015c44601485718ce354b630650742ff4a0ac70ff5a5d72b992b350da7f558fb8f5a7932175b10ce379d12d5da5e36c928b124f42e1ca79b03c9c5be7e9ecba7b98973f8ea821d4140f932013ab10f9175693d47fc1fe60349292d46b90fdada56f5a9cc31e62f6af0203010001a381f23081ef301d0603551d0e04160414fa5e823c3bc5748a3b67f9ec05cd63e893597a703081ab0603551d230481a33081a08014fa5e823c3bc5748a3b67f9ec05cd63e893597a70a172a470306e3116301406035504030c0d46616365626f6fb20496e632e310b30090603550406130255533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e8214608af6f97a000d1858206016571e5747d3373664300b0603551d0f04040302078030130603551d25040c300a06082b0601050507030300d06092a864886f70d01010b05000382020100264db453ee274f03aac4867601eb6323d164b2fac799c7658aeb0bc208bad8ddf8e64246bffa431632c04a43d8efe9956ae773d4f617196afa1b9f5f3ac1f551c19801c20bbfd5515867035bda5128b2356cd953bc4b1c5358f894d23068a9d40a8756b3a7eb4de31fbd87e1592fe8fefa037d5110c32c45e7579e2edaaa2e4981d450b243b9aa45ac4affcbcfb695c7d96af3dcef09060ef2f43849e6b2130ad479e32dbb64017693a3805bea04501e529434a954d5849a0db08cbbaad0da55b27197b62610533e798b1125165d976d3857bc22ec97cc673f9ea7405cec252b9d5fea79294bba71b0f738044c5981f241ec81977c50468a714df42044aa3b1dd3f46099423c487f696cd6bc7d9f7da5cbca37c9ff5510d6489c8eb95da805dd6ba52ccc11c2745d77b31b7b56a1f868a107b37dcd7707082e1fb49798d58654e4891818ee1f3952bf15b8e8cf7d85b85c34af86cc9701f06b8b0aa3a83b80c426acca354725d4ec081d70125fa7bba037e96882ef401bdc16fede1661dc20f1a4e768c79ce68e8321213c6cd4bef7313145d593c6c67fb089aefeeec2bf8bcbab1b74be318ee4bf06566d9e5f557563eac72784fca0f4ca0df48e61d4d3f069716eadabacd7c9af59e98fe5cd82f43df0cfb1b60152fdc638324fa57511d6cde875df8a585952dfbfbfe03e21efe603fba4c21957331e555ce457afba8f48

3082058d30820375021438b5685cd2614040c120b0738809131c78e6af76300d06092a864886f70d01010b05003081813116301406035504030c0d46616365626f6fb20496e632e31183016060355040b0c0f46616365626f6fb204d6f62696c6531163014060355040a0c0d46616365626f6fb20496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b30090603550406130255533020170d3231313032383130353731315a180f32303531313032383130353731315a3081813116301406035504030c0d46616365626f6fb20496e632e31183016060355040b0c0f46616365626f6fb204d6f62696c6531163014060355040a0c0d46616365626f6fb20496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b300906035504061302555330820222300d06092a864886f70d01010105000382020f003082020a0282020100ac01b4121a5e4fb9e980fd83d7520f4cac5372030fab28d704f83faf8117d839fff33244f36b7190c8808375d6321ce26ed214af7220c67c9671c3d557fdffaff7f2fa761da9c11a3fba414c720de900a4d147cb22e5208a406c1ab06bfffecb7b1b2ec18a2db1c4b97196e799307e07ee371ad5af822d6e4b1974b247681fe7b710f3f4bad368a64025a1300f23231d8b5719a8aa5804a8ea1a540940424eee2a22b34e6b82dd77924eaab7952f3bfaacaf7f9107de38f8846e48172c27833fd98ad8ed2e0c54de55e088e44d256a93ce18c60d189163dae5e6adf28f3435ade802ce99a155315788a04c8c2c7e3fea8151afdad5353c92c7905adabff229d55ab73546efd856d3d3b5459c52851e84e19f44876ccbb9c6f0fdb9a7e4d116b092d5570c217db4ce96f9bd9df6ca51213e2a80e267adc5f627570dfdb37ba474d119e0aa1313b41b3b9ed268b905a7ce5d490f8fd27b31553fba61e6bcd30dcde551ba0271ed9397bcd712d441bc99f71057739fae2e4386e8b7a72ebe3795a016eda3bcd6a0e8836b5c07e650d881219c8969d5422cd995eace78cc3db32d6216cb9bdaf5ca2db4bef124661e6c3ac5888c555938908c2b5abe3fb7b2932b1a059ecc0172f0cc420469a95fc7f8d6fb05682dbc0008f4aee5a495874cf698efd57b81a6cee5372d69695361c0972cbd9dac295d0dfb76b5e6488a2ee284529790203010001300d06092a864886f70d01010b0500038202010054ad7ceb0787847b14ab7a3aa345b893d81522943be546bc5d3d724c00e96988400bba01b18a6fe6261d54e22ca3c0737c16decc4f0c893b5108285a5a97809149d34bffe993575b18a39be0bb68cf87ba52681662d21aa7d2dda283c86015cf08432b18fd9f4d4923710c9f35db8439830374ae9015b8c45c385d112ca15d458fe0cfd822bfc5a7db1e81f5cbd23050ce033e0e74cdbfd6bb76bf0e47f3aeacaffdf41e3b24aae6070318139bcbed48ed843c777ebff0b545710de04b2d005305a01aebec7e0dae9cae305d2d2877ff294cd04c4e01f4476fcb3863bcb34cf3ee9dd04f92ab0ebde73f5e5a15889d3e0bd9bdc034800dc6c756ed375625c9b302d2d6d7001d2f163171afce1d40baab36675b2aa09db28959d68360bb361dce697a7a5f5bfce5433365116ecb0183f1057519093ad933c6080fc82b2923ae2563c06e8887541d138493b09b568391054bda728fdd7d57dc82ed706f4fff9a76748c14103a9fc6e3403278c32e35cda1a9d8d34bfc864cee67078d42fa54ba396b662d563226d5a86a6a4bd5be9e3828b45cf7116e3419f09526bf253698f05ed74885739acb8d13e75b2c8d1834763e47196f5176c1eb89a1769f60d82f33816fdf39e67c51e0c49ec1ba24f4ec555f2f072475e07ae8bf3c6af6e497a78b3bf28a1501d3c8206e530e9602f29f6d94242af84c18325ab1fb874dade4a4

7FE7143C578FCD FED772175AB5FCC7BFDA003755

edcd67a49d1a26840360531734f5ea0dc3564ceb

c79614bdd11ea03aad c935552424f02796b0e7bf

POSSIBLE SECRETS
3082069b30820483a003020102021416fa864d7d4cf48f5094ba885395b113df0d947b300d06092a864886f70d01010b0500308191313a303806035504030c314d65746120416e64726f69642043f6f465205369676e696e6720496e7465726d65646961746520434120323032342d3131310b30090603550406130255533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311c301a060355040a0c134d65746120506c6174666f726d7320496e632e3020170d3235313132323032303934345a180f32303535313132323032303935345a308189311c301a06035504030c134d65746120506c6174666f726d7320496e632e310b3009060355040613025553311c301a060355040a0c134d65746120506c6174666f726d7320496e632e31143012060355040b0c0b4d657461204d6f62696c653113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b3082022300d06092a864886f70d01010105000382020f003082020a02820201009017fae2a713f84b0735588381c7fc8bd206dc4e286c1bb630b1e35900fa34 added 9ba7e60d6352f6ee8c23837a4189b9a518acf2e0f88fcd9f6e7a0efb66338a35a18da697167bc607cca06ee18b527107cfabbbbc842179057ed0672fce010acb0dbcdfe1222495368f85d118151921ca3df8779846c6619eec1eafe7dea76fcdbe7272a89514c8b4be0f97d459d1b1916284618ff9ead2daea81831a6f6472d925621221f155ad878d4faceb8c9f9a3a8a6bee1453b0f279aaf6f355072add5be986aa558e53c2bbc2adf3ec3cb8f6aecb3d14bd6166e3eb1e07497cd43ce75447b3d03c029a783e24c8a976a556bf62f35d49d86270bf7b46d6775029cb7df1bd92f6f89bceafaf1df5b7a52cfc71e9e8e557e06e4ebde79423a9ee4192e5f6668d1a3f5c5d97e8ff2fa1d6b5a9c7d8dcef646eed58a7c890fdbe36c0089028037ffca9fd1cbd1546ab36e2eb33a53f225451bca1a0a9adfb01d71976dd9a5cf66c17988d40de89a445ae348013cacb16bd77fdb9b9f13d370ce1c70b3ffcc717db01d982fd6542c7dde250eb64ae6d5efc0ad795434a64d461198ca844d20708f3bd00642a171d0ce15ac029a99224effdeaded9126f3b9e265d087b3cbdc122814b2276e127d0be7aafa1d598c8506fc0e87a73504b41d023f0c09213fad954f6e5dd52552fdb2de5e5714ea196142a0cecb30f79cc31039603254333d9630203010001a381ee3081eb301d0603551d0e04160414a48354fbc23bbda64bd8c0c6c771f03c3d6c70383081c90603551d230481c13081be8014d790935fb46b2bb7bd238db33f9dc8a37b9b2a49a1818fa4818c3081893132303006035504030c294d65746120416e64726f69642043f6f465205369676e696e6720526f6f7420434120323032342d3131310b30090603550406130255533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311c301a060355040a0c134d65746120506c6174666f726d7320496e632e821432abb418f8f4771692df03343db46f4a3bbce290300d06092a864886f70d01010b0500038202010049838e23234480a7bf0a77ef0408c6e59d5ae5f5911eef1057fc186195cccb2f737ed4605176b701e56a2f8e2edf4d2d8938e567ddeacbdffb6bd163bfad30b0b292c86ab79e0ecc03bac9e1ce65242513e24dae435b4e3e7b32ea354365bc453a451c54afa72272094c8da6d2945bd0fea4d1163e96fc72207d1cff055e068c0216aa0f7fa7e75a20dff c209666e6bc5895fc73bc009779e21034ad1c4ca87af73da1a4b3a2724a1ac45218c2db150731ce96369cfa2c58f58c03d37f104598d52da570ff9b3076952cc70be5127f5bf864f4ffb5ffe66ced1eb51766ae908fce36df6160a56c7bafa514f0a56eacd5345c22b66412f049636346d03961daad3329bd5926baef3f41b7b489ddd9122e690660f483695edb649d3e5ad881 added ccb112d25fa3d76441d60c69d009ae8aa3a14c5938a74aea247c94e4d787909331eddfde43319ff7cd3a45ca1137e51cc8dfe9ce9cc90f1dc6ba52cf921392175eab77fb519e67151b6fc11ef7f999935348951c106bf7ddcc9cd4566e98bc32461f79e3f423abdda7fed69590d4b8a768a935f275083d0873c35e8b0595f17c9d51cf43cf74a17218faee0b02185f92f47643bf923867cab0636d2f3e65041ae1edd224d650ac21f0ca47cd308ff871405d0f4bae0c6c5dda04077f5e258ebe2b67db4bcd04350f09237e703a152d2623ee4ccb31ccb97925bbad54867a90
diGVwiVYbubAl3RW4hB9xU8e/CH2GnkuvVFZE8zmgzl=
3082024d308201b6a00302010202044f31d2cb300d06092a864886f70d0101050500306a310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d53616e204672616e636973636f31163014060355040a130d496e7374616772616d20496e63311630140603550403130d4b6576696e2053797374726f6d3020170d3132303230383031343133315a180f32313132303131353031343133315a306a310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d53616e204672616e636973636f31163014060355040a130d496e7374616772616d20496e63311630140603550403130d4b6576696e2053797374726f6d30819f300d06092a864886f70d010101050003818d003081890281810089ebcac015660b42a5c080bf694c52e29e9df83a4c94964b022ca38d2ba2157d8e4650955c787906ac344bdbb7d202a92231403d48e9e2f0df3cb917cfa9b9741314c85052673d42ad00f2c251be4a6b012fb9d5b33131b0e5ca0b9193856dc311dc65dc45f97d2632e72bec2b4964adfd5d30675d53d72fbaf11359a7afb550203010001300d06092a864886f70d0101050500038181002aefd84526b570192967b679a685bccd12cf40030589594d04d885cfa8a311372fb93f2c1c8ba636f061aeb87207f5a1ad26fe58747c30714f1e9b918ab2e090d5250307655eeab5fede1e6409316c5d29779c037b550f29bcad40fa70c947b616cc05daa5532c0cc3ece773a71f37287a4ac32f2bd7feede847cbac5671969
5a67b5d9924f1736ac6e7ff4647006638e310749
0018a5e78052e504f6f60a9f52d0c6e6504dfc9e
30820332308202f0a00302010202044c2536a4300b06072a8648ce3804030500307c310b3009060355040613025553311330110603550408130a43616c69666f726e6961311430120603550407130b53616e746120436c61726131163014060355040a130d576861747341707020496e632e31143012060355040b130b456e67696e656572696e67311430120603550403130b427269616e204163746f6e301e170d3130303632353233303731365a170d3434303231353233303731365a307c310b3009060355040613025553311330110603550408130a43616c69666f726e6961311430120603550407130b53616e746120436c61726131163014060355040a130d576861747341707020496e632e31143012060355040b130b456e67696e656572696e67311430120603550403130b427269616e204163746f6e308201b83082012c06072a8648ce3804013082011f02818100fd7f5381d75122952df4a9c2eece4e7f611b7523cef4400c31e3f80b6512669455d402251fb593d8d58fabfc5f5ba30f6cb9b556cd7813b801d346ff26660b76b9950a5a49f9fe8047b1022c24fbb9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c70215009760508f15230bccb292b982a2eb840bf0581cf502818100f7e1a085d69b3ddecbcbab5c36b857b97994afbfbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b547c8d28e0a3ae1e2bb3a675916ea37f0bfa213562f1fb627a01243bccaf41bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a0381850002818100d1198b4b81687bcf246d41a8a725f0a989a51bce326e84c828e1f556648bd71da487054d6de70fff4b49432b6862aa48fc2a93161b2c15a2ff5e671672dfb576e9d12aaff7369b9a99d04fb29d2bbbbb2a503ee41b1ff37887064f41fe2805609063500a8e547349282d15981cdb58a08bede51dd7e9867295b3dfb45ffc6b259300b06072a8648ce3804030500032f00302c021400a602a7477acf841077237be090df436582ca2f0214350ce0268d07e71e55774ab4eacd407d1cd1efad
WoiWRylOVNa9ihaBciRSC7XHjliYS9VwUGOlud4PB18=
fc72eca1ee4f656309a04744632416078dd1f90f

POSSIBLE SECRETS
308205c5308203ada00302010202045fca505b300d06092a864886f70d01010b0500308192310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31233021060355040a131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c4331233021060355040b131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c43310f300d060355040313065374656c6c61301e170d323030343037313833353505a170d3437303832343138333535305a308192310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31233021060355040a131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c4331233021060355040b131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c43310f300d060355040313065374656c6c613082022300d06092a864886f70d01010105000382020f003082020a028202010084d098956083fbd1bc6eae58928c08db3ea76a465bc8ad121081db753f0a3902596c0330af27d3b60ecfba2d524acaa33df58580de31b659d4a1f59b8fab7bb230f5cafd29660c08f6c95a4d9dcccdb4dafb436a88828196f3b9d69b79f87e44f471ec19a1422d0234b6a1ce8b99b64044c85952fff20d7432c8c14a4f4f7500af7e7f8cb7133dadcb282b3f3f65df6d864ac6db06e707f2da43bb5745d5ed26b5e2386cf9ab9e40c977bee2bf1c36ea16369901ebef63eae4262585577d5068caded4e85ce053d0e14687be554a98201951202e7e16d0c3e02e7025ca4ec8200c89fcb702bfb0d1feca111a7bf1330e993e4f3196a9cee488d244ee40e43e0025945491e753b7e2fe3d32c01c4083ddb23552af88623208399608034912108401c2ccc1012692a9be86d0fd3b54f5d1430c10eb55d5fd991c7628e533247d8b0996fff12b6f19d1a1030639326dfff19f16aa64997307c8e35789cf2ae1acb916847dba7d5764f39c4f020ed4a249030ec7192436089709e069aa623f63874a27ec0a785c2f56c3ac0af400a339aae10b4232144e6bac9bbca291dc2f74bec6e311e3742076cbb63e1c13fd5b983131c863a53d84ba435b391ee73e91682e76064754f12b7323f12ce0986c6cec275f7b7632cef403e4f9a05fbe57ce2e4ef40f0e37a31e0f2fe3d0ac28f6de03cc67c3695e7c3eb3f35ae14baffb0d784490203010001a321301f301d0603551d0e04160414137f663552f0be513f3190c457e1d678e4fcbadd300d06092a864886f70d01010b0500038202010019e82117b7b3e72064c909f841cb5a7ae66c57d86c063b3bb5889b982809f0519d49b4b925bcfdc4ad127a86e9c9c0b4c6f012b5f661ad8e8627f7d694c621a80cd754334aae4d99bc249157efa9aad7082bb603268f86e6d44e43271f6af695d80e2ead272ddc61c1b7efc0b01e8392d1229fe9c4e86bc14c4f5caaecd26dbe46a4d7db2cbe358fda5dbe08600b9c6c9a4061f4982b793f3a9d025d8329b54035d1aae724857b2403d5c999b76f7ce87fa27db44034feab7f990bf4d9012a79457d8b8c8769ed169ec28d5f3aac653ff8d141e8e9e3456df2727307d7b53cf1e38e61534f02053b370a8bf57b9632e1034234d0a1669964d6f075a76295582a1e47bcd07447863520f17158d107bcc47b990bb55ab662d6b0a462fec9973b1458d3c843a6178467609212e8c9a5c805abf06487762d6e4eea1b2536cd51f72d05db55886c7dd333619c908f0def6175704e166b1069a58cbd0bbacb855b8bb5f7267e99b9e6c6871551ee946e45ae027d600fc480bdcc4f0caf4b55d8c7d3bf4a48f52c21d201f8054def88e8bf36ca7754bcaa4698fc6801aef2b2ecccb2b1c51b15279af87c9bdc1754408984bdf3c66673f23c42047b0c4b027ca6440c467c36d4952b1cf57bb60a9054d88187173a1ec0ba5c568950f15a579fa90080070b2855434184c29c44fe6713ef470aa6da5c3b6acfd105c08319da60928f97
df10306f98c16f4e81de6cffc4b50b81746c50f3
ICGRfpgmOUXIWcQ/HXPLQTKfPEFPoDyjhV7ohhQpjzs=
664c0faaac849cb891d0a261fbb72a12
cGuxAXyFXfKWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A=
K87oWBWM9UZfyddvDfoXL+8lpNyoUB2ptGtn0fv6G2Q=
uUwZgwDOxcBxRQcntwu+kYFpkivkOaезL0WYEZ3anjc=
92791cc8ad8c9c00c12316090fa38a1e7e05d91d7
q4PO2G2cbkZhZ82+JgmRUyGMoAeozA+BSXVXQWB8XWQ=
f6b02df5baf23e15db556a2cfd4565fd935a4d93
Wd8xe/qfTwq3ylFNd3lpaqLHZbh2ZNCLluVzmeNkcpw=
C5+lpZ7tcVwmwQIMcRtPbsQtWLABXhQzejna0wHFr8M=
882a8490361da98702bf97a021ddc14d
258EAFa5-E914-47DA-95CA-C5AB0DC85B11

POSSIBLE SECRETS
30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a180f32303530303932353231353231365a307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c207d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2
20d54f9811342faeb3868f2b0a79929a394dd128
58qRu/uxh4gFezqAcERupSkRYBIBAvfcw7mEjGPLnNU=
ape1HIIZ6T5d7GS61YBs3rD4NVvkfnVwELcCRW4Bqv0=
80a627fe78ffc546051fe99aeb5223c9874f0787
4AF081A92FCCC4566CC5CC676862D51E8A6B880D
oC+voZLly4HLE0FVT5wFtxzKKokLDRKY1oNkfjYe+98=
476891694f77870f9412e06ed70b3444c49361c3
0bb195fa035b7602d9870d887b6417b87d57b76d
rn+WLLnmp9v3uDP7GPqbcaiRdd+UnCMrap73yz3yu/w=

PLAYSTORE INFORMATION

Title: Facebook

Score: 4.5589137 **Installs:** 10,000,000,000+ **Price:** 0 **Android Version Support:** **Category:** Social **Play Store URL:** [com.facebook.katana](https://play.google.com/store/apps/details?id=com.facebook.katana)

Developer Details: Meta Platforms, Inc., Meta+Platforms,+Inc., None, <https://www.facebook.com/facebook>, facebook.android@fb.com,

Release Date: None **Privacy Policy:** [Privacy link](#)

Description:

Where real people propel your curiosity. Whether you're thrifting gear, showing reels to that group who gets it, or sharing laughs over fun images reimagined by AI, Facebook helps you make things happen like no other social network. Explore and expand your interests: * Shop Marketplace for hidden gems and take your hobbies to the next level * Personalize your Feed to see more of what you like, less of what you don't * Ask Meta AI for information and get answers instantly * Drive into reels that reflect the things you're interested in * Search Facebook on any topic and get more interactive results Connect with people and communities: * Join groups to learn tips from real people who've been there, done that * Get inspired by creators, or catch up with Friends * Add new Friends to your world, but also decide how closely to keep up with them * Privately message relatable posts that only your BFF will get or that reels trend everyone's talking about * Catch up with your friends through video and voice calls Share your world: * Use generative AI to create custom stickers and images to delight friends * Customize your profile to choose how you show up and who sees your posts * Effortlessly create reels from trending templates, or showcase your creativity with a full suite of editing tools * Capture moments on the fly with stories Some features may not be available in your country or region. Terms & Policies: https://www.facebook.com/policies_center Privacy Policy: <https://www.facebook.com/privacy> Learn how we're working to help keep our communities safe across Meta technologies at the Meta Safety Center: <https://about.meta.com/actions/safety>

 SCAN LOGS

Timestamp	Event	Error
2026-07-18 20:51:50	Generating Hashes	OK
2026-07-18 20:51:50	Extracting APK	OK
2026-07-18 20:51:50	Unzipping	OK
2026-07-18 20:51:51	Parsing APK with androguard	OK
2026-07-18 20:51:52	Extracting APK features using aapt/aapt2	OK
2026-07-18 20:51:52	Getting Hardcoded Certificates/Keystores	OK
2026-07-18 20:51:56	Parsing AndroidManifest.xml	OK
2026-07-18 20:51:56	Extracting Manifest Data	OK
2026-07-18 20:51:56	Manifest Analysis Started	OK
2026-07-18 20:51:57	Reading Network Security config from APKTOOL_DUMMYVAL_0x7f170004.xml	OK
2026-07-18 20:51:57	Parsing Network Security config	OK
2026-07-18 20:51:57	Performing Static Analysis on: Facebook (com.facebook.katana)	OK
2026-07-18 20:51:58	Fetching Details from Play Store: com.facebook.katana	OK

2026-07-18 20:51:59	Checking for Malware Permissions	OK
2026-07-18 20:51:59	Fetching icon path	OK
2026-07-18 20:51:59	Library Binary Analysis Started	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libbreakpad.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libunwindstack_binary.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libsuperpack-jni.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libbreakpad_cpp_helper.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libimage_processing_util_jni.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libfbunwindstack.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libc++_shared.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libsurface_util_jni.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libdextricks-early.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libsuperattic.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libdistract-config.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libappcomponentfactory-jni.so	OK

2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libandroidx.graphics.path.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libgraphics-core.so	OK
2026-07-18 20:51:59	Analyzing apktool_out/lib/arm64-v8a/libachilles-jni.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libbreakpad.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libunwindstack_binary.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libsuperpack-jni.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libbreakpad_cpp_helper.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libimage_processing_util_jni.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libfbunwindstack.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libc++_shared.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libsurface_util_jni.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libdextricks-early.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libsuperattic.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libdistract-config.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libappcomponentfactory-jni.so	OK

2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libandroidx.graphics.path.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libgraphics-core.so	OK
2026-07-18 20:51:59	Analyzing lib/arm64-v8a/libachilles-jni.so	OK
2026-07-18 20:51:59	Reading Code Signing Certificate	OK
2026-07-18 20:52:00	Failed to get signature versions with apksigner	CalledProcessError(1, ['jdk-22.0.2/bin/java', '-Xmx1024M', '-Djava.library.path=', '-jar', '/home/mobsf/Mobile-Security-Framework-MobSF/mobsf/StaticAnalyzer/tools/apksigner.jar', 'verify', '--verbose', '/home/mobsf/.MobSF/uploads/94557c6b03369143d7d8dda31458be4c/94557c6b03369143d7d8dda31458be4c.apk'])
2026-07-18 20:52:00	Running APKiD 3.1.0	OK
2026-07-18 20:52:16	Detecting Trackers	OK
2026-07-18 20:52:24	Decompiling APK to Java with JADX	OK
2026-07-18 21:09:04	Decompiling with JADX timed out	TimeoutExpired(['home/mobsf/.MobSF/tools/jadx/jadx-1.5.0/bin/jadx', '-ds', 'home/mobsf/.MobSF/uploads/94557c6b03369143d7d8dda31458be4c/java_source', '-q', '-r', '--show-bad-code', 'home/mobsf/.MobSF/uploads/94557c6b03369143d7d8dda31458be4c/94557c6b03369143d7d8dda31458be4c.apk'], 999.9998569159998)
2026-07-18 21:09:04	Converting DEX to Smali	OK
2026-07-18 21:09:04	Code Analysis Started on - java_source	OK
2026-07-18 21:10:24	Android SBOM Analysis Completed	OK
2026-07-18 21:10:45	Android SAST Completed	OK
2026-07-18 21:10:45	Android API Analysis Started	OK

2026-07-18 21:10:52	Android API Analysis Completed	OK
2026-07-18 21:10:52	Android Permission Mapping Started	OK
2026-07-18 21:12:54	Android Permission Mapping Completed	OK
2026-07-18 21:12:55	Android Behaviour Analysis Started	OK
2026-07-18 21:13:04	Android Behaviour Analysis Completed	OK
2026-07-18 21:13:04	Extracting Emails and URLs from Source Code	OK
2026-07-18 21:13:09	Email and URL Extraction Completed	OK
2026-07-18 21:13:09	Extracting String data from SO	OK
2026-07-18 21:13:09	Extracting String data from Code	OK
2026-07-18 21:13:09	Extracting String values and entropies from Code	OK
2026-07-18 21:13:11	Performing Malware check on extracted domains	OK
2026-07-18 21:13:26	Saving to Database	OK

Report Generated by - MobSF v4.5.1

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).