



ANDROID STATIC ANALYSIS REPORT



 IPTV Smarters Pro (3.1.5.1)

File Name:

base.apk

Package Name:

com.nst.iptvsmarterstvbox


Scan Date:

July 11, 2026, 10:28 p.m.

App Security Score:

47/100 (MEDIUM RISK)

Grade:



Trackers Detection:

4/432

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
5	38	3	2	1

FILE INFORMATION

File Name: base.apk

Size: 80.2MB

MD5: 75bbc030ad91dc25a684c04517e5b525

SHA1: f3ac6cee1799e27d7eac98ffc59af5747f16e78f

SHA256: 81fa604fadc64869ea8239e0366178c50d12b80db88f40b1a4b56369ae495ff4

APP INFORMATION

App Name: IPTV Smarters Pro

Package Name: com.nst.iptvsmarterstvbox

Main Activity: com.nst.iptvsmarterstvbox.view.activity.SplashActivity

Target SDK: 30

Min SDK: 17

Max SDK:

Android Version Name: 3.1.5.1

Android Version Code: 112

APP COMPONENTS

Activities: 116

Services: 19

Receivers: 5
Providers: 4
Exported Activities: 9
Exported Services: 7
Exported Receivers: 2
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: False
v4 signature: False
X.509 Subject: C=IN, ST=Punjab, L=Mohali, O=WHMCSSMARTERS, OU=WHMCSSMARTERS, CN=Amanpreet Singh
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2018-04-16 07:33:17+00:00
Valid To: 2043-04-10 07:33:17+00:00
Issuer: C=IN, ST=Punjab, L=Mohali, O=WHMCSSMARTERS, OU=WHMCSSMARTERS, CN=Amanpreet Singh
Serial Number: 0x4afe051f
Hash Algorithm: sha256
md5: 265f17c0ab330194707a9bfba5d5d640
sha1: 76ca6e1019d37b843a11c9fb9e90aabd81ccc019
sha256: 62d2bdd2e722142a791135670ae3a251139af64faadb1cf816207cfa7c6ed29e
sha512: 10ad63ae39b2452feea14274f9142c0356849c8670359c4fe73e72066beee4838773c0c9c416be7d0a3937123552c48712e150422c019056e154b94b3f99ccd2
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: aac2706ec251a0b1bf5c990c6c49cf2c2a547682854f5e7e79494c11ddda2132
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.READ_OWNER_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.WRITE_OWNER_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.CLEAR_APP_CACHE	SignatureOrSystem	delete all application cache data	Allows an application to free phone storage by deleting files in application cache directory. Access is usually very restricted to system process.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.

APKID ANALYSIS

FILE	DETAILS	
75bbc030ad91dc25a684c04517e5b525.apk	FINDINGS	DETAILS
	Manipulator Found	Resources Confusion
assets/audience_network.dex	FINDINGS	DETAILS
	Anti-VM Code	possible Build.SERIAL check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check Build.TAGS check
	Compiler	dx r8 without marker (suspicious)
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check SIM operator check network operator name check possible VM check
	Compiler	r8
	Anti Disassembly Code	illegal class name

ACTIVITY	INTENT
com.nst.iptvsmarterstvbox.view.demo.SampleChooserActivity	Schemes: http://, https://, content://, asset://, file://, Hosts: *, Path Patterns: .*\\exolist\\.json,

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 25 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 4.2-4.2.2, [minSdk=17]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	Broadcast Receiver (com.nst.iptvsmarterstvbox.view.activity.BootStartupActivity) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.RECEIVE_BOOT_COMPLETED [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
4	Launch Mode of activity (com.nst.iptvsmarterstvbox.view.ijkplayer.activities.NSTIJKPlayerSkyActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
5	Activity (com.nst.iptvsmarterstvbox.view.activity.ImportM3uActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.

NO	ISSUE	SEVERITY	DESCRIPTION
6	Activity (com.nst.iptvsmarterstvbox.view.activity.MultiUserActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
7	Service (com.nst.iptvsmarterstvbox.WHMCSCClientapp.notifications.MyFirebaseMessagingService) is not Protected. An intent-filter exists.	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Service is explicitly exported.
8	Service (com.nst.iptvsmarterstvbox.WHMCSCClientapp.notifications.MyFirebaseInstanceIdService) is not Protected. An intent-filter exists.	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Service is explicitly exported.
9	Launch Mode of activity (com.nst.iptvsmarterstvbox.miscelleneious.chromecastfeature.ExpandedControlsActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
10	Activity (com.nst.iptvsmarterstvbox.miscelleneious.chromecastfeature.ExpandedControlsActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
11	Service (de.blinkt.openvpn.core.OpenVPNService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_VPN_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
12	Service (de.blinkt.openvpn.core.OpenVPNStatusService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_VPN_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
13	Service (de.blinkt.openvpn.api.ExternalOpenVPNService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_VPN_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
14	Service (de.blinkt.openvpn.OpenVPNTileService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_QUICK_SETTINGS_TILE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
15	Activity-Alias (de.blinkt.openvpn.api.ConnectVPN) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity (de.blinkt.openvpn.api.GrantPermissionsActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.

NO	ISSUE	SEVERITY	DESCRIPTION
17	Activity (de.blinkt.openvpn.api.ConfirmDialog) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
18	Launch Mode of activity (com.nst.iptvsmarterstvbox.view.activity.HoneyPlayer) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
19	Activity (com.nst.iptvsmarterstvbox.view.activity.HoneyPlayer) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
20	Activity (com.nst.iptvsmarterstvbox.view.demo.SampleChooserActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
21	Activity (com.nst.iptvsmarterstvbox.view.demo.PlayerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
22	Launch Mode of activity (com.nst.iptvsmarterstvbox.view.demo.NSTEXOPlayerSkyActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
23	Launch Mode of activity (com.nst.iptvsmarterstvbox.view.demo.NSTEXOPlayerSkyTvActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
24	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
25	Launch Mode of activity (com.amazonaws.mobileconnectors.cognitoauth.activities.CustomTabsManagerActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
26	Launch Mode of activity (com.google.android.play.core.missingsplits.PlayCoreMissingSplitsActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
27	Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 3 | WARNING: 9 | INFO: 2 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a/a0/a.java a/b/k/f.java a/b/k/h.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a/b/k/j.java a/b/k/m.java a/b/l/a/a.java a/b/p/g.java a/b/p/j/i.java a/b/p/j/j.java a/b/q/a1.java a/b/q/b0.java a/b/q/g0.java a/b/q/i0.java a/b/q/k0.java a/b/q/o0.java a/b/q/p0.java a/b/q/r.java a/b/q/u.java a/b/q/v0.java a/b/q/x.java a/b/q/x0.java a/b/q/y0.java a/b0/i0.java a/b0/y.java a/c0/a/a/h.java a/g/b/k/f.java a/g/c/a.java a/g/c/b.java a/g/c/c.java a/g/c/d.java a/i/h/d.java a/i/h/f.java a/i/h/h.java a/i/h/l.java a/i/h/p.java a/i/i/b.java a/i/i/e/a.java a/i/i/e/b.java a/i/i/e/f.java a/i/j/c.java a/i/j/e.java a/i/j/f.java a/i/j/g.java a/i/j/j.java a/i/j/k.java a/i/j/l/a.java a/i/j/l/e.java a/i/n/i.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a/i/p/b.java a/i/r/b.java a/i/r/f0.java a/i/r/g0/c.java a/i/r/h.java a/i/r/j.java a/i/r/x.java a/i/r/y.java a/i/s/c.java a/i/s/h.java a/i/s/i.java a/i/s/j.java a/k/b/d.java a/l/d/a.java a/l/d/b.java a/l/d/c.java a/l/d/d.java a/l/d/d0.java a/l/d/e0.java a/l/d/l.java a/l/d/n.java a/l/d/q.java a/l/d/v.java a/l/d/w.java a/l/d/x.java a/n/q/k.java a/o/a/a.java a/q/a/b.java a/q/b/d.java a/r/a/a.java a/s/k/a.java a/t/k/a.java a/t/k/b.java a/t/k/c.java a/t/k/d.java a/t/k/e.java a/t/k/f.java a/t/l/g.java a/t/l/i.java a/t/l/j.java a/t/l/l.java a/u/a.java a/u/b.java a/v/a.java

NO	ISSUE	SEVERITY	STANDARDS	FILES a/v/x/a.java butterknife/ButterKnife.java
				c/c/b/v.java c/d/a/g.java c/d/a/k/a.java c/d/a/l/a.java c/d/a/l/d.java c/d/a/m/a.java c/d/a/n/h/a.java c/d/a/n/h/f.java c/d/a/n/h/g.java c/d/a/n/i/a.java c/d/a/n/i/c.java c/d/a/n/i/i.java c/d/a/n/i/n/f.java c/d/a/n/i/o/e.java c/d/a/n/i/o/i.java c/d/a/n/i/p/a.java c/d/a/n/j/f.java c/d/a/n/j/n.java c/d/a/n/j/o.java c/d/a/n/k/e/b.java c/d/a/n/k/e/f.java c/d/a/n/k/e/l.java c/d/a/n/k/e/m.java c/d/a/n/k/e/o.java c/d/a/n/k/e/r.java c/d/a/n/k/h/i.java c/d/a/n/k/h/j.java c/d/a/o/j.java c/d/a/o/k.java c/d/a/o/n.java c/d/a/r/a.java c/d/a/r/h/k.java c/d/a/t/a.java c/e/b/a/a/f/d.java c/f/a/a/j/u/k.java c/f/a/a/j/w/a.java c/f/a/b/j3/z.java c/f/a/c/a/a/a.java c/f/a/c/a/a/d.java c/f/a/c/d/a.java c/f/a/c/d/b.java c/f/a/c/d/u/u/e0.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				c/f/a/c/d/v/b.java c/f/a/c/e/b.java c/f/a/c/e/d.java c/f/a/c/e/e.java c/f/a/c/e/i.java c/f/a/c/e/j.java c/f/a/c/e/s.java c/f/a/c/e/u.java c/f/a/c/e/v.java c/f/a/c/f/d0.java c/f/a/c/f/e.java c/f/a/c/f/h0.java c/f/a/c/f/j.java c/f/a/c/f/k.java c/f/a/c/f/n0.java c/f/a/c/f/o/n/d0.java c/f/a/c/f/o/n/f0.java c/f/a/c/f/o/n/f1.java c/f/a/c/f/o/n/g.java c/f/a/c/f/o/n/g0.java c/f/a/c/f/o/n/z0.java c/f/a/c/f/q/a.java c/f/a/c/f/q/a1.java c/f/a/c/f/q/b0.java c/f/a/c/f/q/c.java c/f/a/c/f/q/e0.java c/f/a/c/f/q/h1.java c/f/a/c/f/q/k1.java c/f/a/c/f/q/t0.java c/f/a/c/f/q/w0.java c/f/a/c/f/q/x0.java c/f/a/c/f/q/y0.java c/f/a/c/f/r0.java c/f/a/c/f/s/a.java c/f/a/c/f/t/f.java c/f/a/c/f/t/o.java c/f/a/c/f/t/p.java c/f/a/c/f/v.java c/f/a/c/i/a/b.java c/f/a/c/i/a/d.java c/f/a/c/i/a/f.java c/f/a/c/i/a/h.java c/f/a/c/j/f/o.java c/f/a/c/j/h/d3.java c/f/a/c/j/h/e0.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				c:/a/c/j/h/r.java c/f/a/c/j/h/k3.java c/f/a/c/j/h/m3.java c/f/a/c/j/h/q4.java c/f/a/c/j/h/r3.java c/f/a/c/j/h/r4.java c/f/a/c/j/h/s3.java c/f/a/c/j/h/t3.java c/f/a/c/j/h/va.java c/f/a/c/j/h/x3.java c/f/a/c/j/i/a.java c/f/a/c/k/b/ra.java c/f/a/c/k/b/t3.java c/f/a/c/k/b/ua.java c/f/a/c/k/b/x9.java c/f/a/c/k/b/y3.java c/f/a/c/l/a.java c/f/a/c/m/b/a.java c/f/a/c/n/a.java c/f/a/d/d0/a.java c/f/a/d/g0/d.java c/f/a/d/h0/b.java c/f/a/d/j0/g.java c/f/a/d/m/h.java c/f/a/e/a/e/a.java c/f/a/e/a/e/y.java c/f/c/c.java c/f/c/k/g.java c/f/c/k/n.java c/f/c/q/c0.java c/f/c/q/f.java c/f/c/q/f0.java c/f/c/q/p.java c/f/c/q/s.java c/f/c/q/w.java c/f/c/q/x.java c/f/c/q/y.java c/f/c/q/z.java c/f/c/s/b.java c/f/c/s/q/b.java c/f/c/s/r/c.java c/f/c/u/a.java c/f/c/u/c.java c/f/c/u/c0.java c/f/c/u/d0.java c/f/c/u/a.java

NO 1	ISSUE The App logs information. Sensitive information should never be logged.	SEVERITY info	STANDARDS WASC-10: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	FILES c/h/a/g.java c/f/c/u/q.java c/f/c/u/s.java c/f/c/u/t.java c/f/c/u/y.java c/f/c/u/z.java c/h/a/e/c/a.java c/h/a/f/d.java c/h/a/h/k/a.java c/h/a/h/l.java c/h/a/h/m/a.java c/h/a/h/m/b.java c/h/a/h/m/d/c.java c/h/a/h/m/e/b.java c/h/a/h/m/e/c.java c/h/a/h/n/e.java c/h/a/i/q/a.java c/h/a/i/q/f.java c/h/a/i/q/k.java c/h/a/i/q/l.java c/h/a/j/a.java c/h/a/j/b.java c/h/a/j/i.java c/h/a/k/a/k.java c/h/a/k/b/a.java c/h/a/k/b/i.java c/h/a/k/b/k.java c/h/a/k/b/v.java c/h/a/k/b/y.java c/h/a/k/d/c/a/g.java c/h/a/k/d/c/a/i.java c/h/a/k/g/a.java c/h/a/k/h/c.java c/h/a/k/h/d/d/b.java c/h/a/l/a/a.java c/h/a/l/a/b.java c/h/a/l/a/c.java c/h/a/l/c/a.java c/i/a/f/b.java c/i/a/g/c/c/a.java c/k/a/y/f.java c/k/b/g0.java com/amazonaws/cognito/clientcontext/data/UserContextDataProvider.java com/amazonaws/cognito/clientcontext/datacollection/ApplicationDataCollector.java
---------	--	----------------------------------	---	---

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/amazonaws/cognito/clientcontext/util/SignatureGenerator.java com/amazonaws/logging/AndroidLog.java com/amazonaws/logging/ConsoleLog.java com/amazonaws/mobile/auth/core/DefaultSignInResultHandler.java com/amazonaws/mobile/auth/core/IdentityManager.java com/amazonaws/mobile/auth/core/signin/SignInManager.java com/amazonaws/mobile/client/AWSMobileClient.java com/amazonaws/mobile/client/activities/HostedUIRedirectActivity.java com/amazonaws/mobile/client/internal/InternalCallback.java com/amazonaws/mobile/client/internal/oauth2/OAuth2Client.java com/amazonaws/mobileconnectors/cognitoauth/AuthClient.java com/amazonaws/mobileconnectors/cognitoauth/activities/CustomTabsManagerActivity.java com/amazonaws/mobileconnectors/cognitoauth/util/LocalDataManager.java com/amazonaws/mobileconnectors/cognitoidentityprovider/CognitoUserSession.java com/amplifyframework/logging/AndroidLogger.java com/amplifyframework/logging/JavaLogger.java com/nst/iptvsmarterstvbox/WHMCSClientapp/activities/MyInvoiceActivity.java com/nst/iptvsmarterstvbox/WHMCSClientapp/activities/MyServicesActivity.java com/nst/iptvsmarterstvbox/WHMCSClientapp/activities/MyTicketActivity.java com/nst/iptvsmarterstvbox/WHMCSClientapp/activities/ServicesDashboardActivity.java com/nst/iptvsmarterstvbox/WHMCSClientapp/notifications/MyFirebaseMessagingService.java com/nst/iptvsmarterstvbox/miscellaneous/StopProcessingTasksService.java com/nst/iptvsmarterstvbox/miscellaneous/chromecastfeature/castserver/CastServerService.java com/nst/iptvsmarterstvbox/miscellaneous/chromecastfeature/queue/QueueListViewActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/nst/iptvsmarterstvbox/view/activity/APPinPurchaseActivity.java com/nst/iptvsmarterstvbox/view/activity/AccountInfoActivity.java com/nst/iptvsmarterstvbox/view/activity/AnnouncementsActivity.java com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java com/nst/iptvsmarterstvbox/view/activity/EPGSettingsActivity.java com/nst/iptvsmarterstvbox/view/activity/HoneyPlayer.java com/nst/iptvsmarterstvbox/view/activity/ImportM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/MultiUserActivity.java com/nst/iptvsmarterstvbox/view/activity/NewDashboardActivity.java com/nst/iptvsmarterstvbox/view/activity/PlayerSelectionActivity.java com/nst/iptvsmarterstvbox/view/activity/RoutingActivity.java com/nst/iptvsmarterstvbox/view/activity/SearchActivity.java com/nst/iptvsmarterstvbox/view/activity/SearchActivityLowerSDK.java com/nst/iptvsmarterstvbox/view/activity/SeriesActivityNewFlowM3U.java com/nst/iptvsmarterstvbox/view/activity/SeriesActivityNewFlow.java com/nst/iptvsmarterstvbox/view/activity/SeriesDetailActivity.java com/nst/iptvsmarterstvbox/view/activity/SeriesDetailM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/SpeedTestActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/activity/TVArchiveActivityLayout.java com/nst/iptvsmarterstvbox/view/activity/ViewDetail

NO	ISSUE	SEVERITY	STANDARDS	FILES
				IsActivity.java com/nst/iptvsmarterstvbox/view/activity/ViewDetailActivity.java IsCastActivity.java com/nst/iptvsmarterstvbox/view/activity/ViewDetailActivity.java IsTMDBActivity.java com/nst/iptvsmarterstvbox/view/adapter/CastAdapter.java com/nst/iptvsmarterstvbox/view/adapter/EpisodeDetailAdapter.java com/nst/iptvsmarterstvbox/view/adapter/MultiPlayerCategoriesAdapter.java com/nst/iptvsmarterstvbox/view/adapter/MultiPlayerChannelsAdapter.java com/nst/iptvsmarterstvbox/view/adapter/MultiUserAdapter.java com/nst/iptvsmarterstvbox/view/adapter/PersonImagesAdapter.java com/nst/iptvsmarterstvbox/view/adapter/RecordingAdapter.java com/nst/iptvsmarterstvbox/view/adapter/SeasonsButtonAdapter.java com/nst/iptvsmarterstvbox/view/adapter/SeriesAdapter.java com/nst/iptvsmarterstvbox/view/adapter/SeriesAdapterM3U.java com/nst/iptvsmarterstvbox/view/adapter/TVArchiveLiveChannelsAdapterNewFlow.java com/nst/iptvsmarterstvbox/view/adapter/VodAdapter.java com/nst/iptvsmarterstvbox/view/adapter/VodAdapterNewFlow.java com/nst/iptvsmarterstvbox/view/adapter/VodAllDataRightSideAdapter.java com/nst/iptvsmarterstvbox/view/adapter/VodSubCatAdpaterNew.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/fragment/SearchFragment.java com/nst/iptvsmarterstvbox/view/fragment/SearchFragmentLowerSDK.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerEPGActivity.java

NO	ISSUE	SEVERITY	STANDARDS	com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerVODActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerEPG.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerEpisodes.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerMulti1.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerMulti2.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerMulti3.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerMulti4.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSeriesThumbnail.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSky.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSkyTv.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSmallEPG.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerVOD.java com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java com/nst/iptvsmarterstvbox/vpn/activities/VPNLoginActivity.java com/nst/iptvsmarterstvbox/vpn/adapters/VpnProfileAdapter.java com/wang/avi/AVLoadingIndicatorView.java d/a/a/d/c.java d/a/a/d/q.java d/a/a/d/r.java de/blinkt/openvpn/core/OpenVPNService.java me/zhanghai/android/materialprogressbar/BaseProgressLayerDrawable.java me/zhanghai/android/materialprogressbar/MaterialProgressBar.java n/a/a/c.java org/joda/time/tz/DateTimeZoneBuilder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/joda/time/tz/ZoneInfoCompiler.java org/jsoup/examples/HtmlToPlainText.java org/jsoup/examples/ListLinks.java
				tv/danmaku/ijk/media/player/IjkMediaCodecInfo.java tv/danmaku/ijk/media/player/IjkMediaPlayer.java tv/danmaku/ijk/media/player/pragma/DebugLog.java
2	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	c/f/a/a/j/y/k/b0.java c/f/a/a/j/y/k/f0.java c/f/a/a/j/y/k/h0.java c/f/a/b/c3/p.java c/f/a/b/i3/p0/g.java c/f/a/b/i3/p0/m.java c/f/a/b/u2/c.java c/f/a/b/u2/d.java c/f/a/c/k/b/j.java c/f/a/c/k/b/k.java c/f/a/c/k/b/qa.java c/f/a/c/k/b/s3.java c/f/a/c/k/b/ua.java c/f/a/c/k/b/x9.java c/h/a/i/q/a.java c/h/a/i/q/d.java c/h/a/i/q/f.java c/h/a/i/q/g.java c/h/a/i/q/j.java c/h/a/i/q/k.java c/h/a/i/q/l.java c/h/a/l/c/a.java com/amazonaws/mobileconnectors/s3/transferutility/TransferTable.java
				a/d/b/b.java com/amazonaws/auth/CognitoCachingCredentialsProvider.java com/amazonaws/auth/policy/conditions/ConditionFactory.java com/amazonaws/auth/policy/conditions/S3ConditionFactory.java com/amazonaws/cognito/clientcontext/data/UserContextDataProvider.java com/amazonaws/cognito/clientcontext/datacollecti

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	on/DeviceDataCollector.java com/amazonaws/internal/keyvaluestore/AWSKeyV alueStore.java com/amazonaws/internal/keyvaluestore/KeyProvid er18.java com/amazonaws/mobile/auth/core/IdentityManag er.java com/amazonaws/mobile/client/AWSMobileClient.ja va com/amazonaws/mobile/client/internal/oauth2/OA uth2Client.java com/amazonaws/mobileconnectors/cognitoauth/ac tivities/CustomTabsManagerActivity.java com/amazonaws/mobileconnectors/cognitoidentity provider/util/CognitoDeviceHelper.java com/amazonaws/mobileconnectors/cognitoidentity provider/util/CognitoPinpointSharedContext.java com/amazonaws/mobileconnectors/cognitoidentity provider/util/CognitoServiceConstants.java com/amazonaws/mobileconnectors/s3/transferutili ty/TransferObserver.java com/amazonaws/mobileconnectors/s3/transferutili ty/TransferTable.java com/amazonaws/services/s3/Headers.java com/amazonaws/services/s3/model/S3ObjectSum mary.java com/amplifyframework/auth/AuthProvider.java com/amplifyframework/auth/AuthUser.java com/amplifyframework/auth/AuthUserAttribute.jav a com/amplifyframework/auth/AuthUserAttributeKey .java com/amplifyframework/auth/cognito/AWSCognitoA uthPlugin.java com/amplifyframework/core/category/CategoryCo nfiguration.java com/amplifyframework/storage/StorageItem.java com/amplifyframework/storage/s3/AWSMobileClie ntAuthProvider.java com/amplifyframework/storage/s3/AWSS3Storage Plugin.java com/nst/iptvsmarterstvbox/view/activity/NewDash boardActivity.java org/jsoup/nodes/Comment.java org/jsoup/nodes/DataNode.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/jsoup/nodes/TextNode.java org/jsoup/nodes/XmlDeclaration.java
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	k/x.java org/jsoup/helper/HttpConnection.java
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	a/n/q/a1.java c/f/a/b/e3/e1/f.java c/f/a/b/e3/u0.java c/f/a/b/i3/p0/s.java c/f/a/c/j/h/e0.java c/f/a/c/k/b/ea.java com/amazonaws/retry/PredefinedRetryPolicies.java a com/nst/iptvsmarterstvbox/WHMCSCClientapp/activities/FreeTrailActivity.java com/nst/iptvsmarterstvbox/view/activity/APPinPurchaseActivity.java com/nst/iptvsmarterstvbox/view/activity/AnnouncementsActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/NewDashboardActivity.java com/nst/iptvsmarterstvbox/view/activity/SeriesDetailActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/activity/ViewDetailsActivity.java com/nst/iptvsmarterstvbox/view/adapter/MultiUserAdapter.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerVOD.java com/nst/iptvsmarterstvbox/vpn/activities/ProfileActivity.java org/jsoup/helper/DataUtil.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	c/f/a/b/e3/g1/s.java c/f/a/c/k/b/ea.java c/h/a/h/n/e.java c/k/a/y/h.java com/amazonaws/services/s3/internal/MD5DigestCalculatingInputStream.java com/amazonaws/util/Md5Utils.java com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java
7	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	a/i/i/b.java c/f/a/e/a/b/t1.java c/h/a/h/d.java c/h/a/h/e.java c/h/a/h/f.java c/h/a/h/g.java c/h/a/h/n/e.java c/h/a/k/c/i.java c/h/a/l/a/a.java c/h/a/l/a/b.java c/h/a/l/a/e.java c/h/a/l/c/a.java com/nst/iptvsmarterstvbox/view/activity/ImportM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3UActivity.java com/nst/iptvsmarterstvbox/view/activity/RecordingActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	a/u/b.java c/f/c/s/q/c.java com/amazonaws/mobileconnectors/s3/transferutility/TransferUtility.java
9	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	c/f/c/q/p.java c/f/c/s/q/b.java c/k/a/y/h.java com/amazonaws/mobileconnectors/cognitoidentityprovider/CognitoUser.java com/amazonaws/mobileconnectors/cognitoidentityprovider/util/CognitoDeviceHelper.java d/a/a/d/m.java
10	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	c/f/a/b/e3/g1/r.java c/h/a/h/m/c.java c/h/a/h/m/d/b.java c/h/a/h/n/b.java c/h/a/h/n/e.java com/amazonaws/services/s3/internal/Constants.java com/nst/iptvsmarterstvbox/WHMCSClientapp/activities/BuyNowActivity.java com/nst/iptvsmarterstvbox/miscellaneous/chromecastfeature/castserver/CastServerService.java com/nst/iptvsmarterstvbox/view/activity/CheckAppupdateActivity.java d/a/a/a.java d/a/a/d/c.java d/a/a/d/r.java d/a/a/d/s.java de/blinkt/openvpn/core/OpenVPNService.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
11	The file or SharedPreferences is World Readable. Any App can read from the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	c/h/a/i/q/m.java com/nst/iptvsmarterstvbox/view/adapter/LiveAllDataRightSideAdapter.java com/nst/iptvsmarterstvbox/view/adapter/LiveAllDataRightSideAdapterSearch.java com/nst/iptvsmarterstvbox/view/adapter/RightSideProgramsSearch.java com/nst/iptvsmarterstvbox/view/adapter/SeriesAllDataRightSideAdapter.java com/nst/iptvsmarterstvbox/view/adapter/VodAllDataRightSideAdapter.java
12	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	c/f/a/c/j/h/x3.java c/f/a/e/a/e/o.java
13	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	c/f/a/b/e3/f1/e.java
14	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	c/i/a/f/b.java
15	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	c/h/a/l/d/a.java com/amplifyframework/devmenu/DeveloperMenu.java
16	The file or SharedPreferences is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	mips/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	mips/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	armeabi-v7a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	armeabi-v7a/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	armeabi-v7a/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	armeabi-v7a/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	armeabi-v7a/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_memset_chk', '_memcpy_chk', '_strlen_chk', '_vsprintf_chk', '_strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	armeabi-v7a/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	armeabi-v7a/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	armeabi-v7a/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	armeabi-v7a/libffmjpegJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	armeabi-v7a/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
13	armeabi-v7a/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
14	armeabi-v7a/libcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
15	armeabi-v7a/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', ['__memcpy_chk', ['__strcat_chk', ['__strcpy_chk', ['__memset_chk', ['__vsprintf_chk', ['__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	armeabi-v7a/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
17	armeabi-v7a/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
18	armeabi-v7a/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
19	armeabi-v7a/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
20	armeabi-v7a/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
21	x86/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
22	x86/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
23	x86/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
24	x86/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
25	x86/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_vsprintf_chk', '_memmove_chk', '_memset_chk', '_strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
26	x86/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
27	x86/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
28	x86/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
29	x86/libffmpeglNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
30	x86/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
31	x86/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
32	x86/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
33	x86/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', ['__memcpy_chk', ['__strcat_chk', ['__strcpy_chk', ['__memset_chk', ['__memmove_chk', ['__vsprintf_chk']]	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
34	x86/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
35	x86/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
36	x86/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
37	x86/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
38	x86/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
39	arm64-v8a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__strncat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
40	arm64-v8a/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
41	arm64-v8a/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
42	arm64-v8a/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
43	arm64-v8a/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strchr_chk', ['__memmove_chk', ['__memset_chk', ['__strlen_chk', ['__vsprintf_chk', ['__vsnprintf_chk', ['__strcat_chk', ['__read_chk', ['__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
44	arm64-v8a/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
45	arm64-v8a/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memcpy_chk', '_memmove_chk', '_memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
46	arm64-v8a/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
47	arm64-v8a/libffmjpegJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
48	arm64-v8a/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', ['__memmove_chk', ['__strchr_chk', ['__memset_chk', ['__memcpy_chk', ['__strcat_chk', ['__read_chk', ['__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
49	arm64-v8a/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
50	arm64-v8a/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
51	arm64-v8a/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '_memmove_chk', '_strchr_chk', '_umask_chk', '_memset_chk', '_memcpy_chk', '_strcpy_chk', '_FD_SET_chk', '_strcat_chk', '_read_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
52	arm64-v8a/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
53	arm64-v8a/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '__memmove_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
54	arm64-v8a/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
55	arm64-v8a/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
56	arm64-v8a/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
57	armeabi/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
58	armeabi/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
59	armeabi/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
60	armeabi/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
61	mips64/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
62	x86_64/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
63	x86_64/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
64	x86_64/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
65	x86_64/libijkffmjpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
66	x86_64/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', ['__memcpy_chk', ['__read_chk', ['__strlen_chk', ['__vsprintf_chk', ['__strchr_chk', ['__memmove_chk', ['__memset_chk', ['__strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
67	x86_64/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
68	x86_64/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_memset_chk', '_strlen_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
69	x86_64/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
70	x86_64/libffmpegJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
71	x86_64/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
72	x86_64/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
73	x86_64/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
74	x86_64/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_strchr_chk', '_memcpy_chk', '_strcat_chk', '_strcpy_chk', '_FD_SET_chk', '_umask_chk', '_read_chk', '_memset_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
75	x86_64/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
76	x86_64/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_vsprintf_chk', '_memset_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
77	x86_64/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memset_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
78	x86_64/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
79	x86_64/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_strlen_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
80	mips/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
81	mips/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
82	armeabi-v7a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
83	armeabi-v7a/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
84	armeabi-v7a/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
85	armeabi-v7a/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
86	armeabi-v7a/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_memset_chk', '_memcpy_chk', '_strlen_chk', '_vsprintf_chk', '_strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
87	armeabi-v7a/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
88	armeabi-v7a/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
89	armeabi-v7a/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
90	armeabi-v7a/libffmjpegJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
91	armeabi-v7a/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
92	armeabi-v7a/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
93	armeabi-v7a/libcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
94	armeabi-v7a/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', ['__memcpy_chk', ['__strcat_chk', ['__strcpy_chk', ['__memset_chk', ['__vsprintf_chk', ['__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
95	armeabi-v7a/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
96	armeabi-v7a/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
97	armeabi-v7a/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
98	armeabi-v7a/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
99	armeabi-v7a/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
100	x86/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
101	x86/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
102	x86/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
103	x86/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
104	x86/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_vsprintf_chk', '_memmove_chk', '_memset_chk', '_strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
105	x86/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
106	x86/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
107	x86/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
108	x86/libffmpeglNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
109	x86/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
110	x86/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
111	x86/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
112	x86/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', ['__memcpy_chk', ['__strcat_chk', ['__strcpy_chk', ['__memset_chk', ['__memmove_chk', ['__vsprintf_chk']]	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
113	x86/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
114	x86/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
115	x86/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
116	x86/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
117	x86/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
118	arm64-v8a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__strncat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
119	arm64-v8a/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
120	arm64-v8a/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
121	arm64-v8a/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
122	arm64-v8a/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strchr_chk', ['__memmove_chk', ['__memset_chk', ['__strlen_chk', ['__vsprintf_chk', ['__vsnprintf_chk', ['__strcat_chk', ['__read_chk', ['__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
123	arm64-v8a/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
124	arm64-v8a/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memcpy_chk', '_memmove_chk', '_memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
125	arm64-v8a/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
126	arm64-v8a/libffmjpegNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
127	arm64-v8a/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', ['__memmove_chk', ['__strchr_chk', ['__memset_chk', ['__memcpy_chk', ['__strcat_chk', ['__read_chk', ['__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
128	arm64-v8a/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
129	arm64-v8a/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
130	arm64-v8a/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '_memmove_chk', '_strchr_chk', '_umask_chk', '_memset_chk', '_memcpy_chk', '_strcpy_chk', '_FD_SET_chk', '_strcat_chk', '_read_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
131	arm64-v8a/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
132	arm64-v8a/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memmove_chk', '_memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
133	arm64-v8a/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
134	arm64-v8a/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
135	arm64-v8a/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_strlen_chk', '_memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
136	armeabi/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
137	armeabi/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
138	armeabi/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
139	armeabi/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
140	mips64/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
141	x86_64/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strncat_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
142	x86_64/libovpnexec.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
143	x86_64/libijkplayer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
144	x86_64/libijkffmpeg.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
145	x86_64/libovpn3.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', ['__memcpy_chk', ['__read_chk', ['__strlen_chk', ['__vsprintf_chk', ['__strchr_chk', ['__memmove_chk', ['__memset_chk', ['__strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
146	x86_64/librtmp-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
147	x86_64/libgav1JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_memset_chk', '_strlen_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
148	x86_64/libovpnutil.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
149	x86_64/libffmpeglNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
150	x86_64/libosslspeedtest.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memcpy_chk', '_strlen_chk', '_read_chk', '_strchr_chk', '_memset_chk', '_strcat_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
151	x86_64/libijksdl.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
152	x86_64/libjbcrypto.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
153	x86_64/libopenvpn.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '_strchr_chk', '_memcpy_chk', '_strcat_chk', '_strcpy_chk', '_FD_SET_chk', '_umask_chk', '_read_chk', '_memset_chk', '_memmove_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
154	x86_64/librealm-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
155	x86_64/libflacJNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_vsnprintf_chk', '_memset_chk', '_strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
156	x86_64/libopusV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memset_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
157	x86_64/libvpx.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memset_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
158	x86_64/libvpxV2JNI.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memmove_chk', '__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00056	Modify voice volume	control	a/t/l/o.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerEPG.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerEpisodes.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSky.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerSkyTv.java com/nst/iptvsmarterstvbox/view/ijkplayer/widget/media/NSTIJKPlayerVOD.java
00028	Read file from assets directory	file	c/f/a/b/i3/g.java
00096	Connect to a URL and set request method	command network	c/c/b/w/h.java c/f/a/a/i/d.java c/f/a/b/i3/x.java c/f/c/s/r/c.java c/h/a/h/k/b.java c/h/a/h/n/e.java com/amazonaws/http/UrlHttpClient.java com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java org.jsoup/helper/HttpConnection.java
00089	Connect to a URL and receive input stream from the server	command network	c/c/b/w/h.java c/d/a/n/h/f.java c/f/a/a/i/d.java c/f/a/b/i3/x.java c/f/c/s/r/c.java c/h/a/e/f/a.java c/h/a/h/k/a.java c/h/a/h/n/c.java c/h/a/h/n/e.java c/h/a/l/a/c.java c/k/b/f0.java com/amazonaws/http/UrlHttpClient.java com/amazonaws/util/HttpUtils.java org.jsoup/helper/HttpConnection.java

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	c/d/a/n/h/f.java c/f/a/b/i3/x.java c/h/a/e/f/a.java c/h/a/h/n/e.java c/h/a/l/a/c.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapter/MultiUserAdapter.java org/jsoup/helper/HttpConnection.java
00109	Connect to a URL and get the response code	network command	c/c/b/w/h.java c/d/a/n/h/f.java c/f/a/a/i/d.java c/f/a/b/i3/x.java c/f/a/c/a/a/d.java c/f/c/s/r/c.java c/h/a/h/k/a.java c/h/a/h/k/b.java c/h/a/h/n/c.java c/h/a/h/n/e.java c/h/a/l/a/c.java c/k/b/f0.java com/amazonaws/http/UrlHttpClient.java com/amazonaws/util/HttpUtils.java com/nst/iptvsmarterstvbox/view/activity/LoginActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapter/MultiUserAdapter.java org/jsoup/helper/HttpConnection.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	a/i/j/e.java a/i/j/k.java c/c/b/w/d.java c/d/a/k/a.java c/d/a/n/k/g/c.java c/f/a/b/i3/k.java c/f/a/b/i3/k0.java c/f/a/b/j3/h.java c/f/a/c/j/h/x3.java c/f/a/e/a/b/a2.java c/f/a/e/a/b/j0.java c/f/a/e/a/b/j1.java c/f/a/e/a/b/k1.java c/f/a/e/a/b/v.java c/f/a/e/a/b/x.java c/f/a/e/a/b/y1.java c/f/c/s/q/c.java c/h/a/h/m/d/c.java c/h/a/k/h/c.java c/h/a/l/a/a.java c/h/a/l/a/b.java c/h/a/l/a/d.java com/amazonaws/auth/PropertiesCredentials.java com/amazonaws/internal/ReleasableInputStream.java com/amazonaws/internal/ResettableInputStream.java com/amazonaws/regions/RegionUtils.java com/amazonaws/services/s3/internal/RepeatableFileInputStream.java com/amazonaws/services/s3/internal/ServiceUtils.java com/amazonaws/util/Md5Utils.java com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java com/nst/iptvsmarterstvbox/view/activity/ImportM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java com/nst/iptvsmarterstvbox/vpn/activities/VPNLoginActivity.java d/a/a/d/a0.java d/a/a/d/c.java de/blinkt/openvpn/LaunchVPN.java l/m.java m/a/b/g/i.java org/joda/time/tz/ZoneInfoCompiler.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	org/joda/time/tz/ZoneInfoProvider.java org/sampleframework/xml/core/Persister.java a/t/l/a.java a/v/a.java c/f/a/c/f/q/n1.java c/f/a/c/k/b/c5.java c/f/c/u/a.java c/h/a/e/f/a.java c/h/a/h/m/a.java c/h/a/h/n/e.java c/h/a/k/b/a0.java c/h/a/k/b/b.java c/h/a/k/c/k.java c/i/a/g/a.java com/amazonaws/mobile/client/AWSMobileClient.java com/amplifyframework/devmenu/DevMenuFileIssueFragment.java com/nst/iptvsmarterstvbox/view/activity/APPInPurchaseActivity.java com/nst/iptvsmarterstvbox/view/activity/CheckAppupdateActivity.java com/nst/iptvsmarterstvbox/view/activity/HoneyPlayer.java com/nst/iptvsmarterstvbox/view/activity/MultiUserActivity.java com/nst/iptvsmarterstvbox/view/activity/MxPlayerRecordingActivity.java com/nst/iptvsmarterstvbox/view/activity/NewDashboardActivity.java com/nst/iptvsmarterstvbox/view/activity/PlayExternalPlayerActivity.java com/nst/iptvsmarterstvbox/view/activity/PlayRecordingExternalPlayerActivity.java com/nst/iptvsmarterstvbox/view/activity/RateUsActivity.java com/nst/iptvsmarterstvbox/view/activity/RoutingActivity.java com/nst/iptvsmarterstvbox/view/activity/VLCPlayerRecordingActivity.java com/nst/iptvsmarterstvbox/view/adapter/EpisodeDetailAdapter.java com/nst/iptvsmarterstvbox/view/adapter/LiveAllDataRightSideAdapter.java com/nst/iptvsmarterstvbox/view/adapter/LiveAllDataRightSideAdapterSearch.java com/nst/iptvsmarterstvbox/view/adapter/RightSideProgramsSearch.java com/nst/iptvsmarterstvbox/view/adapter/VodAdapter.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/demo/SampleChooserActivity.java com/nst/iptvsmarterstvbox/view/fragment/NewEPGFragment.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerVODActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	a/v/a.java c/f/a/c/f/q/n1.java c/f/c/u/a.java c/h/a/k/c/k.java com/nst/iptvsmarterstvbox/view/activity/APPinPurchaseActivity.java com/nst/iptvsmarterstvbox/view/activity/MultiUserActivity.java com/nst/iptvsmarterstvbox/view/activity/RoutingActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyTvActivity.java
00012	Read data and put it into a buffer stream	file	c/c/b/w/d.java c/h/a/k/h/c.java com/amazonaws/util/Md5Utils.java com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java
00015	Put buffer stream (data) to JSON object	file	com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java
00014	Read file into a stream and put it into a JSON object	file	c/f/c/s/q/c.java com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java
00121	Create a directory	file command	com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java com/nst/iptvsmarterstvbox/view/activity/ImportM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapter/MultiUserAdapter.java
00004	Get filename and put it to JSON object	file collection	com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00125	Check if the given file path exist	file	com/nst/iptvsmarterstvbox/view/activity/AudioPickActivity.java com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java com/nst/iptvsmarterstvbox/view/activity/EPGSettingsActivity.java com/nst/iptvsmarterstvbox/view/activity/ImportM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/activity/VideoPickActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java com/nst/iptvsmarterstvbox/vpn/activities/VPNLoginActivity.java
00104	Check if the given path is directory	file	com/nst/iptvsmarterstvbox/view/activity/BackupAndRestoreActivity.java com/nst/iptvsmarterstvbox/vpn/activities/ProfileActivity.java
00022	Open a file from given absolute path of the file	file	a/u/a.java a/u/b.java c/c/b/w/d.java c/f/a/e/a/b/i1.java c/h/a/h/m/d/c.java c/h/a/l/a/c.java c/k/b/g0.java com/amazonaws/auth/PropertiesCredentials.java com/amazonaws/mobileconnectors/s3/transferutility/TransferDBUtil.java com/amazonaws/mobileconnectors/s3/transferutility/TransferObserver.java com/amazonaws/services/s3/internal/ServiceUtils.java com/nst/iptvsmarterstvbox/view/activity/VideoPickActivity.java com/nst/iptvsmarterstvbox/view/adapters/RecordingAdapter.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerVODActivity.java com/nst/iptvsmarterstvbox/vpn/activities/VPNLoginActivity.java d/a/a/a.java d/a/a/d/r.java d/a/a/d/y.java m/a/b/d.java org/jsoup/Jsoup.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	a/b/q/o0.java a/v/a.java c/f/a/b/i3/k0.java c/f/c/u/a.java c/h/a/e/f/a.java c/h/a/h/n/e.java c/h/a/k/b/b.java com/amazonaws/mobileconnectors/s3/transferutility/TransferDBBase.java com/nst/iptvsmarterstvbox/view/activity/CheckAppupdateActivity.java com/nst/iptvsmarterstvbox/view/activity/HoneyPlayer.java com/nst/iptvsmarterstvbox/view/activity/NewDashboardActivity.java com/nst/iptvsmarterstvbox/view/activity/PlayExternalPlayerActivity.java com/nst/iptvsmarterstvbox/view/activity/PlayRecordingExternalPlayerActivity.java com/nst/iptvsmarterstvbox/view/activity/RateUsActivity.java com/nst/iptvsmarterstvbox/view/activity/RoutingActivity.java com/nst/iptvsmarterstvbox/view/adapter/EpisodeDetailAdapter.java com/nst/iptvsmarterstvbox/view/adapter/VodAdapter.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerEPGActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerMultiActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerVODActivity.java com/nst/iptvsmarterstvbox/view/utility/epg/EPG.java
00094	Connect to a URL and read data from it	command network	c/f/a/b/i3/x.java c/h/a/h/k/a.java c/h/a/k/h/c.java c/h/a/l/a/c.java com/amazonaws/http/UrlHttpClient.java
00108	Read the input stream from given URL	network command	c/f/a/b/i3/x.java c/f/a/c/k/b/d4.java c/f/a/c/k/b/j7.java c/h/a/h/k/a.java c/h/a/l/a/c.java com/amazonaws/http/UrlHttpClient.java

RULE ID	BEHAVIOUR	LABEL	FILES
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	a/i/r/g0/c.java
00192	Get messages in the SMS inbox	sms	com/amazonaws/mobileconnectors/s3/transferutility/TransferDBUtil.java com/nst/iptvsmarterstvbox/view/activity/HoneyPlayer.java
00078	Get the network operator name	collection telephony	com/amazonaws/cognito/clientcontext/datacollection/TelephonyDataCollector.java
00034	Query the current data network type	collection network	com/amazonaws/cognito/clientcontext/datacollection/TelephonyDataCollector.java
00065	Get the country code of the SIM card provider	collection	com/amazonaws/cognito/clientcontext/datacollection/TelephonyDataCollector.java
00153	Send binary data over HTTP	http	c/c/b/w/h.java c/h/a/h/k/b.java
00009	Put data in cursor to JSON object	file	com/amazonaws/mobileconnectors/s3/transferutility/TransferUtility.java
00147	Get the time of current location	collection location	a/b/k/m.java
00075	Get location of the device	collection location	a/b/k/m.java
00115	Get last known location of the device	collection location	a/b/k/m.java
00162	Create InetAddress object and connecting to it	socket	c/k/a/y/f.java k/g0/j/a.java k/g0/j/e.java
00163	Create new Socket and connecting to it	socket	c/f/a/c/k/b/fa.java c/k/a/y/f.java k/g0/j/a.java k/g0/j/e.java
00072	Write HTTP input stream into a file	command network file	c/h/a/h/n/e.java c/h/a/l/a/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00025	Monitor the general action to be performed	reflection	com/nst/iptvsmarterstvbox/view/activity/SeriesDetailActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/demo/NSTEXOPlayerSkyTvActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyActivity.java com/nst/iptvsmarterstvbox/view/ijkplayer/activities/NSTIJKPlayerSkyTvActivity.java
00039	Start a web server	control network	c/h/a/h/m/d/b.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	c/k/b/o.java com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java
00130	Get the current WIFI information	wifi collection	c/h/a/h/n/e.java com/nst/iptvsmarterstvbox/WHMCSCClientapp/activities/FreeTrailActivity.java com/nst/iptvsmarterstvbox/view/activity/HoneyPlayer.java
00024	Write file after Base64 decoding	reflection file	c/h/a/h/n/e.java
00175	Get notification manager and cancel notifications	notification	c/h/a/h/n/e.java
00123	Save the response to JSON after connecting to the remote server	network command	com/nst/iptvsmarterstvbox/view/activity/LoginM3uActivity.java com/nst/iptvsmarterstvbox/view/activity/SplashActivity.java com/nst/iptvsmarterstvbox/view/adapters/MultiUserAdapter.java
00177	Check if permission is granted and request it	permission	a/i/h/a.java
00053	Monitor data identified by a given content URI changes(SMS, MMS, etc.)	sms	c/f/a/c/j/h/y2.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	c/f/a/c/j/h/y2.java
00191	Get messages in the SMS inbox	sms	a/b/q/o0.java
00189	Get the content of a SMS message	sms	com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00188	Get the address of a SMS message	sms	com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java
00200	Query data from the contact list	collection contact	com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java
00201	Query data from the call log	collection calllog	com/nst/iptvsmarterstvbox/vpn/activities/ImportVPNActivity.java
00054	Install other APKs from file	reflection	c/h/a/k/b/a0.java com/nst/iptvsmarterstvbox/view/activity/ExternalPlayerActivity.java
00187	Query a URI and check the result	collection sms calllog calendar	c/f/a/c/j/h/d3.java
00132	Query The ISO country code	telephony collection	c/f/a/b/j3/x0.java
00091	Retrieve data from broadcast	collection	c/f/a/c/j/i/a.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://iptv-smarters-pro-fa491.firebaseio.com
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebase-remoteconfig.googleapis.com/v1/projects/641515240233/namespaces/firebase:fetch?key=AlzaSyBgrryT4beZO_OKXETPwcsD3gDHPGjpU6o is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: <pre>{'entries': {'android_base_url': 'https://api-android.whmcsmarters.com/?/Android'}, 'state': 'UPDATE', 'templateVersion': '3'}</pre>

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	9/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.READ_EXTERNAL_STORAGE, android.permission.RECORD_AUDIO, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.SYSTEM_ALERT_WINDOW, android.permission.WAKE_LOCK
Other Common Permissions	3/44	android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
51.75.16.104	ok	IP: 51.75.16.104 Country: France Region: Hauts-de-France City: Roubaix Latitude: 50.694210 Longitude: 3.174560 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ns.adobe.com	ok	No Geolocation information available.
android.googleusercontent.com	ok	IP: 108.177.123.82 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebase.google.com	ok	IP: 172.217.192.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
app-measurement.com	ok	IP: 64.233.186.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
worldiptv.online	ok	No Geolocation information available.
acs.amazonaws.com	ok	No Geolocation information available.
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
pagead2.google syndication.com	ok	IP: 172.217.192.156 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sbsp3.com	ok	IP: 104.247.81.99 Country: Canada Region: Ontario City: Windsor Latitude: 42.306248 Longitude: -83.029610 View: Google Map
www.speedtest.net	ok	IP: 104.17.148.22 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api-android.whmcssmarters.com	ok	No Geolocation information available.
aomedia.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
schemas.microsoft.com	ok	IP: 150.171.110.42 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
upload.ffmpeg.org	ok	IP: 213.36.253.119 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
www.openssl.org	ok	IP: 34.49.79.89 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
cdn.iptvhr.net	ok	IP: 88.99.209.132 Country: Germany Region: Bayern City: Gunzenhausen Latitude: 48.323330 Longitude: 11.601220 View: Google Map

DOMAIN	STATUS	GEOLOCATION
image.tmdb.org	ok	IP: 152.233.22.103 Country: Brazil Region: Minas Gerais City: Belo Horizonte Latitude: -19.920830 Longitude: -43.937778 View: Google Map
videocdn.bodybuilding.com	ok	IP: 18.64.174.22 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
play.google.com	ok	IP: 172.217.192.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
whmcssmarters.com	ok	IP: 104.26.15.191 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.google.com	ok	IP: 142.251.155.119 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.googleadservices.com	ok	IP: 172.217.192.154 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
iptv-smarters-pro-fa491.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
qqtv.nl	ok	IP: 146.103.58.95 Country: Belgium Region: Vlaams-Brabant City: Leuven Latitude: 50.879589 Longitude: 4.700930 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.makatv.com	ok	IP: 172.67.183.153 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
51.158.145.183	ok	IP: 51.158.145.183 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
s3-us-west-1.amazonaws.com	ok	IP: 16.15.4.4 Country: United States of America Region: California City: Palo Alto Latitude: 37.409912 Longitude: -122.160400 View: Google Map
developer.android.com	ok	IP: 142.250.0.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
schemas.android.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
users.iptvsmarters.com	ok	IP: 172.67.71.197 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.bouncycastle.org	ok	IP: 43.250.142.130 Country: Australia Region: Queensland City: Warren Latitude: -23.500000 Longitude: 150.283325 View: Google Map
dashif.org	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
rokuapi.whmcssmarters.com	ok	IP: 104.26.14.191 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
yourportal.com	ok	IP: 103.224.182.244 Country: Australia Region: Victoria City: Beaumaris Latitude: -37.982201 Longitude: 145.038940 View: Google Map
www.youtube.com	ok	IP: 142.251.157.4 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.vortexiptv.com	ok	IP: 54.243.117.197 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www.amazon.com	ok	IP: 54.230.124.142 Country: United States of America Region: Oregon City: Hillsboro Latitude: 45.522888 Longitude: -122.989830 View: Google Map

DOMAIN	STATUS	GEOLOCATION
s3.amazonaws.com	ok	IP: 16.15.191.42 Country: United States of America Region: California City: Palo Alto Latitude: 37.409912 Longitude: -122.160400 View: Google Map
www.whmcssmarters.com	ok	IP: 104.26.15.191 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
developer.apple.com	ok	IP: 17.253.10.203 Country: United States of America Region: Massachusetts City: Boston Latitude: 42.358429 Longitude: -71.059769 View: Google Map
www.iptvsmarters.com	ok	IP: 104.26.15.88 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
exoplayer.dev	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
plus.google.com	ok	IP: 172.217.192.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
google.com	ok	IP: 64.233.186.139 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
openvpn.net	ok	IP: 104.19.190.106 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
goo.gl	ok	IP: 108.177.123.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.ngs.ac.uk	ok	IP: 130.246.140.235 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Appleton Latitude: 51.709511 Longitude: -1.361360 View: Google Map
api.themoviedb.org	ok	IP: 54.240.184.121 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cms.alldrama.tv	ok	IP: 172.66.41.23 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
pelda.com	ok	IP: 45.33.83.100 Country: United States of America Region: New Jersey City: Cedar Knolls Latitude: 40.821945 Longitude: -74.448891 View: Google Map
github.com	ok	IP: 140.82.114.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

EMAILS

EMAIL	FILE
u0013android@android.com0 u0013android@android.com	c/f/a/c/f/c0.java
abc@gmail.com	c/h/a/e/b/a.java

EMAIL	FILE
info@makatv.com eay@cryptsoft.com support@whmcssmarters.com helbeierling@t-online.de iptv.dragon.com@gmail.com arne@rfc2549.org help@whmcssmarters.com sales@whmcssmarters.com sales@vortexiptv.com sales@openvpn.net support@vortexiptv.com	Android String Resource
help@realm.io	apktool_out/lib/mips/librealm-jni.so
ffmpeg-devel@ffmpeg.org	apktool_out/lib/armeabi-v7a/libijkplayer.so
sales@openvpn.net	apktool_out/lib/armeabi-v7a/libopenvpn.so
help@realm.io	apktool_out/lib/armeabi-v7a/librealm-jni.so
ffmpeg-devel@ffmpeg.org	apktool_out/lib/x86/libijkplayer.so
o@netstream.failed	apktool_out/lib/x86/librtmp-jni.so
sales@openvpn.net	apktool_out/lib/x86/libopenvpn.so
help@realm.io	apktool_out/lib/x86/librealm-jni.so
ffmpeg-devel@ffmpeg.org	apktool_out/lib/arm64-v8a/libijkplayer.so
sales@openvpn.net	apktool_out/lib/arm64-v8a/libopenvpn.so
help@realm.io	apktool_out/lib/arm64-v8a/librealm-jni.so
ffmpeg-devel@ffmpeg.org	apktool_out/lib/armeabi/libijkplayer.so

EMAIL	FILE
ffmpeg-devel@ffmpeg.org	apktool_out/lib/x86_64/libijkplayer.so
o@netstream.failed	apktool_out/lib/x86_64/librtmp-jni.so
sales@openvpn.net	apktool_out/lib/x86_64/libopenvpn.so
help@realm.io	apktool_out/lib/x86_64/librealm-jni.so
help@realm.io	lib/mips/librealm-jni.so
ffmpeg-devel@ffmpeg.org	lib/armeabi-v7a/libijkplayer.so
sales@openvpn.net	lib/armeabi-v7a/libopenvpn.so
help@realm.io	lib/armeabi-v7a/librealm-jni.so
ffmpeg-devel@ffmpeg.org	lib/x86/libijkplayer.so
o@netstream.failed	lib/x86/librtmp-jni.so
sales@openvpn.net	lib/x86/libopenvpn.so
help@realm.io	lib/x86/librealm-jni.so
ffmpeg-devel@ffmpeg.org	lib/arm64-v8a/libijkplayer.so
sales@openvpn.net	lib/arm64-v8a/libopenvpn.so
help@realm.io	lib/arm64-v8a/librealm-jni.so
ffmpeg-devel@ffmpeg.org	lib/armeabi/libijkplayer.so
ffmpeg-devel@ffmpeg.org	lib/x86_64/libijkplayer.so

EMAIL	FILE
o@netstream.failed	lib/x86_64/librtmp-jni.so
sales@openvpn.net	lib/x86_64/libopenvpn.so
help@realm.io	lib/x86_64/librealm-jni.so

TRACKERS

TRACKER	CATEGORIES	URL
Amazon Mobile Analytics (Amplify)	Analytics	https://reports.exodus-privacy.eu.org/trackers/423
Facebook Ads	Advertisement	https://reports.exodus-privacy.eu.org/trackers/65
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS
"logged_in_user" : "מחובר:"
"pkcs12_file_encryption_key" : "PKCS12-Dateiverschlüsselungsschlüssel"
"google_crash_reporting_api_key" : "AlzaSyBgrryT4beZO_OKXETPwcsD3gDHPGjpU6o"

POSSIBLE SECRETS
"login_user" : "Bejelentkezés"
"edit_user" : "Edita"
"username" : "gebruikersnaam"
"account_username" : "Användarnamn:"
"password" : "Wachtwoord"
"login_user" : "Kyqu"
"enter_password" : "Пароль"
"password" : "Lösenord"
"pref_key_using_mediatdatasource" : "pref.using_mediatdatasource"
"state_auth" : "Vértetim"
"account_username" : "gebruikersnaam:"
"logged_in_user" : "Zalogowany:"
"client_username" : "Felhasználónév"
"state_auth" : "Автентифікація"
"session_ipv4string" : "%1\$s-%2\$s"
"login_user" : "התחברות"
"username" : "Użytkownik"

POSSIBLE SECRETS

"pkcs12_file_encryption_key" : "PKCS12-bestandscoderingssleutel"

"logged_in_user" : "Ingelogd:"

"account_username" : "Użytkownik:"

"state_auth" : "Autenticazione"

"state_auth" : "Autenticare"

"edit_user" : "Redigera"

"login_user" : "Inloggning"

"login_user" : "Login"

"state_auth" : "Mengesahkan"

"auth_username" : "Benutzername"

"pref_key_enable_background_play" : "pref.enable_background_play"

"login_user" : "□□□"

"enter_password" : "Lösenord"

"username" : "Përdoruesi"

"edit_user" : "Edit"

"login_user" : "Anmeldung"

"client_username" : "Utilisateur"

POSSIBLE SECRETS
"edit_user" : "ערוך"
"password" : "Jelszó"
"pref_key_enable_surface_view" : "pref.enable_surface_view"
"client_username" : "Användarnamn"
"password" : "Lozinka"
"state_auth" : "Hitelesítés"
"edit_user" : "Bewerken"
"password" : "Hasło"
"parental_password" : "Föräldralösenord"
"state_auth" : "المصادقة"
"pkcs12_file_encryption_key" : "PKCS12-filkrypteringsnyckel"
"edit_user" : "Szerkesztés"
"password" : "Fjalëkalimi"
"login_user" : "Accesso"
"pref_key_pixel_format" : "pref.pixel_format"
"username" : "Felhasználónév"
"password" : "Пароль"

POSSIBLE SECRETS
"logged_in_user" : "Prijavljeni:"
"password" : "סיסמא"
"login_user" : "ΒχιΔ"
"enter_password" : "Zaporka"
"password" : "□□□□"
"client_username" : "Nome"
"pref_key_player" : "pref.player"
"account_username" : "Utilizator:"
"pref_key_media_codec_handle_resolution_change" : "pref.media_codec_handle_resolution_change"
"enter_password" : "Contraseña"
"password" : "Contraseña"
"client_username" : "Username"
"login_user" : "Masuk"
"auth_username" : "Username"
"enter_password" : "Hasło"
"edit_user" : "تعديل"
"password" : "Passwort"

POSSIBLE SECRETS
"username" : "Utilisateur"
"account_username" : "Usuario:"
"state_auth" : "Autenticando"
"logged_in_user" : "Увійшов:"
"client_username" : "Utilizator"
"account_username" : "Username:"
"pref_key_using_media_codec" : "pref.using_media_codec"
"state_auth" : "□□"
"username" : "Användarnamn"
"password" : "Parola"
"pref_key_using_android_player" : "pref.using_android_player"
"login_user" : "Logare"
"state_auth" : "Authentication"
"username" : "Nutzername"
"client_username" : "Użytkownik"
"username" : "Username"
"logged_in_user" : "Inloggad:"

POSSIBLE SECRETS
"login_user" : "Entrar"
"edit_user" : "□□"
"password" : "Password"
"enter_password" : "Parola"
"login_user" : "Aanmelden"
"username" : "Usuario"
"parental_password" : "Kinderpasswort"
"firebase_database_url" : "https://iptv-smarters-pro-fa491.firebaseio.com"
"google_api_key" : "AlzaSyBgrryT4beZO_OKXETPwcsD3gDHPGjpU6o"
"pref_key_enable_no_view" : "pref.enable_no_view"
"auth_username" : "Felhasználónév"
"enter_password" : "Password"
"account_username" : "Përdoruesi:"
"state_auth" : "מִימֹת"
"state_auth" : "Authenticatie"
"enter_password" : "Wachtwoord"
"edit_user" : "Редагувати"

POSSIBLE SECRETS

"account_username" : "Nutzername:"

"pref_key_using_opensl_es" : "pref.using_opensl_es"

"enter_password" : "Jelszó"

"client_username" : "Nutzername"

"add_user" : "ENTER"

"enter_password" : "Passwort"

"auth_username" : "Gebruikersnaam"

"enter_password" : "□□□□"

"password" : "Şifreniz"

"username" : "Utilizator"

"auth_username" : "Användarnamn"

"enter_password" : "Senha"

"edit_user" : "Ndrysho"

"account_username" : "Utilisateur:"

"pref_key_using_media_codec_auto_rotate" : "pref.using_media_codec_auto_rotate"

"client_username" : "gebruikersnaam"

"password" : "Senha"

POSSIBLE SECRETS
"logged_in_user" : "Conectado:"
"client_username" : "Usuario"
"account_username" : "Felhasználónév:"
"enter_password" : "הסיסמה"
"state_auth" : "Authenticating"
"client_username" : "Pseodonimi"
"state_auth" : "Otentikasi"
"state_auth" : "Autentisering"
"edit_user" : "Düzenle"
vkolrw2eH1SjUMjyxlQQX8Srij39jtP
HuKpkwhwNffVsg1qOYm34WvQGcpzf7CA
HLT5liagTN6y0JvSt92F6CLrVRU5nCH8
aTM6G8lKpIJ6RP017QMlEjHyUH2B7dh
VXUYBRMamhge5PIdHXwCUhQsvqUwyGaK
CUn0EGRMZuaxcZmcWt6bm8g2eSLscmSu
8TtcshNmMrpBHoTy3Jx7PSsl4WaoiE
gMD9kiBJFrPjXjJSWTJ7YWAztjHnCG7O

POSSIBLE SECRETS
kEUPdIGxbWMHKqV30QNAKk8CqZCFjcZl
d2XCtNqKB2PlkmIVLWNasBjUSsZJOiBr
1yk3ZSNQ1BStxV76R0ws43k7l6sqjrng
jWWli2TrnHAAyoG5itvaKpzBpE6rwsKb
OuAVUMSSWbttlXl4z5HkeS5T535dgvDy
HD4PNhpiJerL9f7FhF1L2XB0w8jmfy8z
WM0zVtm2JGvaa9vSTXp0h2YRnQYxQrEK
VPA8JBGLf77hbCQNqSGQ8FlxNle4WZIE
spPOKGUnjm6foAMMjUQWH3rPbfiGZIB3
MkJKTqDYMAzsSL3ogCclj8aQMOEn3Zaf
W4gBMubxKiZM5LLivtLPs396PBqN8ReM
UmMlfAJjysNoFzDVq3Qadmy32zpeb1XF
xjbenFCMrkBs7EfKqhSnYCZ0IRG62qii
BONPG4m24dx7DG6Rql7thXKC4ZCUsxnf
pa13jV0ykdfTm6Oo414mEZE7qu5xzGka
g9VMJ7KVDiHxjzY4mov6XPU8OVFxG
DshyegtLBVWJb272GUnrCLDL902Y6CT4

POSSIBLE SECRETS
KNbO6MhxkLbBAZAqlm1H7U8Oout8mEhl
wDGntkgp6XogcOY7rYz8EKhCse1aHWOv
KQz7BMleF4Z94D8gT8Jgt17pY9ay2sPb
jegZijVYRtoFlccHEdL0d7ywmKE0efBM
tAS262iMjzRr57vvpXPoG7SYxewns3xN
j6uQAgvGWfRMr40VSzIVsWkcoISldIVB
vdv9qgJMAF7gDXTK0FDhsaXIVyCj2cDL
yf8jTWMsX4Kj3fil7V6gWL7AnmER89HT
RCRcS7R4oQOTyLjlpIEX5API7Ni0gnf1
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
snO0JYp8WiAdMwbOevXppfTs6iFhTSIS
1dEgnVHIT0m43fl6jYH9hpNhfyiBWS6N
NpaKE5UdtAyMHqvaLPx4AGtZ31wY3C1j
438Cia9wbNYnLnXWpHR8BTCUnyjItaF2
NTtbWHu0RetWI6yxki67w6X3knWPKgwD
EEKliZG5v6PVzs3xPcyqxwhc3FAivYta
PC7X20f3JEut9CIsHKyQodWFOI4CO7PL

POSSIBLE SECRETS
lCnqxh0y89Em7p481QheNATB6nErTPja
3vglA6G8yuA12iVw0aFHPuEKtU4GGV7V
vNU1Clptty9spXV3rmNWKqfECA0GCDno
TUKhftCqFUFv9xNbjbPA3CLhBIkdW
rYxOc7Ypr1bQ7KOGmw9sN058kIB7gerB
w5hMajohNUScvyTMb6YchiksJKW7iU2S
N1ag4SyeR1bkHrLLU69ntDAZG70pDTMe
arDW8RilBmWFNCZvgTvY8Wvuj76u3VTs
IDUzbTXfLYpZDU4pK2kXQil8tMhG7RY8
JKTUnCqsCUQLCGuZWmxU63uBYWjDtVyB
kSrlCwDX6P2QTtBsWrInLj9wi3Ca9feR
slA42LvVtkzyGudujTr9E5uQpxev7D1e
DCgYh9gvbnrpKHe96mnmpCff01xTtOfj
07dtCbgrw0W8dRsWCIXIONRD4KzojNVd
eMFgGe3BwzjIEwfr0eq56CqWHHfmSWyD
ZVN5NvQX1IR02F2nkBpRehMiTRLfpSWC
xccBqAPL30y6NbHrQEYHQZID73Gla83G

POSSIBLE SECRETS
pEMy7q228Pl3Goh7WxMg1caDHBMoVA15
r302VQJ2ie6981RfLfu9NzFVyQSaDacl
vU9iDbhGXBQk4voVJMEMlboxkWIFvNann
0rGqU9QbqgRhw9xCYiy2ikjdJF0tZxW0
46C5bVFhHWUcfGRcMiONp8ja9wt0MV54
Gbrcmgsvl5BF3EE3vIXQTh85zLs0xykC
hCuliPavAGhKBs7ieDCx41JmqO1LYr4d
5r9f7V6KCKM3lvysTdnytDIDBRDUQAcw
rETS2R3vEEsIStUJRpCBgflKjK0S9xqh
9HeqxNTbWRKyR8KfBHSSaEFZWfPVqzw4
aUzGFJWt9JUej7dfFIRBxB2Am5SKhp0L
OWSyVtAwrfkSOzobpeDsxETSEBQPa9qP
SLRT1bjVboXCxkvYGWPu27FVIHxKKecJ
KNrwlFAolWq8E2xnnNCyl8EcaoCJ7z9e
NihUY4HxpsM0GkJJgFchlTfxDOlJFYzw
lad6HsScIbl4dZDgQUFPExkrVOZGbBbt
PMiNqiQ4kgs0VWuHsJy6tm47yNuoSJAG

POSSIBLE SECRETS
k7eMGEO3QgprNsh6neXNKI6AQGFtvYrM
1uD1IV7D8X2FSwLSySpsMcd3fQZ0OK2I
alduKPjTMh6rkwAuCUpPOV1JaeST9WCN
T2xOY9FAgnWM5SNzjVuKwwLVgl3Xlr00
cl7FK6eaPGszRzvhlWq5SquyH1qR7BiB
SdeYytwJjEjxl17XZFSuNmI9VIWoLpo
JpIXAL9FgQ2FQzjAVAZn2BwWekNoW7nE
WeHbAL2DpvJL4iRMn0O7hIhaGbvumhB7
supQtyS8W3onVuHqEhPkAVSqBybkIcHU
uy9I7RLQ2P1HyKRuXc5qKTdvpqbxTZwF
Ct1y1JOzLdrho3HIQk4TLP9PG3jGo5Mx
s0B5fGU7OWwY0j4MeXPSVlomkg0pe0Ru
HvEVRWVu4b3A6ir0KswDbL9zFIDBI7Vo
3BqVDGT4msLu1Rtl2iVh8DraLvTqVCKW
jwTNBF52XqMGgcVEiQTwwXvSBsl43Bcu
h706sF1zmcc4AioWh+jfyv0LKolmQxQ7/qBdFNEqjMTCjpxVey9eXR4ewnu7+Xxj
kBYBv8gRMrLmplmIT6dDUssqwhnWF3zw

POSSIBLE SECRETS
PXJ05dfTFyjTm8LhPchB38r6NC9RTsQv
WA1yWV5061NHQxiGBHZdG7C7pKjO5Y9H
IrD7iCy3KBiO8gA6PsFTojiVZrW1xMAI
LobIWG2nky8IldTW7marNA4rqywTihhk
xbTSMp8fvBEENljlQe5QRmpFAIAe0spq
VMSqLwjWc3fXvu7D9B7JwatTJSWiKmSt
4KWcrXNI2CiMu5mhxtQIP5VVZPBjmlLQ
3Vk7uiWTp4D98Qq5DBFXHdZ3JTbv3qUy
w1RouBmka6J1zGDRhikmrfltH78owLWg
KG5ePHom1Hb0a65hRE12sPtgaad7Jk0V
SnDsIEYZVkVP365fcllsQ2wSHS1GnuqA
0cRb1Hjpfivo5OpVdykyl3dtou8RqpBI
UYN9ptwwhG6kseDSIUjMW4tKOOJXD2Z7
XE2Zsycz8fD7h8FgdoKIBt2o6qMFmPIY
8LZ64BEP3t8fC1ORxLDriZfpukd2eG7I
4CrQo2YdoWcqIYT3QJHt1izZuISw0o1a
YZLb9o623eUfyZOuivTCDkgv5wbAGsEp

POSSIBLE SECRETS
r fibpnYYT7oq3SE3U0OfIBxRp9qsAWQT
pkQPmNFipmFMsk96jh4ONECcao3Prfi6
ZnQkkSK02m4qIFQsfXGc8k1uWyp7aRL1
B2G9RsjjNaG6Fd9EDgK8ZSLtpMYMPZWp
SrGYKC1xYV5SoIQD7ZF53usJTscK0ftd
f15MquYM06llw3BWZWASFwAp5egl2HKX
pkwADRIgEHU8NI8qrtSVQew0tEayD06s
wbouPn2Ftm3cpLG8fvuyld6AKnPflzbx
0RRWKfjdKrui2m4MHTFQsMJyHOf8C8w9
3cN0JgpVgSdwOhRQcWnO1AlK5DQJr2L6
LM1sVeBw6DNfldZzIYsj5hqYQDPEhJFy
OPv8qP0MhbtKZTtC7nh2I9a6WHAwpWs
TiB8PI2o8LKtvrRgwN2UZPBx2FfVwXaA2LJlyoIsON4gk8JWSfnQXytrQilOHtcO
S35uTAI8bIKCIA6RDoKwUWKuPnlGmXm
k6Z5PTGWNQqxWVGEWp2g14fMjsllqw2H
zasX3ZRNe0snbS49DsjMO0V1ZwarOc1g
uX4rqc35PVKyGMIab4Ievks4AeXTKuCR

POSSIBLE SECRETS
kyx9q1x7DLL5BxK3faNs604Sw4dxbCMr
mrDteKziaJnLJGchN7K4iHB0p5nXZEGM
Ct83iaSYEVOHUGfDQtOJkAbKybUxEBTx
oSYhwD14tF3vT8zAS1IFRiV2H2FAfEUD
2ezkH3kSqCf8dvr0XQnySHd1TgVWvlpb
oVFhsCJtzutno5RzvIOwcHRYGNjYB0M
yk6fztNbTNbTdYOeWP4a4qU6KijuVBGT
kx9etu5Uswf3mISSd54JM5SDJxoMGNTv
6LTz9E6PxNfd1yjVzhLMG0AXIGrFvd
tuFwEgjWv5QsbV2rgY7O01mW2P3xd0b
5Rf8WjvcjZOUdeEvkpnEyeT6h0OK8cqO
zA4kIKNJM0QxWDxEFTSTi5yKhMV68
VfYOa1CKuZhM9jsFhHY6jw4UB0OoLmrV
lhj8s2Q4sCds7IROMAxOWHrUi0xft2U2
xhkPbV6ALkx1WmbrpVNjFTeHYiqbNWEs
zLkFwVZRQmO2pmmfCTMSdjo5f8ctaykz
iQKzkqELqDYakLKWZdfSUnFo9DHI6nVv

POSSIBLE SECRETS
sKwSwUd4PCPXhg8k3ZAVhQXOLBvWjfV
qaeI79kuvzi26y0bJn0wV18LiAlk
FFbUiuFwozfA0TvCJPANz8giqJj3Ey6e
0pxfQADbA4sIF5gDourAGVlubWCldmoZ
57iypjQefLkAX1Pf2WMG90QuGpxdZgl9
uMMu8699SI696vicAGdUyhB1KjcnsG5D
DX7TKSEUbLiNIzjv4P1HkLtMAUktYoJf
vRfpY4dXxgFvSAkqLCYO6SFKIjAHuCzv
9lI84e7XMJCEHu7uA5OKUKZwzRXjipC4
0mS6EqtdW1IrcjMleAT8IB1AIC6o9dAz
IW2qNIOuJVr9bvm7hZsN45J1F7Bnv3JY
qn8tosrMnBeOYh3nA69X7hpHPvfrKSD7
CEXaqd5N8FzuUquPi7vxqko1f9a5yOv1
Ngx5CnSLKehr5glNaBo3fbR58cj0cWuD
IMNHpcvYsehX8cLei6jDJchiF9gMYU0V
yLpaI56t1HZbTv34O8DVm8KvrNdbdGTz
SrW2ILCi4fFkH4TY8LZz6iOiSZQwKo1F

POSSIBLE SECRETS
DSMXyljmw5HclhajibHNu0bHfM2UoxQfV
9dyiqx9lrEz1jnwAULweoyg4vUAzKyc7
niyGYsc3TbIZXUeN92sM43TjCNQsZLKY
WI5YCVlpnY9sS2vUV4hGrIGwgmlaf2Io
Yw40DLhiFndXC7wfBusX4OUMnHZHVu
1z5HoD8RnfRsH4NGqOJrgtDb3AvWkmRf
3WD4gW2GQkEI5AwBfxSAXddoop3O
LoLbwLodEQ0RZhoADzk4YxqyeMxGbPNe
BQFEES7xBV9CwTHtkGRziYqWB8GhQG3x
10LYd3PkBnL3jTlwXO74lkb8laVhyfxM
nkkzGeiOD1wUj3jYejs7CProiVmlcOmv
AP5HTcZviEI7eYuKg0K8Yz9GEp4
dQYGehnAuPol14EFpizMkTDsN0LYSx6h
65r9CRdv0GoLRVNVjbjXzJK5P2ycj7FG
Hvedh13CT0Gky3JhzOxajNH8XlaZQpLN
b2BkF0yBOqWkoYmDncjILGp6agQJiwPk
egtCMqV5BxdQcc2mWmQaAJ5IHSQPeiLw

POSSIBLE SECRETS
eRgpr0liA3tZEnoRsZk5vLwdwByA2WoR
1qXrL8O5q0BtdOAQ3yRptFreZlLrEwpP
FFFFFFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C180E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1CBA64ECFB850458DBEF0A8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DCEE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86A64521F2B18177B200CBBE117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFCE0FD108E4B82D120A93AD2CAFFFFFFFFFFFFFFFF
ubJ4M5GxN6FfPval4rtOnbhl8vPUgGKC
1iDxwsFxF9YiCc2SPrS2klGyrj8KvyqU
1hiVgm3FzyAWthqubctijKn7iSl8t7OZ
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
K3xavpXOVVnTPS8V8Fmislpuez1NdmFn
5vjvpsU2rLI4nd2ajg4QBMGujCjOgy5o
r2dYBwwJ6wCRp20YpqJDniAkemsUTuNE
uWIYhcHXINvGjXs3GUOJ1PEuERIV4x7
EneshuO9jiHnIHf2bjWwp7WA0EKVaMOF
gldgEUZyaZheDXAdPlxj5YfvFsSvsGnk
gq390Wd0Yu1lJshZC9Clpt7tVnhSzLar
UEhtj1eDnORTZ2wzgc9obnj9WqOhgFHK

POSSIBLE SECRETS
MvXRt7wPeDxEfDCDFesb3zWojZhNCkxf
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
i0Zr3oWhaZ1ZQYjulO9yltnfKtDweGPM
0vF5Kqqkw0y14nBhXHX4F0aBgr7OScbz
mY90xjHLqPMDpFXgmiZe2UkYD68Zyl7P
8xty1xRybQLufxFbUr7I3FDJwlBoC0zW
nXt660y1rE1HMRNPODglVba6eKGAZLBD
0OgbcjvER11tVuU6ktzS5zcploLwLpnU
XEPmNqkHOtxVdZCukAC2cQoZWEBCmlPv
KvfN8PD7zJtQDsMeVTqT5dRzLvhiPQFs
rwtSlkdLuH5KajR0oY6wYi8G8Rc4X5Yb
HcNmsPXina8UI250FP3kUGj1pgK53N1r
q7voCOqlwzwrpNWuoMFHLwpJUMmmskbB
5gGhKJie0DBDDFfkhapEv4fZOrT4upMj
A0Zue4QITY9ZnpF1VrB6lK97BmW1DYMt
yCxuKEdtUnEmK00296URo1FADbxWErUf
bh7MBcjSzFDWGWL7bYV4RFdmzZ5DJPtg

POSSIBLE SECRETS
o47SCfAcSD46THYYRPii4HElThPbmWG8
Wh2MWpRo7VbT5p9HRfne6LI8Uh8KJseH
TsFhxeN3ooiOzKyGYimy4dCB8t9rX6Qk
bTF0mPynjITMPKd7AWnGFE0wjuUHqGk
1n9GuuRZsd3tbftYhBPGe0z5aHsix9eq
Vo88IIINS9S2N5LbTaKf1W2kwN6BIQQdD
VymNKK7BYdZfYISqFilbjljOXHtGYALy
zkGhqanHWGORl0FJV2wFc9MBhnbxSqBt
WIW2JqklDnDOleaZiTbYh0p7usvkNGUh
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
W0NVeHZD2y4aXmdfyR2eL940vqkefCMI
ChKnavF9Nqo0oetaNymcfBGaHAWTYXo2
mSpdOD621tCilusEUOf234Jx9LR3KzyX
4eGiZ19xQ4OxGjIavdFIdPBRBIbWR0DL
QXuoBnzEZEqlDLe5TpAidegf9xy2rJp2
41VA6FIKazuT7AmZNA03mPvHgUe4JG9W
Ao0TD4kH2iK3OLyPM25FC6RmFi2h7I9b

POSSIBLE SECRETS
3kfdRjkwPvYxx8JzUoiB9hf8dQ33bpul
WyhnJgw7sEVfHQ6PVTSepOeMPj7Mc4Ks
drml3nLoX5pQWQBc32bzozsnTExNEnJK
m1VK8a3APoHjuOOKITc7gi9yCeUy6Tbh
g9qsOieArYo5RvIYh6PAxBWVjxzJiH5j
cPFU09w1sYhK4rqw16A2CdYyCNyTnR3z
iCLGRVxWINjUDSHIa5c9b6YKh720uR79
21VbiQWRKHmC0d4xB3zoTsbqXtN2ZOxw
MDutMibHR0xfS0kHpIX6qzWASaThPw85
Pb6NIhKASELFsFyHLiNoj4ENeXMrfTQa
gODvKHA4maP1ueedVTfLSKuHicNhKgsI
CpRmP5RSNkzg3ZIMUDzKwsVogZKCCIfv
QMUEyZuv57oImxraVf5zlpun0ErJkPMX
LGqXjwU2H5uaBf0UptGCT7ZDInUwl5IV
CqJcwX9zuxyuReRUn3Ztwbm9rESV0hnU
FsILnlqpla8iE3wffvJrO4tNIZdDmpUd
djLiMbltIOZxr4Y20a1py0MoB6XUOCsc

POSSIBLE SECRETS
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
euSTtDnbG06q2RqThlQcyR1Es6oMHQDw
aoTFD1mdY9qS2iG1b6xBMIzf9BXXSrYm
2VeddHnoq1PdFvEHeLEgk846BKmCK6O
YJ6uhs8dg1u1qe09RVpCk9ETEVw4FjVT
ikljUWR3chEMULYYaopIIYxVSgtPleKx
VpP0XbxTm16oYjwBPQX9pkQBfCeMI0LC
R2O7PMYP6nkOeNui3l4WIXx4fu7rpRKA
ttD9SROXIamLqNqjpH0jHeP07ZacbL3Q
y8DDj9eTKGIzyxtiH83YwnquX80t2qUq
eZwrQOnpnpQE2xbRo0zNjy7tlobdqdqH
fx7ikpx60ZPhJLse4FRwcVwuHJXGRP
yUS8gRIB2MWxUDhPAJrAYtkWaSt8qz4B
wAvcoPGmhTOD2Udnki7mjYYyFDdz6tY4
dachHr6cLZKwbIDqTeRsc0FgbmZCJ
rW28yUWMMTgiQIEclz6smwE3e87Fn5Ax
SZ1DhKHJxqFOMux8c4F7iNiG5ZFRRvjL

POSSIBLE SECRETS
JcSPF8dLSzFle8gapkYyYGiPDe1iVZ7T
kj4WnsmCok25qDrIf1kxSYggARLwW33C
b0lJ32ceFZmK4l0w9QL4t2F3fPxSCHwz
8Wq26Ceqv565ijof1GdoYggHtr98JF3l
Pajg2XTKXpS0pN0AoGLcPnQoa2IWF6Z7
BCkwQrwTZA8DbNWYHcyNfiOEn9j0AAp
9sVCZE1JzKyNlgcXamStOEuF7vpp11q7
lWlot4Qxgt9kC5cL8sfjp7UuHzQVclMi
j12HxmlCdcFNOcf90EDMVBFls8rsuaoM
pYpbsacuB19XJGtGbFCxjllFedam8DTp
RHZyqyNxFTR6m1AGKtHrgUPkGPIMmpqW
lwejxTPFHVjkcDrib15s3w6szJ9sWeR6
VdRelzyhJEkxgwUPMqe11KmebCO9QkDh
8CoNQoXVMdzgwU1krh95bRLsSKKH4
V6jUT1Nk4hAUvorEbipITNdn0oIHm5RE
LAEvMYTNrmfm1C97qtvIMkf2yRu1DYDI
y3WpFlrw6SINDCFjG4EXd7NBg48ZDa

POSSIBLE SECRETS
8dT57O5twSBYJQLkIxmVSEvrfVEvVCci
yCdfjvFRPQZrw6b6gB422Kgbwhe9KKBG1
xDmrh2CysME7FGpg0OAAWQWrb1b5rm7
VtV7HGxojcmYVE0XtMWfAnTQdxbbthfO
9odHEpKluTJMz7KtuT4u9eB1nZm0XIV7
60ez1RHojKn5oOI08qVtxWEnppO7SBIh
eApQbCO9YI7UjFvYesQMhrhRMhaxXyrN
q1cNaQJhP7NVWr6bUrgCn2AVkCmliVi
wKHjR3FqXT8StRIGs0zAAfujmbbhub4H
uhDWqwwqE26XK4rQkizWNR4dlHqM4UZ3
APX54tRZsjmOx3IXT4kxzRZl5L0Cy1ng
bHUhqCZStL3hoLiFuX7aDXMTtUO4SRK
BsXcrNWYLVl0RgolRvCluekJNQN01r0
Hs0KvaqCKWnI1t6FpYAqBvSwf9b8xcqM
yq3KpxRuPN0WZ8jbU7FQkuT3q90s4j9W
Aotrd2iEMgveLI8vQA6aCYWsKDDhtlXe
bbeJnzocKvEAyVfPlveapdYFC3HTaXea

POSSIBLE SECRETS
ZjburCSFctaP2yxaKgKjejXQTrv5uqRP
NrxE39kCKJtZUIjvLefOnsoHZY5VCkYH
8OOSuFQ7OrFhHkYKSo1UtYVyasxVGnA
TGpCIVKfg9q9VkpTB3w2PfFUtUXuMPxH
mKjUZliYyhCBAWVMkGfhIPNFhY8yjY7b
PKAZCNEBQS248pKbgoN5vL2n8kWbkeSf
BhIKZU0mEosMUOfZes2VT64q11Xj2Uhn
ajmsB695tQiR2xtfKUGvISwazulcZzs7
Hqz5MCTyQHD2ORxnmIkx6S6it7H3yU
3-d861b25a-1edf-11eb-adc1-0242ac120002
3tkzovd4FYEmOrd3uFeQsH7k2lQqNCGR
BFhkWaiQLcBXUQO4Yi7KFwSjCE1nMNEL
kgO1H2GjmHeLX2ZusVi9gFRUJKE1zGI0
D54QwelP5odSxG9euBwRTMcSh2Pd8wOj
h6bRkPy553bCAy1amrHUM8RqxglOW2o8
2ZyfpEbDvRtNljKwQKDVcWpHPVLB6mST
pxsGGNitlZPjAkQbFzIWarOMOhpj3cU0

POSSIBLE SECRETS
4IOUVAMDExjQBHSpAfoXSYCtPylaCI88
nwsPGMG6WiL6DBh0FHrHZ0R5IXcuLobj
Yg6y90VIZ7Ah3ybSxqXW6wOi2HMwnGfT
oLUMgMxReJrH8Y2AxnJ9tXY49GWGMSPb
eov1UmgRTS2J9JWiL8HKDN2YxzkNqP4T
pcqe5F2CDJi5oBWvBkq2zbdYSROcg8Hm
4oBn500ONSa7zUcj69ZejwliI7fNkQe9
LMefueB4gayQvpRN8xXm9AklEevQLqxV
A3zMzGjFsDn7OOWVTfqUeQ5YoKMkxeai
IAWAATHLI1f1ZCLkldXz2HdhVco5hUmDN
YUVijvZHgDoC6NjtEPEgQxkuexCJWg1r
V8BOZxTrBek9nIjry76rEN1tEiA1Ilgf
AJxY89BB1aRneGLKwVE9Pufkgncldx4M
Je7Oc75DeV26jYLGdoAYQBFZl5wXaWlc
A9eN1weHgCPL1SkQ3ZXjYtrHuOy08x6Y
Ph5fJqf6OowbUT2cqzgcB298kDhnW2OX
Y0U6bkGUHGfFKGq4XniOfCVYQx4Des4Z

POSSIBLE SECRETS
9k7Pg8ue4ZIXn9jDpJsIn7Y5i4sLfdQW
SKhwmHHGUoQzTLK2kw5WKB1efbL3jYLm
aFNChY2Gp5UEShUql2ZXHXvIMwnckVls
K3vwlAe6bCWVMYHegp9FYHqzcyyslUPY
Vr8sNFSEZwclN9wLDYuYxTmIoU2ohTqa
Ru3iiMNyUlnrUsoUUCHNe7f8PEwOWEdx
Mbe4svBdXamA1BlwkYK5rcxDOVieSFVI
iYapuwNI9CT51ky49oka54a80smISGR
LbdTDWALSGuogzF76GUONHDil7JL2ED4
zS648UIhjTBJXulz7NmFsyAlwaw2iCpl
iL0L5EQxu2M5tvy2sZDjl5tOkB9wsg4Q
4eNGQSgLmn9gvaK14R8kSqnFmk3YDtSi
cT681YGQWd9DutiYQJBSPFEBPfK5r2m4
J1ali8fWhLhD9U3MVURAA10vPW7kbw5A
RGyTh4SpGx69CnC3uYB0gmKqWWTNP
4Fp0w8uFB0Hn5IDXLalQvmhL07bdVyXH
DtktonWnXEY5FzVbssK3HUcX82Hc8dPM

POSSIBLE SECRETS
efs8eZdEWHsCfUb6qOzicmMnQm4SneBY
pKAP23q7ywaPjlvUhcEhiH7V9bs9jrQJ
2PeyHnmE0bX58Ffgk0gx7OXrgxltzZLW
c84vrcH31LBgkMTCK1bohHIXVMnz9AJR
EkSXyTGkY5I48unW6AoFelidRTI5xLLi
ZRsxwV5SobJQ5cDwe7XAzXaVJFGFHkOZ
DPNUUQYEctncegz3shse9IBb8Vdl47
a3TfZcOy08z7kq2pPCWxFv40lmZdlpZ
tfWCUNw0WGkvc5IdnWfg2BDK3aY0ceq2
3ABJ1YchwKShiC4YrWnTIA0erUDCQvCN
ERhfqbVtKjwR0y0XTQNxaBJXI7PFqJQV
9G2r59BoUI91An7yhO6AwIMh4F2sXT3r
q0ourOn8MOENNWhqaGRKGcv5B4gp2pTE
dhAFIm3SiPB0s9864OvgcmZEVzRtwwmX
3ZSmcCEAG5Dz0dWrjNlp2MNsZP7YT25A
8UM2DR4qd3kvfN0IElyvKJByOBGtF0J9
QqEyOv5K4c2a7TamOIPTrCyFewVDGSxi

POSSIBLE SECRETS
YkTNFPOzwbkjtYIViXkR23NQqoCQppA0
WzqQT7JP0s6wyXASN6VfDx7AAKlr1zQR
DO7In235juv9PXUKV934zSaX5akZYCRG
2OZtSKqBdCORReWjwkUHUNaFdmP57qD6
JRUzdnx3lrNIQCskW6e2Avl8V
pRsAYaXPUkY6EiG3qkZOmbtQ8
C6yUCx24zOIG0J7cvymFZeeDzq1xacyW
zdhmDyX7Ifpv7BLRFINwBKdWRGj92Jly
NuhdC57WsIsG6uEsDnOxbiezpeKaNBmF
bjBCaQy28rNQq0pIShtZZouKJ3cbndZJ
6kBQdFqqCH2elqWgy3DcQfzShalb6Uli
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
e65oiusvVwGlplBKbHqtCRVJnl6YIHd3
Pq0aBOwFzXTv3d8c4kUbGJ29DI7JaeBe
m4OyWRD3KmqD5PEshfLk2St9BNh2LjNQ
cjX3oWeWBOAhIZgSwLbGNRfmWHdVGE1s
uC9D5qmNt6hBQ30WTqHbWjXyd7i1Eya7

POSSIBLE SECRETS
0WEexOrliLXDlCjHBxNry1dxuPi8TFF2
P5w0t5YmbfCx1ojda5KKDsEMO6jqUmnr
jDIZMq7wlAdnEmkEGDRuOyHBih8qxobs
ZODM75AlvfjX9mXtO2EcsYUIL2ZjkRs1
MjjVouBCVmg2kVwWDhDqrlmadtoLZ7M
4NDMCBzKuFnKNjslhM211ECfiUbjhpy6
ATZarWDBMn8zDwozKxOA19Yjdj8cqMYP
hBfIC2WcQfSqXi4XtpzFNLmvHBtesKLi
LeK9QdxXLgCTlktURPbNFMf3RZigSes2
mnE9bSEHBlleLkXo6La2W5bpkmZqSUyN
kR6Rx7ETQGIVhfpD5OxJcFg21Ovz094i
6bTYjl7xiahg1uqAV8eewLZrNfj9ZPj
qsn7C6zn3PdSVfgubJel9atpLV8UzMkS
9onWrVOda1qlu0pAvyXYf5LKITz29A5r
v1DtQTmxA3FTsqocwnKPSJWZapJDPMlv
YSWVz5r88Frt8fEbwFjXVMBNOaem5rQH
x60dR1TMPSfTuY8uuU5k4CgjQFfD2Ly1

POSSIBLE SECRETS
Zcc8pzIQVtObnEDs8jyH13QzYMXIQUWE
CgLfFBC4KJYZcdRIWMiGUMQeYT9XpqO1
RMlgxhGSPUjaAJeGU8ndpU4l5tEpmaGN
Kqe5H6YPSeJrA9PRZ2BXFN4qonyjjTB9
SRtBuggTCbvw2MXSYfok3SEL95E53gc0
bxiKg4TrHtXBSvyNTaSo7lOhyUGIGIW4
gpgsRAJrUCyLij0U4KQoajYft8d2IWSs
FdpTQfSalwXKw6iuOYHI49ZbqEAaQDuv
b5BIPohyMmnUdztQJ3rYHZFdjlu3USou
T0ljURVIOIMAxNHekcBGNQ4K4yOxZCet
aixApfSzI80yG78LfLrSNW905rKMIX1l
3qXh8T5e4LOID1IWJEc6SNWF
z6lkqPokH6efARGWKazebLzdy8d5mCY
6CG0cGfKidBjxaDIKmMoUzgrrmHvkLCHY
yUYM5z5ltqNmKdZaBdfrwPcFTI5oQFEz
fjLk3OPI80DEMs1cbmgpYGaX1xXfMNis
ISfbUYFGweUQuNG8Rfx6KTKomp6ZXnHe

POSSIBLE SECRETS
Oz2bxznKOZloYiu00r0tMjRqahT5L8eX
9DesmfPYImwpHbFMckN8D4N2A0eEtTnA
iGvSb1Hz3BlwYRP6jXvlZVW4
coz4LHwVNN2LSDndRSBnj9WvwXuRM5HO
sACqbdB9h4ZaSOP8RBXRhKf5pkODD9Ze
tMCGhDkY5Hy7JFEW2GCFcmc3Z4A29Z
Lc71QfpBcqOx3z6Bpry4MoTnj3L2Amk
nfOmdPRKy6dJXhDeozy3bec4eprLloSQ
0LWAgqDnvmn5Zl5Tjazzu4DQCyM2IyoB
gnDNjs3GBImfOnnM5uEQWokXBd1c
0ZJbYELQTNKw4GYvMFOlJ2JFgvUoupt2
rLCACxpviKctWgunDsmekf59Ef0kXw8R
VjilcxnSKsnTmReAVmpDdy6ajMg5f7s6
wLzi90m5JnQ3vlsc62fZXtuMGM726oCo
lkMSGOb1N9f2znZPpxO7v43dGPgWn
hEPxY7plOgAB5ujpSYVhyDABeqG0KedF
5M6TC2sONh3rGys5YKd78dMRKX2wOUqH

POSSIBLE SECRETS
VerUiBJDpf251zcjKkmQW7r5SVIKN9oM
qNUTjYBqOOgeDCHuUIR3yEqIWp1K4VGN
E1ltw8QxleAvk6pflmFLXm8YnaEq6i
KHs9hye8jiwr48prwbb7IMXWCnSDCWiy
Y0rICHp14ARSNu9MIXOQlrQKpj7V2hwf
7usa1bkUEfgMRCoaWWj5lxH1mcKQdA4B
3J2n16rNLfrexVGozCu5PKnUXiDeYKol
Hctlswo9ad12sYru2IKVThOw6NzJy2jW
lpMPMGmveEx5YZPPZgDkriuB4nzdouJK
z68meBkT3TqiKmw4pf8g7Y6845REpoZL
TWt76gMmW2EkEQM2OhdsBT8X6vSrq3lj
zHpdef4a8sETM0qy6DqDIJHNwIYZi
SqTb5ITjEle7YRZML8ItyxwGEN07wws1
vBkvmD9EAd5t9FTNthVuCuoibAfWrGUa
LhexrLoV7v0KAfjEyFTOZZKZaNSS1gs0
3J5cDVad4mW9vkElMc3OsUS7r8EZIE39
g0Z7XyqsbnTrD4DkPgR08gcmreNHhpx

POSSIBLE SECRETS
uqLwDcTKX4SWJds2FMBMp5QNw2MnWtU
QMHe7Xu97ps4f3hWTDxnFcitcXlvMrZA
VSW3ZMLcugYKNhiURlJ0g5uj7Smp29SS
PpTasJ7rye0SEy8bP+e639N2f2p/VqK1Ye1mnYlaTjk=
ciEjxtHwaQq5vQY33BpqQuStjcQqNXynEA7E/ixfFmM=
9tyozG4lbSXUGnB14yX0PwlmOZMu8mKn
VHOwCaxYLj8vFtl4Ur4MSRRrARLF1Bma
38Z9W6n0Eu6i9yIO2bMusVthclSfAjzl
reqYVU9na7rP88BTCXg8my3jxoKE4TRG
T5DEyuoamCuUHewoghibS1K19XR2WHTa
o4pml9swvtrYdLR0BRHjmVJPNciV1YNp
rTgqdh2W7RuA1VL7nNWUqeH8ahvixGO5
TOIR5WIHpQxnCrBDCjGlvboS5c1GP2eb
lwWJ1rAHfmexjsebXRXcDPjaU73iSJJD
SAPhUsB0TeciBaZ8FVEH7XQ0HhkRahgp
CRAmwsbXNtyv0vmCJJ9qOPCwxUiND3E6
kwla2qvFZnh4ugx7FyhwbqYesuLHzW8H

POSSIBLE SECRETS
4yvCWPfRVkN5zdYzJ7yblhOZllwt9yTn
tIVw39Ohl0PVI8fV0YPCcQegL80HNmMX
h66GloOgbywQ1e6PB204dGM9vAJrPucq
HRO7fC4J0U3bXqsrOiWljP6j940cuLTJ
0weTThgY8dzMPuXGgH30KjvXs1017h9U
VvjRVU69OBzslE4p0Zfahzrb3nPScKe
mRGpAzErj1xKeHc9WkF3Ujy7h38joZC8
4GWYMaKwXK9XLQ6iDAU2C2VTll8aRULhAGrQnxilr2Nj0cSsO+IgSBJ8ViB0NIP9
1Bjo9noXfKND6AuvSNdcB1V3GCwIAiOG
qnlKhzyemJcEWBYVQAP4EuZEjLdcMELi
qw43eBE0dfm3vpW8jqKcT1ME9HQ7Rm2E
t2x0aSlbBonOFe0N5m1ttILNz4IaYpUW
nQZGX73N3q5NRRRIZyP90gUTrDeeLYBu
EksZFw55Ld98qazTVijtw6pSuONG6
PIE1oLNOryKtW3AWK6zlObYGaKJphnE8
8ArINtb0xmmgo9NmELWQk3NilhKYvaDc
R0jBdFAV67GondLg32AWi8zsE1yw1KkW

POSSIBLE SECRETS
XKBE22ujheeLcTYagdBtfv4d5l35c1GL
6exEWFSZK9oTcnxcvUurXohDGqhdlb0H
q8F3UYcndC8Ej6EzPObAfC2CDloe743
NYHeQMjyLqWO5Sg7jyx0ubrJlTid8uis
lvvcgtpn6JHhS0Lrj19j3FN0lJsZZOv
XmA0JhUCstOxL8r4JtedbZ6nj1jLWHAD
MaO0vnTK96XnVNRleRSpONjFXCjP5Eov
CaGCKjyqrjmkUmEgaxYP5OnLlzM2aaQv
vQZIRiGCHjJfTe4gMXvJzPLaPtvEk1p8
EZdssni07U2TMPMup9RmA63S0tAhTBNo
jNXTJSXFaHaCK7i5lqJo4GmnkgAhCocQ
mWE0rLrmKK4lIqcH7c7itMEBPX65A8Us
Bbc1ECWkbstPDX5EGN6JJHjdPo9FJmAx
Sd9ouEoM5pzgzW5N1jQmDkMiOeFHRcqL
lr9od7US3THgayVRC3YximplGEeGYREs
BSrpyguVpFJpaQafc1NdT7mO3ulgLmFW
GjCU5mOPxx9IT2wExHvtqMTRFU0QzxAJ

POSSIBLE SECRETS
OkQ3tl89WJ1Nk7Gpl9REz34W9wj5LbGl
5fhxQ1wmDDZwcYW6vVZtBFGAbpCppeaF
ErY0P3cLXtwrTQQ8AaevOJsLoOljf8Vw
6qgGoSyjmuhDFT94hunOHzgd3UUS7LMQ
DBTzn4opHB64KJU1kyQdTPFEm6jko5S
KaqaEYbZ8TBX2kyM8fVmd1OK78kemUif
8sdR9nWPZ664Gt9BvBocaDJi5lt1hBkX
txzvXhatra49UDlp2BXEovPdWlOkx37e
CcnxrNYo5kyWzKS3XGCDqe4PQiCtH
4uylqP7n4WtKVi9Rm5fO0ecCulXu1zOj
uIL7Hz2343KhYB5HOMmFD9omiAt1joI
eY8aqVMBTreysgzhCT0m33TuEQRECFok
Ky6zrcoV7NYtZpO3AnBVhERgUe61TP4A
ibtCqc8qysdz0E5AMIDmPhuL1XZA
QW5nZBv4w8ebawOajAju5UC6DpXIEYNP
80rjjAfjuSoUPBYOWBOUrC4mhnjBtDwK
3HJrVJ73tbjG2wlGP0Bv3sg114RWReqh

POSSIBLE SECRETS
M6oVByKNfKe8LZlrCewzhyGONHgeYcNo
MuGSCySU5PPJZKFnemfl9IIl8v62rhiH
rjgnGVcZwB7yGoiyculy9B4zYqmoHpCR
5ptyQxfboOWL43Tud8kOIHSOYTCJZrHB
pR32sk291HY6M3I9Rqv7DOtrmJFLMHGG
jcRzMhbBY3Dw1JTLjGKCGc6YaVOjENSo
AO2Vor543jhYYkt1oYijcT7buZtkR3el
FqrtTSnP7VIKT9cq1hMlyK6Edo6EUePi
hQdnt0euFC7WLrk25AhlcQLHRa72Nrlb
ZNpftHLPxc7R9PnANzOwdg7R2ap4pSI6
xBcXcH1FlqV1K6GDcl0Fko4DemMWRriz
hUdEzwsPalijglUJ7NrAoDZ4Fn5DncmA
kToZLwND7zKVFlbt8XZb6UwHA5zPLAu
DNKj97yZe49oXEmfRz7aINNiwbkjdQZ
t7nWMgaAgPrF08nCpsue0KJ0bXYxildh
f7SraajMsc9s0A0ZVYKOMxYCK6pogew2
PTtZpiu630HNNHwiWHX52cLnM9FmNSlfo

POSSIBLE SECRETS
MxKeEan5PHYt2nmJnSz3xsZ38el3mGgL
7Q5ZVjGu0JJTpQG9POYIIRlj1jnsmDo
CuvTUYqsdTaVr4XM9Y5z36A2N9cPvqqS
6DD0LSomG9znTW4FMaj4ZQ8CLI18bTcT
4kKOVZ4CcWBKVIjagfvAN2XyBryastSO
cCqXKTxpaVHnB5xhxhubewm2proDizNi
qzrNEKfdD0Je3OCcD1S0Cr1qEsV7v9mi
BdT8ugCih1Mpz00LrHVof8KqNvgOr8AQ
1o0hQSIG2MREJWQYXtVsar2Zo68mKpVL
HW9a8amQa56v9usqS4j3KzzxMBRp7oUY
82m81CO1d0OwjHPL38rD7xdABiLQ6kup
ROXHenNovbqvYQv4gdp5KTMra8
VPdzUQ79XvyfUeAOXKMfgbC8CxaInODj
5WCDyt3aDRAQqvSthuuq2O6x8YHnGvtvN
ohe2pYr3qvUc9pGZYOOHj0caDSEXBIet
CNzCLbPvty9jTQMUswZxpqZWQtb7JEv9
XmpOvjLSyfhgS8Wil7aGxd4h0rPRF491

POSSIBLE SECRETS
xwToz2hGyzeZlJau4s70LCfyGGvyNjIM
Mjd2F7C7kiLCVUTRbILdSlwSo04If9jH
1reJ20tywIkt8c03XFg68iFkPgUpcQh9
SlGIt dwaGCQXXY2U2bjZ1NfeES9SOW6r
ErhkRazw76yMn4lmtPATzT0IKQLdiPcq
ZJq7h5cFUWj9FCmvTSQNI6xA6rnC8
GhIXUiQB5e5u02XqNxNWNcCKPeVKjY EZ
wdcki9TayB0epgOAqgPZ60vGLzXQskFg
ea7XoHjS0E3igDkbOVI09dybSdR2gWYC
Mhq d5WFFO6xiPHzleOEF7QV6aYGfc4Kn
87eAjjgYTnizuEo7xhBpFeLb40Hm6wuS
R8iXUhs6Ry9t7OITnDSaYaqPOUvaVcmE
95wFKgRrMS7zF0LnDUBUyEKLdOv2pw0Q
neuOh54FNoDLqHEFUxNtW4G7fWRiy4GW
wMuOUB68W5cmyVCUMue198JFnL9Wkeot
9sjWas9CbZxjWOFrIYfgckD2h0ahWze6
8h5dygAHblm1cQj3dIT8FNkqjk3WwzL5

POSSIBLE SECRETS
f0mnZvHDMX6mp27yXSbkqAkDv8RwcHMP
rhCREaYiloksCalrOiAV4Z6SpW6PjrFh
rJ0kz5REr7A9K6ozGPC9p0oxIBL7S4eVwdLIqy6EWt/H1xyroUvdpxSKqrglZI+n
gSvZZuGUUbZMRQ9N3VyTQ1DOpmqBA2Sje
0jSfxoXEMfCjtmnyDugkNcQJRjSOySMa
6vVTartgCZkYp9tsszmaRxNx1O7KVPUV
BNYok10xEf4gls6uNCWHihSbjqoYG9kt
u7C3r8DCX9eoMUGzC5EwjUGrObNKQaYD
3ltH6wFp1GB97FT9l8RHorWs4kHkX0iG
rLDjBgKz63Bn2bjdq5T9imrieVp5PIBM
0ZtCyKtQIXFIE9UJw5KWgAyqZz9KpR2W
aRAvn4znRhpfilQyr1UPz3MngzOxDO2U
iU2QkTKnw06iORL4QIBjMVUBldJj1Brw
qfxFRQLCBxpF20va4RNO9ygLITXV5cTV
AxBIHN1lgtmgBmsQuewVQ8cZkGbRxm7
uG0ceA84GetZ2PjOc8Op6VlqDQh3bhN9
Jj6DPCpvRav0DI4Hzko1ZYQ46cJHU9e3

POSSIBLE SECRETS
ofPrqBOY4KV1O5mmTOXtQojU6rRVojMb
2kskKAMtduGXueKHObaD2J8oFHf05nvp
VI8qELbWvj15goD4sBQF3lkg1AZrbLrB
rdXjReJBq8aAQw8lIZ8zL01sxRhbynRR
UiK58QgaQ3DZSY0y2Dj7Y4rAezwTtVBd
GFJMAbd7JtPv78lw3eZ5GKABpr6j7C
QdwzfFmolIjPkAhzJwek8CbGrSLNUAg5
NV1iD8UH9ErBba9OnjbAeyrfSpL8qw
ndqJYBN4kzCrcISGfj6gLQAVvTseYRAq
COylsU8he0MLuT7wFa9x9SZ5A7LzgdFA
7hPC8H2GAKGtNA9zFTazBVyLF62gr8nx
ibfMp1J9gSZsYrxVf4NvaZx8D9JO1QBg
YVwPmyUK2b9QSHLRAwsi84oHRZQXtzOF
MvVPUyTuCHBxSL2xlpKuAgdBDgeXTXtl
yj1Kd0vDyL1u2mFRENQtUt5M23mLahBX
zmD0GPDFfrMRBXxeFyYC2vHynCiCjpaN
JNiO58cgS0ZkwkRgj9Y5ghYAFIamZa37

POSSIBLE SECRETS
pyp5tHHiNqtWEHhOUDcaxWXpzbT8kInO
L2KmiKnie6D54jPyz7fJn9CofNijStjg
6SVWI1Jvh0Z3jrcRBB9hLc8AjjQAtTry
FTXS65w45Sm8EixZZ7uSggYPBpwtlcy7
m9spyvhxT2tneJJM7WnirVc4bphjINlc
Zt6OKsa3VojXRparXiRDL2uvOYm8XqDs
Xsqe1WvhzdEOHDRdZu2mXr6vcctMp9sP
JUkWBi3mNnUEcl1zFAO0icxdG8wRWdD7
V2pwOmwpGDtIWtnsLDXNbgXk3OH02STy
RrOYqAD7qkiKfoMMpmv8yvTfnugso6IX
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
yqBlkqshgk6o8aGC7JXOfAcvQBpSEoIE
lIdC6PogfV1YW6p29FProDWayU60rDbu
r1XXjzavA19mnteqm7IXmxWY8MBC2sF6
tig0s2h3zWgeN1kA13N6tuAlrnUP1dby
URwERncuc0axl8tzw7s1hCSOmGWPEg1Z
aqGg3VLISO1RonzxWpaMuFcsA6T1VU

POSSIBLE SECRETS
Y5vLZmHyGlb7iKoGDQtStGzi5AFA8c4
9DWEeZji13noDyT5Fh2XUwX4KzxcXKd
WB5Y9xOLXhFok7BjZ8qu5ygjzxxVdjS
TCU5yEG5ZlofchF4EQjDHlsQntmp46Yu
b5c2oWnzHv5UWiyt71KIAMIltmcSqC1N
rR3MQXnxH1GXPkPV1PgRqgdt6qAZ8aBc
vsdEBwVgd8xuD4aclyCMTbEVgnYoxSzn
basxIWwUdkqjCj33WkHPX1XLcRlnz9UL
WsiHjZ6Ab9OhwgLQk07kFOW3FmkdrPnz
bkUQG7GA2ajBb6cDnBq69fsuRMwmnDg2
7YEQDQbB6rycAAMyAlOvxfyag0dnUo7P
VbNMcinO8suVZXvBDeNnaTURWjAwCx
2SqEzPP8dz4OE7L9BTgTSspAixKmYBe2
ltjfoHp0lrctiWkbEjfk3EyEN624ZUfA
T0y2wvAU5yQ513Hy1uxpE9VJWBvaaP8c
2Ak12k3KxlDre9BMfcQZjm1fVAEd6Tgf
5Y8lu0wedn9Jl3yvaaWmiUkpwoVz8Vqp

POSSIBLE SECRETS
PTX86aGNYIw9jX3myOulYVpgRV6aH44E
ia7vWYD1O3n4XjjSJMs69oivtzC
JEt8k2PtpDNktftvz60xHr0NAbywIG3U
CGei2tUyEESFCVHjl0JHW7BbjnmVvUdx
9DaYNTGnU6m41BFJKxw5hEDOOlHVmNBK
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
fGFO0zCAStGKoiZFpD51M0TKKg27e0CP
KnRyMDjzSPNAoacBq98iQYDM8U9nlYJB
dXqQ9QAcXKU8whF3kmnzOWjNbVMrrIOv
Je1TSnUfgjz87J45b10M9zAxXIUpZahJ
c0tnGg1pU0xQOSl8MzV3k5KzHYaf6B4M
sX7ClejzrElmqIfblQB7OY3eSnYyqYGK
MZlOlKXtwNquyPKzB78z3xL27fH
bulAODYM5Oo034kKCIV4I7ZzRqvLqilh
j6hI8A69HBwx3QyEu85lNgwu8aXeWQ7U
RpjrEuClnQFf483LKNQrBtXeeHjkG
HkanzBoJlpvPuvCRA9YQDdQ4hb2my8M7

POSSIBLE SECRETS
4UXivJ9bWzVmUKEORuimcsc25E9yHKjM
HUdK6ej9G5uy2eoW8HL148MSYBaQJURn
onQoUfiZJSuD3rguNgGkdAHpHQ2hvx1c
4/LuQCxE41OF3+ELaCV0AA8Jaj2RFLkgJd6cCnnHOg0=
Vit3QJU8KhVxHeAvFw7AC39hHkOGUjqR
Sy49NQqrKXgvTEWwSBtXX6HecYQBIBGU
DJaApxMs4P8Fw5vQM3hjBZIJlCayXT4o
LtGcJkDv8PpKzGxu4pknm0pyAahoAI9h
otwaAvusvekoag06qMT5plSHPHVrRcMV
kgOgsYcmIOEy6T8oxoaixHiO6WRSp1D2
oyPZ3wFE5cpoHVmjFEQQRp2WxUjSMaR1
MY0M4GS8ICKTpGygoaRzgsCYiOraPhWK
7ZjVpxQcOo2BFfYt51qxyVC8jdlns0bj
Y2Wuw9nWVBLC0K9LHKlenTQ1gtNyD
XAA3rxsPdfTGxXL8JCFSxOB2RupP9g
MYgqySdSEunU6EGhIZ8lv2VKjlmAUpiH
k7goAJY4JhsqFIUQ56a5dCg3eq5QWQcp

POSSIBLE SECRETS
I8KF2ZVrYmK9QbzsZWIXvJRb7XPAUhEH
0Qcgaz5qfDTLbpJoV0yTITWXMh6lXrN5
QrQQAjHGp3kEYII6Cl1ou0mbB1drVem5
hk5Yo8HG0iFyBsfqJ1cZvcD46s4xS3lm
D3PJ2GNcgNGI4MtKfCaHjqEOfdHoPcVQ
HTKcEQU1qW9AJSOXQnXDctgwMlpv3yeo
4k7x4VjdHI9zouAPkna3Rg4ZAMvyURep
BXErtYgJXamt9yde7CeLqS26Q9j6Dt3
dEMR1C0fCLJEsmN6YStUhJGVUagFQ5EF
iVBORw0KGgoAAAANSUUEugAAABQAAAAUCAMAAAC6V+0/AAAAIVBMVEUAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAABt0UjBAAACnRSTIMAExQVLL3Q0dLTtQgh4QAAAErF EFUeAfJIAWwsDLDKARg5ejkhlFwwMwB5MloOGCCcjnQRNkhouxkizKyAbIQcQ8gphimkZhimI7H6U3MAMEMOpI BAOSWA4VYaeadAAAAAEIFTkSuQmCC
XGHGYVKNABmBEqteJ7Uc8xn1n3vNB0mC
75mbZl2wj9Oc7L4cfBN0ornHxJ7x4bV4
yCbh3JWABSPWXjzi8lqNfGSw4JUwRc1Z
iWDBF2OKI3jtj3mE0UZLtkhUaVvUxXqs
uX7W3VjoXSZ8mlic8tH9fb17VHeYN2EI
U07LIPTAxvw3Yt20DQWphksDXSc1ydWN
wc3PTdtI7w7wp63NJxsDpEHsC40vb1e2

POSSIBLE SECRETS
6PKYsgscuQ75gJwNEilmQ2c4nRmBzCem
1CU3iw4Trc3qggngkxP7P26jEGLrLZaR
0nmMWQrUqPP9YK8fXSZAXpfkVfmXzLEd
tBrVRsKa63H7cOEQm0uGMqa5cwtrVWSW
sngGG6Fmd4EPmkegOhqiaCkbznw5flQ
Hd0V98IR5CAMSu3WjOLj94lF2tQwUAfl
xa09Mpjas6OdUQMP5Qo7kdS83JfCqy78
2InOXM9Ds0dFubkAVSo31GYyY3vE8A8q
kBJUILOX6LAUVPMDIzawXbz3hNZwTKWy
aJlZZEX98MAeULDgBorQq277OQTM9IaN
Alk7lRaj8E5MijNPplfsCP53DjqDD31L
fMgCBjwnSPLIGmCQgsSLupdT7pqDzyp4
6lx7zObzmL4hWn0cG0BeiMQU2pFWmYxA
2FnSkM3RXE8ViMwKPYtNPOMsjhf021fL
A4j7VT1O3iieC5LYKxgUzJw3lAPRsZqa
wKGFu6BM2pQR03pr0dyvmA98nTz
SdOPztDY16h0BPmxgfN82QFEWJhjV

POSSIBLE SECRETS
Wxs5ICSBRzcNleT3VwYrHD2lep8WMSnM
xAGN8erZZwMSW/Fu3r0voEWCBbBpqzcnOOBzjHGoZvo=
zEYrHw08cBp169ZitgaAlaUGutwvX
1ZIH3c3ID2nrVh46isF21y1NEU8S3DGz
yPEYbIXQTZij2dUvfHyn6qa5Z66I89I5
UbckorOyb4FxR7xZ8GphAvSWIQBuZ4z3
SCavqlZfy9E7QicA0dHTliXfXCWB3KSN
dWjhqjXulz1hd3AtKzuGBSPNQhOMyT1H
ZagmjHoPVKqTZKI94Zh80WtjAbW4VeCE
noFrFHfjJT7pmG0QketyEOeNZ4PDBNqx
oGS3g0YSOogxL8fDiPQ9wWzcLRV8E0qu
I5wcdOmu3UXBpwLMhd1MA2dM71iQzRTS
Z7tecEc8tS2JrzNmQM0R9CjEnjCb6ksC
JEnYl3ig6b1G3QZnd7pVPdvbWtuLiuax
E1e7Uw5ci0LxHvCHKGZ7MMTImO0krz0e
smQA5TSxp7vjrWolt3G8gqRI7vuv9Mo2
QjoCrUVtXYT15qNhmppxWCsnlOvXMRWn

POSSIBLE SECRETS
HLi8FTj59ZkYUe8FmXrpO0CEflvtIm0o
TVH0enYaQUtbllarZb7wcHSuDyXsicXL
jR7SgdlzlKHk76CXDj7yskV4BbEyGCpu
JnlGisjqZLjO7zfwdKKMw91nRUtlhmzE
czNdDpNwjYz3LUV8hemm9Bag6a1DUht2
SrYzqcFycO4E61WX0CCI79FBiQDWLxq8
GaHF5freueg6l7URhKCrm47FqBCtqYBi
sNWuTokwvfj2sOZCyjSoO11B4mAkUdMG
Dbr5x2VsG4nNJUzZeTNPRzqkJV0oi2y
GSYhD7ljhsNq0QcPBhSV8ATJlhol3xt1
evi8InvhlGFpGwxvrEQ2HxpF9HfAYNb4
fQADRcl3z4l9sbyUvoxt9O6e4jXdGtcl
LFxM2Smyc2PeWHZihlec1nFmzNKleMAJ
BoW68Cbgp4ULkXl8fLSwM62hHrGuEs23
RPn4qv0f1UarsEXGS1XogTnrbpEJEmnV
5zwSvF43vthb6lIFeaOoDRJ244Dq07FI
uUijDjlLUkfNDtGFhTulbp3J3vWPjHax

POSSIBLE SECRETS
PqYfNOJ9aEgtaoP64w7W5lvfIQAuK
GMHrLleJxdXYoHZyaa7kSwSfzExGbrBL
VC0ltrZe3ujZ5yBmE9F34w5pTHRf8GMT
IY4WeGI5g11cW0QvoH9uVkbcb4B0XWsjA
1AEGGiZtK9izNwxj0gdNwiRX4yxGSLbl
SmhGT229bW5LAFpAZzaxeRYqKvMDeGhX
NnThZj9Wv9885vPNkfCF8DoAZte0LwUX
Gce9ySP9MgoEln4cNVrEo5sJO8CSkBrv
hZFI2ZrFI9W40ZKmdwMt57qcTxbjzHrP
67fT6B3p0kUWiMxqOkjfZNmnVryLDGGV
wOnHxFom99khzfrw556TP2S7iTnXdaDI
gOCwMU1oDfpLVyXTNaTi7eQdHjis00sx
0GhefH5Nzl2ypbPnqUG75Cq8VmhNX1
iTCONHrR5nymrEilx0VHUpGctJrwlIU
x7dDRka8TdETs6VLaaF6zooftcMnhKq2
PRV2czZbjjW7Ot8uajuxnRGNdIXO90ph
Z8I5li3UiljyuK8KpEFCaPnNGNbl1bLY

POSSIBLE SECRETS
OZb5z3fyn7DmUcX5PD2FSiUNDYO3SJGv
ZFJR0DMAu8l3jjK6mMcKAcH3eLfgQnHb
utTbKSFu34D38IEG5HgAcdNNNoC6CJDRH
n3GVMd2hYWvpJPgcK7G8gwhDICX0QRvF
DtHbWG0E2Bmy5zeMr4BSgc5m3XVlvhqE
XQ5VTIZgU7cNYJl8wSWINHCEMr3M82dZ
9Y2h7opSRjFz5DGljetO79QOLWaAi3pM
zeDlr51bln8XcOdXOM6dVjfvh9EOKJZZ
huABVhch9erSIKd70DjqaQjDgv4JUQcV
av2CnTBgmmUyqozc6FxFU9F0Qf7BUN36
2fyulcj7pz76VyZl9SMNa1chyaGQvScm
s3YvQaCKhotLBtEqHITMzm2bHxiojI5j
0VatHXJ47YZXuQNTjh1Q4vWnAjchohqJ
rhEs9JkkityiMjcgD18RNPKtdGmllPs6
gNDkR57A7pqknHdJ9eFPG5bc7UDUELly
VPn7Tjnl2g2ZoGzxCsTNTuvzL6QbPFmz
wrMh9NtoanrD8h1augOH3NVqQQ0tAgF4

POSSIBLE SECRETS
0A5FUJ9kDHtL7zu8WVZPRsd6iFGNBV
G6pev0JETY7bhqmEZOijsmCoQM1bBBX
MWTcxeBG8bsFouaAzduEAAsFnNrCbH4S
8lgbQbzleG7tuzbPw4WpTReJHEXOOBaI
HYOwJoQ2L6umAwimTza29CMIFS3ISf2h
tkY0qfErHCpxHU4FMXUxAHAhuoWe64z3
O3ZH7jl89PddtJoXg7iV4O6wtsqjtnrU
taliwg2sD442czfWRrq8VGyNA1t1bXjQxpcCvWnfA/c=
0246QI2TxmfSwaLWPqM7psIFpj9YbyND
jbKY175w2AZdEkpyONR9SNFucMTvW6Vd
guUavSodluS4w7iQ4cz7Prb1cjHmnXlo
QDtKU Fo4Pv7jZ7qumv108KMzWf6HrSMn
fpXFGNqhd64a2XzCij5Y2uwqVb67IOfi
GhIIGFwcCB5b3UgYXJlIHVzaW5nIGlzIG5vdCBvcmlnaW5hbC4=
LskUfs4Yi749bFjDIqQWoA2BC0G
aVnA9Ux0owpYjW5hlcDkLBIQBKS6Kuco
tIFoIEUfjcQQhLLKuuKqSvXZiIQ0d41

POSSIBLE SECRETS
vkOXVJfFXuiRjckYDq31YMz3bRLal4ty
8CBvTLi9MCYkulvOm7pX0icqjNgV3H5L
iMejYowlkxr6AoX4GnZCWjRmsKkg
GxqlbNjcrUQMSJiuMkyJv1mwkudVYaGP
W0We85FJJqvSsXa60a6gd4EA7hDdiGkp
13MW05H83xonKdXxuFb2nSy24rNhSBqM
VPpNE9vsyh3HxU94PoFE47DnBqUfoC5Y
WivOSd45PxVpESGcThSNOGX3H0BUK90I
gzFaheVOcPUMbl38nwUIVYmc91b5uR
Ta7q+IK2mYjuCH0of+Vj0vM5Rtwz8hWo89Z4HifL3B2t8tHFxG0TQ0Yh0ikc7raQ
po4lGEuOfM3V3RWL9cKG7EahlbwG6cRm
yNOYv8BJbeG1jc93xecDuC4SV0M6ZsAO
2DcmVbWbN7IXAuYZB7QLz9ixHDr4nD2H
cObh83Ruj2BcUv3u494pfG0SonjgkZ34
JnfSkSulf6osqUQGv4Nkh0Vi2QZsQFPV
IDQP5gLMbSSnC18VVbdsGZXvkzghwpNg
EvQoHUIErOdPjfZNSaWf5ex2DDXDJXA1

POSSIBLE SECRETS
fLdk8aATSmJXoquyNHeNsiC6Q5oLIXzM
Wdahz1Wjl3dMmMcpJsybmGRAeciA4tMI
dD0oPHmij4s2ObzR7OPOejAtm2pYkwQj
f0XnBrE1G2D0clpm8fYsFFVTrwzNmz
nQMulj2OsVJHQqYmqvawjMpASRVzc92c
DE62WFMw5Qbi4eBk1auhfUxeLGhnsE7e
w0wM6S1AW5kwd8mBaLXb8lJFUPLi1ZSY
WXli42TSAIqIgSv7sujf6xw7W0hHNYE8
kyJeuSgnvxhO6LbcYzomu9S0GmVFz9Qa
a6D5eDw1EZzTAa7WvhZLV0FGc6KUpGTS
ZQgwsO83xrUrRKbDM61rEvH7uEXNNVYo
EhVZCkSBDk6mMyTg5zdzmerfhGbFv5ld
sfuVTkj8lwDRAMHRKMELNpZyhpVkiKBS
2ZaMFzGKyD9hSHjcUno1udsEhbeu09ce
bR9yhpeYgYLfjGn405sIF1CLUaNKRNv
ePAfBYViEZliNGymx7m0adyDMPIGHrpQ
9CH7FUr60fjSOu0uDtam6QWrW1LAXcO0

POSSIBLE SECRETS
93R6MUXHMTxUt8WfLt1oZ3ea5zubl3sl
1QtdEsEbLTCaQSWKyl1hJXPObs6yvl
usPTrKdLrE7MLvxS6mJMRwks4hZpcPz
TwVj4lrjiRaSjHpnKGXYnUPcFE6raeBX
NU6zFG4u0rUdQg4rmHCYhyhimlYEqcVW
957CjoSzFmlmvQzAWdXFvCjH6Z48RGY7
ejLzeij5qubwImg6njzCiB7UFg2tGEG87mpwCGv3DVQ=
3VjaCBraW5klG9mIGFwcHMgY291bGQgc2VuZCB0aGUgZGF0YSB0byBsZWdhbCBhdXRob3JpdGlscy4=
Fvhxx1JOY2tpNVIZjk2UFnorm88CMjoG
Rb7Wd2rB1Bk4FJnk1H23iqiZozoKDKpl
1AcoT6GEPIUQ3JZIKBz6Khl4GHeuy79P
7NOpBqgVdvht54TmD9wxn6mxDDhXMYkr
DyykeCXSXWzexqWWFpwTB51jr5MdfDQh
FR0EinKvOwZW2VIEpgnoVwKXeBc9ct8j
09Vxb0YRh5GFDnmrENphsjvB8xYQhkFk
Z5d5k39m9crHDopO6AEw9f8SoKMTT7ix
ffjbG0C858y3lrNljjKgILsYE4qM5rpD

POSSIBLE SECRETS
UsP7Xgcu0nWDAT33HhVsw8aoixo7a0Y1
EDIB2oyjjzMvSj7LU0PhrIFki3Wbmzj0
KulxFUFqA4xnUTvaQLfyg7cstmOjzycv
eivXn7WqkaVyJ2amCaIRVsu1nM81zzOL
pjkXXm09rSmpulg3ZnQvc2tVnRpvSPhy
U61xFgZvYwebvbflgBzckGL9tuihnAsk
CC3jMXKkKFYgldmJh2HVAiafoYaw56yD
DeDz6M2EkKturwySGch2142fcPf5gCwe
P6MGDEoKncCrYirOOQ1jmq4l0Ss52l96
xrToQ1M30eypgaiDt2KcbeXQSJmH4zEy
mj8nEZtHpBznvwUNQKJPsv2u1H4
u8nSh4T3SaBZfkGp86pLE93qaiXMklcf
zdPQLWr42KwZ0dlobdnw7aSMm4tMCkyH
NLuteA0O4hImypGMVaagZ7KROvpQko
jdgm3VinY7vKBuJQR961ULiFKj7S
l0BSXtEJznKjTn8XKXfpNBsDG6byaR4N
ydT33MhBb9ewYlivZAKgOjIjbcUXFofo

POSSIBLE SECRETS
MABJA51Hkg88alvdKLNPKtpDPx4feUgS
xulKP76phNp8oPrFkycOZ9oAWaaFvsfs
BRjj0geTmUVj6Aeo1VqVThKYcHpwhF7A
vTQnHDwqIVvtvGKS6QPwZVkJ1Lgm5f
1IDdPMX0zjCtSNVsVcyG9UOAfTksMFfY
TMZr67wzPDUL2SWarNQCSHzekIsycTc
TYUadxfFh4EA22dSKzJNDq7wo1
bjQsnWBS6ncLG5xdfYwl325y2lxj13Ru
E7rLPB8klTW5J9FjuULp7NzB4AWE19Zm
3GcQR0gwPdJ7qG9NsafqkCoBzG49WZbm
L0u3smBC6U6OaYtXppAd31iOC3v5Qhxz
MGZ5NGAJYsXrcQ530Rpa4mq072uYsiXm
TOSHYJ1IEjvd7Rjrf6C3asPns89jgyAB
aGBtdcQRGSwkEsynEcaJAL8zRbell6kr
tybkSaN9ICkxBJ48s31m7V5Ixzqz2U6M
DVzF2PeQv7hgrlCuH3nyQdrZNKSxdA
MDeeXB1rhAyla6QjO1EcjinW7TZRg7aq

POSSIBLE SECRETS
ezp4QHszMRmr708yEGNtrd3AWYcmA7
VJMc46I8NXWnx7x8GW3WGk3ASQIYFHT
XAoGi5mGaFQZFqWDdkVsCV3Av2NgjGYo
A5J8ePX4flk14ZpUSfaCkLGHXqqMAYt6
zep7axp9udbgCrK2JAqRjKsc1O8PK6En
5oF3wMr01BIWViZlYU29xiGUoNvF8R5
AMrJJ9So27w7KiYttAq3AFMsZzT3RVfH
dGMOiNue98ulHvh7voSV0LAZFWXYzfEv
MIS71VG0t7feKobdqgnq1Twubij1N09z
msyHKBX3wHVeYE5obxbctQprcgEzl02t
4Z9Fwjdzalh4z0baUKFOBcRap1yx
uYZb4rh3wheJht2DQ5CIaEPvRS4bXzrD
ccU6TSbM8V8OtEI7BaomB3QNW5j0Q6sw
zTmDI2eB0pskJnfpVdGiT2gSjaG941UO
NdVO49IoL7wvUQC4on3mokgCd3Ajvc50
uNK1zxBt2FFcnYPdsvApaChXeSlkfOy
wcnIDkVPCotGmNFV8gEH10X6

POSSIBLE SECRETS
MQ8ux5tmWncWP0t9wyLsU5JzQOIFN
z0Au1LkbuRNouNVheQnfVIMARF4HCcID
pL0dXLjcEL0YvPTfwlaTsWSX1DbaAkE5
rN7iVf06fBiMXo1UDWoI2bEjDxOmVmjb
Lp0Vudgnjyr9htx58aJuOXSG6zR0Rms0
veTQu7RBhk0w6DuY7Y8JViB1PkIKs
oA7ibzMCvoxqvUcH1m6Eely4XW9nrCN1
i4HMjCzdRtS7Zf5jyUfqsjgJBFC3Hgk3
uTbwdcOZXjtEr7HfAL7lQISS6oe88jWw
0TuNzKSIMRKA8K3EzRQL94hbriXTa7QT
sCNfoUxWKDpS1RUAZ9HMqXb5hXmFNfsl
P7gevZ65hMGDm5VmgbpkLcWEi46YxYduR
pkJoykusnl5HLvmmS2nCUwVdsFz02CDm
TwGUtlC7GZyiucHxYkx3tmK4C4H8dlEQ
gGGCjWA2OtQnSQFuntVJeMpfRqk0w0Oj
YRCGIBzHFLUIT1TdqljiO4wSPI88uOLy
mmPym4lpWgK7OAi14ovsdO61E0NwpnnM

POSSIBLE SECRETS
wi3XTjuoHO8yYyadkxm6GwkGNAvhEA1y
6YpFKdnZeUBeF7WDSrmaBMCe7HfOYc57
PN0xo47Kt8nFjD42DkF1Rwv3kccfY0ZU
LV0o53GlcsqgEYK9Pr4EwymnjShooL9b
4lhDSJeQx8ImoxNIMYylsOpW4XJuQDgf
V0KiqMMFF26dnG06XaQkCu6KzWv5VLPI
jlvJAgNeHWnJa3dPhRRd4EpOWMdB4X8x
ObA7Byd4NJEP2M9ay6ZCFLfldVonyLqe
D5E01LJ4kvbqK2OQmpgiuXTPXhrvg0RI
o2QAVIvbVP3X0FiUaWNt1f6t7dHcTRBI
yyLccmqAJUyLoqB1F9xK1icYlgZtX35P
cNWLyixtjvzJHB8hFk1NwaSxJGtJuDCT
gAb4cPpeQcskkpTdmUE6rt9G8rZq3FNo
uaXBHv2Fpyp6t9CjlnldC1lJtF0IP5s0
mp4KDhjDwCM81TxrFAwlcVqN9Fnz9Ju
KAf95qDJkDfWOijmfxtuynNssocKmC3g
kbxIqPL3bcSaGLfdPxpm8hIEsv0pbZnU

POSSIBLE SECRETS
UmtUlnThENixw5hdz8sG1KFdsGmJDk97
KZ351c6FjYQvk7DZPBjOKLteXh4ScOon
x7G8xrEgau2heO3LEdjWfX9qC3RDyC0d
maUTKVctTGu9SCldpkB20zc8NImZ3
i4TgsteijYtgF3ZXWgh52CAoLdUIST6S
pG8ynHzO3ynvgwiEM6LVA0Wbsu12g974
erh4HILEwUj6GeiKdMF57q4cd8pDAg7o
lby1W0wNbQrjZLPqMH4DTOW3yxUdqdf
re5uoSp4mr8xr4T7F9jmqa7JfXqBIVyF
1cuzbVcjHyn9kOUsdImxi6RVnab7
9VqadD5Zvd9D5BE6Wk7rSckzIYQNWUp
rowCAjgGiKT2zEBSq3xmGSL0Kf3UrlyG
6Zd3QoWt03yEzQBhZFxcVO7q01Uelitn
UfDKqgBAky8ekVplbdpaQQPTuf6RISL4
vt9IBcWTO7JWOQj52cGlx3Fb8444AVz
sAgmez8xIBVRjdgohc9cPNZKpCHjl
i2l5O7Dt7qLUzCpPXTMvAA2Zo4KmgWR2

POSSIBLE SECRETS
7HhQN1X94o8BEMOAnE9vO9t08zapWTmy
lTAqBYuEDZ5pjgHk8tv0g8UZJ2SLdw
zMCnce58Qhbdr93RoMzV7EOLVikYq
f1HEaIkkO6UN2Wyn2K6t6YhOL5YQHMuB
4K9Dg6G4rdQDm1ubILjxRI9GbBVTjarc
dCL4N6ovXvI3jfuXevzoM7RKt4XsOwpl
TasyJMHsWGEkz863ImR0Q5Lz0Jv5KZRI
CSux5DICYoxJWDBhwUVWsyxqcHbiLP0m
AnJMH4pc3dV3Xqon1tLsffrk7nZCcYt
VeLcksxMt3PiY9R1rHSQOw59E3uXu3y4
NjRPf9IXQVcUIHZaPZ2tHyzwDKEOZm5m
y1DZIYDt8XB0NvVsmM2QDxFu33622hlo
4Yaap7YPoeEmBfNVznjneaOXF1T3Chf
hvm87xlnXDULJgpudJlAxjipYcLfVpPe
nOulwAzWUzM6mtcilc92MTdFBYoxfopf
g0ywSDs0rh9PJAouvJPa5HkBHtmUXg07
8XhLexKKIuuBUtz2ccFHUx77okN3o4VX

POSSIBLE SECRETS
Qu4A80he5UvBCJt6sY5OPydeiYt4T3DJ
Un7ie3hNu6oSxsviCElGpaw70qj7D3pr
ub6cBxCWynk8j8mrWTDov9XVsshwREvV
yHDVIADIMBtkjV96CL0kZIX7gdCtUKdF
nOcXZ0DMfofG3U9htYbEeRQSfAelmGW
V4DWKv2CalsHghC0GoFw5ZQ5aRA0odCa
j3RusjXAZ4GZuuXU7mrgX9kSNDex5H9F
9wGqNU4xey1NmHgGithGb88lbeAMI0Qa
gQzx4TFbVNXWekZHluF6rXwSB7aSC649
F0U9PakMRwCfzGjgihvnCPzxCDQ90vXF
0mhl93daunZi59PwiuGO0KbLyKVCPwQH
1M2Y98BwTvEPUGLICwxj254fliWahs1n
TPlcacN2BRfqpmqqou3eGj4ypEirHC
KahWFkeddZk466vYolnqTxEqXEalSmf
rcAoHT8yzEEoCxFmEfFHxcUI0vjpGdgY
of093nELJxDtvmPwlx40Sj96vTqfYWfZ
nSIllcYQrdb8UpaoVkh7kLQAXSG8FoO0

POSSIBLE SECRETS
Em4FZTw9NeUBCVsnasMEsqdbQrmSbGq
YixUmkecZHZtQTXRs3SEpcqVtXLRAsNc
Rp0ajS5Umkn5PDWDdKEfRtTObnscQr7T
gnG3aj7z3XBCxLsDLbWk4AuKXzueFLox
g5ZzVDftjQYE4wszTnHA7JY3RdMW3
ONSLHBaiVChTiCDyCbz7MeGvMb5ZJww8
KRpLxkqjYlgWqGjZ48eoA1wpDd5KWG89
KuE77vVQtzCska5bvEw0ie6MMkaH2Lql
3tvSVqeJLSP4DWhBG1hRQ7melfhtlUpf
6XB3g70NG5Gd02gyy8Ab40YcxuzvQEqb
zPpMUsK8OtHy3XCHJzxzsSjo5boBV7qo
3yPqbEimTjK1Te0jzRxw8Mq4WDJCEE6c
TL4yJ8wM2eMbRk1FBnProTEIfIgc1M5
f1ODdwAOeVqSGvjpvEMDUKedn4FgojKu
D4wxrsR0ab6WquJuKpvZIDWLQMdeNXqb
SzC94btdcN1119JNHgRanzsWdfoutew0
X9zy5AMUM8AKtatrcfePQZWL0uWUICrn

POSSIBLE SECRETS
G8FOHrMAxxSNQBngbaVWxtAhYQnIdn5N
nZrAcFVvb29oE4MIbld53maAloqkDe3s
dgnk6daQ0T87wOoHtyty7iRYaKvd8BzP
ojxzoF4PDWiV84DGFs6AtBM1F0eVuyGg
bCA0WV7g9cnA4ltB5qqjp12FxZMghyDz
vgrMGSSy4L8ja71DPmzZRGyrcWnnIj3
UbwrKHISsB9uBr4pHbp3GiHEJPcDIn2y
Dw2r3KoKizw7HI548vOXrftmgV6TcaYT
a4sDA20kWFGOKzGfRWeaug5eKqlpzvIQ
cVLYIYPRz01plgpGABaAmbt5GOW22sRw
kKXiWp2Gy5boByJ8BFYnfbiktIC7Ann
zy8kAWNFspHhc9OUOOhBHMIK4AaCMilm
inqcH2t7hqDFIF9gj0D4l0zfPZYOosXI
1PB7Q2A0OVus1FFgj1K4N07XZBnviAmq
P7Bhpggufyl3vqAGq89SAtaTbaXWozcC
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
lJlmmJcZfYR8hdrMtfVgK5wxyzq2Tz1kfG0dB54yhkfwwl7Exs4yXjgCxWwIOEKN

POSSIBLE SECRETS
qsuffxm3RCjhy50iWQEI04Txy4tWGAPw
klaQKGqX2ZTqEjvfjkZO1WwOB0H9uFY
BzZMljeHsN6I5z4UR6G3olqVRWzg5ScF
JwlyhY0m7wRpvvwBZvP15fqQyn91MpTE
Upfl1Vr3VxozUqaf4r1nY355XZgGFNi
bm6dbMytZvpqzg8D3QKVLJEJHQj3Ec
8w8GUSv0BTEQmaLhHrYTkFjQIFXWxu0p
el7YtyQobuGYp8qUnEWwGAo9eb5IMR8f
nRuc5lutSXPkh9f7kKzdW2kihLu3nB9m
IUQqTrakmjCy7RtoUebGZ8YLkwuKbv7t
PLu8UfSRSTd2rcgSm6FUEhoaf9WcktnC
CtFK8Pc2dFCHV68GnB3BGsunpwsbXZLI
rgM7W1LhEjhuRpvAxAxTebmxK2ArHzjw
Zp00UWtEI0mikRSXEs37FpNUTZ5eWL9Y
enqlddPeKRqzFvVteSKtHxsfYkr9j2sQcVvzi4qN22kodz5l8F1EhNG7Vy+jrIdF
tvm2mqRs7a3ehYHdc1yBQoSNSWCnK
8sYT0RnpvG2arPES2UJ12JYFoUL9IQDo

POSSIBLE SECRETS
XeC6T5eSgweGxN3AGx0qK1AhpVQau6BW
X1JWoRd1RTsi5LXg3YfkE890Z0SkAp6s
Ijd94yglcpnkli9oYNWqXg3HQV8t0X4Q
P8zJvNho1beYtiBqU3s9pOljEd8sbOL5
QX0n3XV94OfUIkrY3aQ1mnz4DOZRMjum
JnXM2eLoSoNer4vADvBB94folijHhZU8
2Nt4JwZoKXCf4OpJNcF1oxTto7W5gjbD
pH5vi4Kbi5SdF2Ft8jCp0yyfmrwCNJ93
7UJuVMqBcP2QEoAe5I9ReZPElv0qEy55
A8Tij6HFi5g0fGh7y9Y4xTKtDJl0XAe
qkmVdqnPN26Te8aFuQINVKOt05q5LyYY
OE7MuMg38emiZQLg98rjTkcMx4oIKfMY
BTE07TDUmys5OOcsYpYqmwkAe847KCKg
vmYtMIblQwew4451MpW2UPrO9wlbxS87
tuFyi1rHy9z46G0g3HP9J8Pe4Wglo7s9
j36hHuSQknS9Y2BeP2DWP06EygCBzL55
x87Ktc1IWjLpjicmuhl7Z2lZrOHGBC3

POSSIBLE SECRETS
BcNzrhvciYYCifYD3J0kGNpt4Q56t2ws
PNHzgcYnRnalJ1JX3eWvzB80MfZWvl
cs88erT1Nmdhof2Vlv4YHjmvLJ5hV6oE
Nr5OesO8C9sIOUHXRuAUw2kYPHmeguzx
nvqtgBbl1rUZtdpDbdJLT2qwzjn5A3EQ
vodoofn0TiYpLi76FRuwTIDh379TFVaK
BgR1wHMut0LLHWxcn1vNnqjOmnDpA7yk
0ZxnaUDgpQuXguOXfTzNI5IEB6qL53xV
O8xHH+SQOcJF3BJdz0zTyJmLBvbpWLOG8WSxjEODJJ+MImKFrTu/OMcO8AkFY+Pq
uN2VaEj4rnuk1e19MnznGB1XwQ8yCVfE
ilth6RrlZFIjsClcgsKekGbs32ChyRjv
9okEwBsJnxm4XP2uMdCs1TTs0ipxbCrx
ErGHvP3zkyEh4xX1eQlIOsNtLUt9M6Nd
zJt8I7rR02Kn6vpROaQj5meT4erjWbfO
Yz44fu3QSKzu2i5DyXETxtS0t38Z3Wjk
YbIFDiYESfr8ZIRtB8BAyjauKLHc0qm
62aVnpwn360RV3u8SEcmxFYidJmBvex

POSSIBLE SECRETS
gh2YpB8N5DvGnIVUwjzoCnzlhXQ6xZpi
nJiMpwDCR7ZAmhQyp9AOHiC56UVcRx0k
N2EMP7r4iYju0PAa3PtG28933ln8Xs5x
g1oo9eCM7RcmOvTxZ1VejNMrbdbCR0G4
4uAFXpjJjNyMuVCL4IR188dhDRybrTml
1UQbdYDvzSk5pKr4kl4SZHHNZLcQI2bC
cgh7vNrWE365WSGkm1qsPTYGoGRnPBar
4iBL7X4rSmnE5Q6mVAm5IE9McxSQzo1J
aXWy8CvsRXCMVcJtmBA1wVRdgUuSFZpH
9se0a2PCPvuNc9uYSGqMP0X6BOz38YUy
uDuzXgp2odpdT3Hcc9VruLfFOAigPhBZ
M7iaeQoExhHh03f7x1XNzmreS2Lq1zJK
hFINuwKsY8ujBQkLvvenNI3HVRbl8no
3ywSXssjKLxMazlfVUMLvW6ymO505mlb
6x0KWKc5lmTcd6rSDKCIntspSHI5N7vM
K3lxBmd25ftGgmGYMIH4ryvoOn2rdnQj
F9DvreFu89Z0Ps32kzSJsyvHkTkLNKEg

POSSIBLE SECRETS
M4wOXnroCREOIcf8T96EgrMDUu9ExHmM
3oPHUcYdGBLGT6sjwvGT56nCZs8dHXKK
7sp9VzUFxAIBM78ItapDbGKr6NkpOVCZ
roAZZspd009Dh1499aBQR6xCTRbeSGaA
fSCcv9mQcAxaPQjtTD5J0fX4AU6qoUi
fcbSC3ja3K2jNylkxCBC51G6bXitMdQ0
wwGHlt0jZwPrQfekoFOvLm8zPwbBrmxC
fqdcFq1cD4m6uZ0nLvDLKOa7nCA9CaYH
nWa8vBGdC700TVh7jsXfRaHUKjPGOS0P
bTmSe2zy8D5qz7yeGleNoRuS8tTOpcQK
5BPuibQqZ5NKjWZyuTION1z1IHkA3o6b
VD6eroQucXdNz3MsoKHIT4kATW1JDfRN
91GJPzFmEyeOW3DYeKz29HPCrWXW0gNC
rmKnvh8FAT7bzRdUkYGsCRYa1fX1DRoz
4iKgaC96n3YCvkeVNFuu4kvW5LMIVzNy
lk1IRtv8jtyAOasrQbC6YrAcVcFJ9
lkzAL6jiMaNeqHCHyOgeN31JBtAuXgmh

POSSIBLE SECRETS
zCZ5ygsfQGVhB3Y237Hbj1q9o76yX
bEKXjPHxcJpa33XPuxx9BYS1WklWy1gs
B34awafHihlJm5KsMjOG9HfWfhHTq0p
PTwUfk4233EGPZYG7vYxG5zvLDyWpIM
oU3Fbet9HTJlYuGSJV9pu56iNwFexhrg
tNB7OhzlAdgb5rZvvS5ZVqcHEeMF5Gsl
p5EAmOIUOepdn0ld4WtjwTbc6P8vGfuC
SxoTsTEtYbklpzmoglvkXCURuqqJ7knT
lUYbAzGh0vj4LSfow0o2VnAou7QhBgLk
W1hafLFlhK2580scubVHArACmFSZIS1F
CxGaKpsxgS6bhWDX5B71IG4aeRzyf4w9
j0pgcyCAMmCuelBFBaEKhw82BLWYdvOX
9KOEfFuvG6glq1MfonBkT6Lvp1EWxJyS
hkg18epqSSQRsZzRGzTmSQR5c5v3YJAV
ddKujtHDPllkfb3cyYepVcXFvjyDikdo
Qr4hCar3IUJK7lJuLaxeJKR14jvwbtqN
EJ8jlkQXjQdwyr2PvL7NnSmrIKvSoKH9

POSSIBLE SECRETS
1JQ5I5ad77Yrp3ewkirQ0oRutiEmvr6i
St3OXXKiThZ0lO5vTnfaG6NXMItpJG5W
hTgZwGr1QjZPArcNv2XISvdh6HkvBsNu
MaIX15CFtbyRTCgSwX4E1qAS9DeU
OUVH8uooqfZhRjAldfTByGEz8oRZsv97
6AF9ex9J9IYy6ctD08UTNgib7H7Sb5YL
hwqziZW7AZPod2dXLouvGwTTrlxQftu5
or4YmCu0ppqzW1VFAnuQtpcwvOCNSyKL
EXUfJleYYGyfdCGOPOS2l0on83CPH94Z
HTss6VvNxpaXsSYfhbMGYOx4TlzBHAoV
QxyXczWrJPO3wVR2PYQEuzattRFJZlJg
NnwW0AnvRBQDKBAe7Vp9NN4SqY6y39Zg
3YktW7BrCDlc4Xw2f2zdWv5xFETbHIAE
7pBVLZrqhDDbZ0tYj5xh6PpAno2m
st3v0TpfdqXoPWIO02nQcse4uCAIapoF
ObFvkEusatMYzjWaq72f4FkWXHrQjerH
fqljKwbeYbDMXnQaOc49X5RkZCGi

POSSIBLE SECRETS
chLweuz0mMI4FbXf4CPkrAmx2V
1LIHzPavDhl1SmiN1gPMgWkfsuEkohyV
FtxLtPKiBWYcQ8d2bMsvLwchXj4m1FL
wRikutKgqwJwqf30vjhaLiDyNnSQZYBE
lqdHVgHf3sWcj9J53HVfrlZmkyidEDTw
BI7Z7O36thNMsAQG86cT5hXAswukL2TU
eTvhBYpDKk9eWFXxJfKHFDj3AmOCaziB
Zliat4mU5XNL19AyOd3jcD22cYPYEARz
n5p9WsPQY6g4RIkYg3MxwUQx7y8GGMEo
V8iBact6T2ktuOUxjFnyGTvZTdpLIqou
PzoJTbfigDFXx9xueDpeQaPajCaKnfmN
22y3hOnyLMExHbJepmdK5jKs80KnwphC
00MHKwkDmYoCx2OGjgETHOfTXdhQRjTN
GwluNKKr0Vh704cWvV3fzSTRpdmwONBr
2kGOlvpEajHcc9JJ5BV7kSrV8Uhb9VDh
Wf4wPrtpL1AEFsgXvSrjN8BWozQaFEDb
vV2yfuq3D8MIByyvd0FSsWmE07MYRaiH

POSSIBLE SECRETS
8GKiNnUVprv3BQA7RRGITyK7sqsrZd2
hS5VQsWNORhrf4LLsxqD30oOzabUAql4
eOuchRPwSpgwlWmZThUBhEapR1FbTYXS
m0SNHJxvul7tSRvrfYkKg9k0pQQtrlDe
IZXGEU0s5y97LRskCQ54IC0Q6rEMIB8o
ULZujO58Hn4sCnlurEwExil5FfKtYml
N1AsLxATz8LfRIPBbwS0prqi9bKFNGwZ
qwdTDv5zTd3QZESqVqPfOIKdj7Lz8kg
q6VKpvb2t6NLzvXLeBGroGgfRiC5SSnv
1d5DSBS1mhWRL66KnLBZBpyHNgki7Rvu
W8A11ysplhfn90w2DVqRYjp8EH85
2umg9hNEEJctkPlZR8BXtgIxIwG9FY0j
TP4eHbiFjksHNmz1BWRqPEcOjml01Wp
3X2AVVUyUAfxSvaFg1Rh03BQkiDduKF9
LDlhycQGZBtID6IMRSONBH11SqKxQWfy
uf7sNUy4ZjnbrmNcJuZuOOSXLwo6bRiZ
oX4F1jUgCDneflZx9v8TRjWfCJBhCFOT

POSSIBLE SECRETS
0Vvrgp6tuvzAmenwYfecbhGxQfkK1YW3
R678H1T6QVa3UEsgGNCZuIT3k3f5TJMX
ig9eEatozIbUeilu6P8PDIGI40FLnJQN
7WLwSFEG60VT5h1w5xCSRnUKgnyD8yNS
vJlJcgdbqXp7yohvgLwdx6SRT3sEICgr
lVWmVGygxw0UbRbggHe19cSptvLLteak
5Vo8FrFWo5FI4YG5W1yHT6ZfMsOXSACT
Krv9CUV84BxP4tXIBDsVq5ZfguHkkPOw
hooRY0JbS2MOMGEMLhPLLpjKFYik6yA6
J1Ql0tv9onNfDvsMKNTgjNyaDa6Pnzub
mDbLhIhGJzTqHzUKZaFBYP58ldHlhgz6
TYxT1mxldvKOfg1hbfM6O4XMHE5Nitia
ju5RZqhAYuaQhiOPGNIJcLOaoEeV3OP8
BdLEpYuR7vP7Yavjfaa4glVMZlrSrS6q
UrnokoQiBoDCm04uktVsKTex7gx9vt3n
uMAfPHErUq8gYLqYGWwvrPw2H7I5hxcd
KNt7Wd51BXMZnN1Izx9YZQc0XvITGZGG

POSSIBLE SECRETS
aOtgKGua3vuGYyvCOzm8c8DJStBVo0w
oScLyKWb3fn2oYJPjdX8D34ZjyUzRvxz
Z5GcmA6HHHf7tKUPWv2sbOMAsuTj15Gl
UIXOAUPWxceeOWimYUBL0aqZbFGzFpDD
tT8mJlNbcEXXPPmKiWyTepfA0JHaFg93
YDqiP1KrSZLqrk6j1D4tO3HA5vwhMr0w
rgsd1nh14jUfY0oEDkCzVbJlkUwrdBXO
GD6Q0W3wC2KuP8ibvS2RtWU8XnqZN0Aj
0EtrvwW3MQkzSecFvnBX4JMfeqt66nTs
GxhQrMO3EYw7GpvgdmF2LLQyblaoRrya
tSCKCWomP5vbOsQQ1Yiozev7D3nD5ATQ
PaJ69Xgk2FO5ZkKDoxQsNWOe25Zt4Hgu
BEVC1cuwi5mxHrGOZ29iGldY3rFRULVC
26jblF4b6dorFS8jU2vwriUxZ0G71mwq
Gg2NolsyPtMRdLQD2TdVPdh2XNeZHi6S
e6RM8yaPLlIjQgE3BUpQbpnA92TvZvU8
Y3z4Uu6uKYSt14bgOMkrNryWU1I8M7pC

POSSIBLE SECRETS
Sq7y2tR8gj3HEmbU4XyPno6pT93W16mH
URe3HeFimxZDPUOt0d5oLD2A6pzKN2og
1tfjOobuNxYUsDgE6aluCnswgchDbilE
4IlziXMzxgphshR2rAqW9SIDjwpMcvxS
CZcPy1KhLDdCOIGcBT5xxsnRB32IUDMD
Fa9eXDyly4elyWfec912IKE0nqoR5HqV
dGfRjiYjSjpbYpYgtO7b0cAlrZw4Mrv
wY7PzT4LsA3mCgyVRS2Kw1OTPeLWClxa
fXihHPq3ps5k4WwfOaG7U1bhYi9cbGtD
McEelBumOV7dKb1zb6BdvUT5HG6Vvrgl
9AgGxbF2PnXmw850j79baLuRNSn
RwROuq5e2nKVw7hJaeybV0hHAIDx5UQQ
FcsNCE2HBjuao8xA2rTijTUxq38jGWif
u71qdrqstjoPYAgdZxDuhzTAB45rQyDC
wN6Cz1ZftXTKk8PfKKvkhZq0bAWp3Laf
sXIBQQpxGRnN1JuvhdqTM94Gww6TjVhN
tH0luSsuld7xEI9QW4kbWFO3iIEXoW0y

POSSIBLE SECRETS
Pl2vgN3HXqbbKxjZzIk4bg0eix12xhJu
pNzPXZ5fcby2PvmIRsfUzns43oHDF5Mi
dO3qGWbyMuVAZQTWO1X30zVxIjEEo
fPjFRSSzuUrY85KdweQXHAUI7gq3zgjX
HQVOS1q9k5iJuCSZxlwiHtDpSPlo2CAf
25jJFjyuRcytvXC4wurkJewgVtiZaaql
BW95kIs8Rzm4NmZj4ydAzmjQI3LKMXPx
4nKtohmUbY7tHai9z2t8ojCMJbrZv
RdAktgh8TRx4T7uGZoOvXD5Nm8OQ26SP
HsAQREGxpVIGFvt11mTJ2r8ajNtMZb1h
QB67UPOvQOrUPNaLWc8iYWX5dhle7kRi
IJdzF7I1OUCqcHSZRNfx63TpictB3CeC
3kaHypJVzQjnFbgNDhrnWnyYOdOCg92b
W9Yqfcw4l1PfnAsasbj5MfnOF9oeiem1
o2RW8OxNxplgokuXxXMfYyyzs2crag93
2S1uYpKXPbyDBdggYjHCHlloGx5rp2pm
bDoQVkJMDKn3JHFmIXSVDRiBYbpx4sGCA

POSSIBLE SECRETS
a1U0qc751PlbEJjxfXyB6O6M8jnkJmpE
oK8ltqR6UoxvIOFM7x85SOaiyNHULhPY
kVVxblvKBpFLpNMn249evg7U1t5DMrkR
luToIVrjy7qRtOK6QcTLTodgNQuY61bU
nnNATfNTHr6hSEkqMWy2MP3i9vksRg0T
coY8s09zVAK7eBnMiZIV9B8LCQZOBZX
PiGZqdHGAPhzlIXS2UC0uVxfbNyiCcLD
ogiAdlZLqFL2ODTGKcli7xbzAuQZVFku
QxtgKachTN194eYcwGU9LkJFmNVHEQq
WdflathAKVLIC1caO5TsuRke00xxoQup
o8zuart55Bmx3Pw0EGryupigSLJoPiZx
JS1EmTokFkofHdCiZDqGUekHou375gK
FE0x6EHBGO2WzlvUTu5UgpGPG3v39OZa
0fPU7ngiro1m2vFzwgFa3cBnolZ3o5pA
xxv79KM5VyarLmUhQqEOMlbbyGFtPWOG
3tDKTkVCK0hS9Fm4lJL5mZYVdrHZzDGh
GWf8uKqsfvaGUiKt0BhXFWoASdgMsHRN

POSSIBLE SECRETS
JLqiHSvdfqtEv8b1RfscUDTgBsY5P7e
9LKzldxuFjalme257qc067WNURDlagQu
7nU1e349RKnqDnE0EBs6XskGT5MTKO6z
QPp8yxf18vRmRgJoVMCalcriT9AA2Yst
dkSLNeeU5ck3Twa6KyaCdOuwwlu7l8iW
8i9ut1dY0QoY2leGLReHIEIW2BRjHZSP
m4ilUvqa3iebjPqLzaYws702tmfdQ29Y
PcakhZiXuGMneXp1j61qedRiaoGK74TH
Ta0jv7L5NWawm2KziAACyDWzZYF122Ra
QeTecly5r3Ba9bHxC0wnpwdEUUrlIzAy
ih2ASPIbB6Mipq7FMEYWa4gjohMeYNDI
4piz2zd6PBPCOA5LKuru6huyc0Gk9hml
HJDAX8MhmPuczgxrb1BlwyZzboPzSHEz
115792089210356248762697446949407573530086143415290314195533631308867097853951
FWw4Dif8pFGferaZg4Cc6MDYh6zRU5
hSncHK0YMck7Os9UUgTo3Hp6GRz3gib
wNtnu9iz9FxlWQ/xUwtzm8lbyA6loyINTisLT38FjBA=

POSSIBLE SECRETS
oHW1wN4pMWLo5Y0khnl8b0OqqaKma6BZ
kMZcBPwOEd1j6nxu2sFbdi5kJNzhQnH
2CJ6YulajjVObDWBrmgwGQhi0qiA6kO3
poGipFcmqzgO1AN9d1VwktKUuwbeuE2x
qDTAVfu3jvCTQwnOSiE3SjcB7mVx4hBM
JntNhgZ58kYFXbwij6hzeVdvPNGn00kF
p49r3ReMaXkyq3mZFz3vXo8SK9LaCwKA
yf6PTLZVRmp8JK3c15ye5co8mawgp7Wk
b2l2aaEsQdCjjRobZM3Al6pzp0fCTcXg
QITUqyWPG2VnlGrB2a6hYhF3R3KaavLD
K0RixltTLV229tlQ9volFY9Fr2yfBG4Z
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
zlg3Ob9eurpeZ06C2uEHUxbrUPW1iO5
eXuTZs6W3v0JjtnWl bv2wG4QRruqx6j8
8kdCvXuY1XJXgrxFttVDI6044U6lZeyY
3s6wsel2PksO74PVHVwG8hUXCMbdJ5Q0
XMCEzkZyu3cdrivUr2jZRBASAtioBKsk

POSSIBLE SECRETS
1PTIaN9o47ZvO5QWBq3tjVop340dHI6h
3aEbZTsiYTNeQPGx5CoRWw5p4SOqn8nC
guyVIBIOMcVDAIfN1wPFopCO0r0Zk0gq
uM6injuc1j2Lj4wHPsuMaMxVec9yzmkB
D7hcdAR4gL6eiDwh3neEemk2oNa5HBXr
omAlF62gEMrNCr0H2QBW8XF28QiQE0CMIbyOpElqQZ4tBrxF8DZXvihPhTWIx0tC
v6JOSQzBecuGYHkCCuEqCb8OFKq6lcaT
5DNdaWhzklLDGcFmvcoxBU5JueDBtSej
FtIMifYPIEAUkOQozBm9Vw11LGuuRK56
Y5GBNp4gGulMUvRVJRlen52bKNtw4QSM
98aPJs2vUpcbHQSYYxrV3zG03CSHn11I
i2wx9swSsraq7xK4Hb6P8jzWPWvECua
WzijvAd9RP1HJzMxCKzeYHnMs2QP54v
algF7yW6te9d0giIjPlgLYuMarqNmal
SljVAlpzWDTIfjZIG24yfuiEgxBlSDod
iSqF26gJBktCmb0RObgKI91oETHpz7Z0
FfQJA5dgq067zFURNagi95yx0TDwU15M

POSSIBLE SECRETS
0DhiPEnslefQ61m7AjWKH0Dx7dIIVLH6
7dBSxWLu4PAR6eol7PDhhjCLapQyD
VTjWgXugqiR9aqruhTtZOoVTfcjyB76i
jCrgpf8bwQbyd1C9u6FfAt5OnK6gBhSa
Nv5C13AVolnSAeqab8n4y7TwRlreXlzh
CSSBUKaIJSWMhqfjuWGnuyX4cipoTk5I
LQ6zZ9Zapjn1TRDyEulQRXNFGY7QAnZu
wzZfDEncWZ9M4YUYJFr8Gzf2IfnMb6hd
3PFcydRg4Lp36gDWvcJwdxiXGhHOWBjb
3nkhTPKg5suoqFFED69qNRFlmDpUoi1X
cSOfcLeIkAX6sPpwLxmVuA24lrFfyR3p
jDUjvWDGqsgivCcWfjbzlnhujFfNRoy6
2rimL2d5m8eNJCurq2ysJBza56R6EvG7
GYolXwPodsztMnAFw2JgL9coQaW
XdKDLLdRQiXAJt4HFpZKaT6yuzMG741E
y4Urxqcv9RCHCbRsxOihNkmZ9cqKDFdZ
h8MdBMnsaR6MUBpG9WVcXHCqZtsub

POSSIBLE SECRETS
d2Flwqylvh7iXAJnxNkaidieKhP3pOaB
Hv98ROwnq0amXTKQof8zpMynpU6nXYzw
2PKYVe8Qgww7j3CDJ6bxbIARvZgyh
w7WcMXH384MQxArKBWq9tfOfmOANhXYh
ygfsCaK9ODNV1JdDOAbtF6as7T2mwjea
3LUdHlp1lrC6CN8jsqyi77AXm4NZ0z
ktedtlytEv2FRFoF5SCcQiRhp3Tlfz9L
4e2AtDz0XDbCK0xcLVm9895RacU2kPwa
BXJhCJIGpStjQsMIN6w6cfyx8EdHGsbw
4ZydgevgZqNIOfL3PtmcBBhuPOTZ7C4b
ODtnbW3mHTyNn479FkodGv794qS9hsWl
NW4aS3lNi8fmvEi+Ve4jL+4aAzt/ssbWQU153xX+T2c=
tUrZTe4M4NOwFWRIXhIm4QJOvCaxV
18jvwLOKolmi3RAulpcsWcjyGiEhXJWG
2MrWxfjycjYz8CRz8nVEoUtgAppiNGkb
Bxh30V7DNH8aSp9XNgBHezc1nltbXmG0
G9gk2wDsh72JfZvDy2Lys6UEtMP3Y1SB

POSSIBLE SECRETS
wuaZskSkctYpKQ1vHloi3NDqUJm9HRQ
Wo8IxRBaFRXe4oQbEdt7BomqryNIIMGC
Oh4OE6e6dWqkqVraEiAcCMLeCTfZ04Gm
fjm6FHaelFV0WMwBghon3E9Gns2th
IuXxM6erDWGrR2ilBdYngNq10nVc0mkU
iAGpjuW8SfvYOXsZJNAukSEoSPvLNP1y
Eqic037VHlj9mkDB9Ac6oywo8OkpAY9
GnRsDPDWJf0qkzwG5UAakx0LVXBsKD8t
U2icgnLcubCMXREdIQwwFZ9djs5VAYY8
v6NK46wFN1tyoiPUrV3jpTAeqYTXUDI
M1INqMtLIEQhDRLPZV8vitTN6y5pnm
IfOhRtB8SPti74hSuqBgnsqawc0MdhYN
WV9KVve3dIDV1UZxgbczLfOjx2KW4DPJ
SKricJlDyiyI4Sa9TNq02zv28wlgF
YaODE33QO8vEeLZGxHQ5TNBfWhqIAS5S
HFNULQ3MobNCNeOVkX9dtbi8574Dr14V
tXOxwX9vQ8QECIpzr41AiGeD6LbiHgO3

POSSIBLE SECRETS
rYQ6gTbtajntBm3fXVm84HcfyQ9ACN8J
NMiFc9mQHdEdTYDts8ebbMyjIjV2c0
2kaCuDD1e44XjFqxj97oS3bW7Y4jUXps
sORkCePcQUrHwPTmlu9z8sBJIN6eDjt
70PxY4sPYcKp4dj9du2NwnU3Lx25y2ig
jnZHkwnP1Z9tC9uQsacmbdRp3FaoK01F
HfuaWQrkMfczMxrWeVvr20KZWc8dtg7U
rEqe91lv7lznGuMpeMm8YlOivWfc8wjs
ilntiKeCpn72Dx7EE3Rw9hkq75jbKAca
0lb5BUzW8n1EJDWyWAqaA7d0lZJNpkzV
Ghau2wrk1frvp21ETj6mp24XqlnrZhWz
ss2rTXlJnNbrckU9GLjWVNttz382myoQ
yD1YSLWWotW9RM3Ng5RpEu8j61bKeSm7
1jnsKoAS8k5stubMoPdIcjXtCZJp0llp3
cDdFi4obBr6Dm4LziWqhJNE9f6gL2cC
QBYjISuWWzNHcmXjWc7avhw4MqaHk82
S7UdxYvdt6eFqSzfufdhKkG5fTcE86n

POSSIBLE SECRETS
lr4TMFgGLuEdpqEBom9kPNzU6S
vSh82J56btqitzV2K8vhhpmd8nuWc73Q
wc3nNJS5ppnny67u8HKUvYRr0GzImmqW
se9uNVwp2KR0SqcPH5E6zAp8mBDLV9kP
3teRnM8c4jgHocWnqrQsQB4Xqv7CtSGf
2lrbY7WLbUziAPe6QkcwvBQ2VEr9QFta
ZjYxtVw01iwSMNXN0b17Jtyc9gHU9Z2d
zaqJSCMgPr8q8xlyOc2JWspWFv3JOD4h
aBYwH2ThFYuy1U18GzcFTBDhpF5mRbr30vOPELmr1Hc=
UmchuACFhelLBjIaih7XmvNIXQtm6iWO
cscHAR4ImnAFzAxZJ9yqjMNa91RcN8Vb
YzFnrN17WwgSKMGcQI3u7PJ5Pdf81qGi
k4SBaaSc1moa84J0CFgFz3nqLP2HVqmu
BhCeFQN4dHt9z3MLE3p7bnlzhfr86Cw8
7bereGXxKpIS6kk2UNHV0kt11i4QSfeP
t6jdD3of0lxrOsKa9BA81q59Uli9AsT8
wtTCE0DbZnhIRkOUKIXj85m9jjBjTzDL

POSSIBLE SECRETS
n2Qu2qSRpGNWmL1w1m0Jsgn90j2APzEn
5NPz60Ycb2xlrnIbjQuqitLPDDjbzHA
XSRNj5ze725Mvj6bwVRaYHOprv32A
LCKhovWaUpSA3noBIHvNtEEMnkYTagBf
61iKEbH7Elk598B8lvoVeyiFcghmzjBq
sqn4euFoJMrOy6w1WzpNZbp0V46mSpuW
9cJlleQw8UkEhjcm6dFXqXawxyXf3mRG67a4lWsdtlk=
KEGdoxZZnAdDUnYCV96i9ePmYlw0nVcs
1gqRR9im7tmNjhPy8NnQpjCX4rd8lelc
E8vO87QQkuay4qK7aMyGFQLc0ZjeOzjS
u6tCNg8GXSpiTqjQspDcQdpU9nt4kRaX
W53axkGfsU0giUFzw9bYQfjRO0aqoK
MWb8A3Nd6tPLcAimCp0hVAmYX6QHiaZm
ugRDevdliSCQKB4w29ZHZLzgZXa3WguWUJypfhKkgpE=
6KXzTJPK6a3Rx51uMQDwScazunOB6mre
jOM2sC9axZtdiRuTC4uiooC1eDwAnM4L
K7RxnzjPeOdkr4E7awDWIlycHNZuI9c0

POSSIBLE SECRETS
wlXrbCoONy6aNPfjSLZ4jGG9g8lWOQWj
8W4A78DjBH0uG37RO8SO06IKWezFcTvo
iFy7tRn7HMov4f4CYUKnyhY2lj6xewaE
YRdEguSYP1wOqJMzR8T0sEbN9ru3F1GF
DSm6OHbiM4aoMyjFh2wy7Spd3inn5axc
U8JLQKkyCBG48OIAsiyvwZYOetZ2qrej
znnjTIsCkULP275jnLAB9UeCHu0mwbQ7
MwiogHOaq0gqmibDd9x4nD1rPGRVV4il
1P4e8Svw6pgZkfS1AU7Ku11MIWhAZ0aY
Lc1HqPOOGgkkm0o4iF185HVfjQb2Oy4J
douVyTcHxmEKv1YyjQbVTsvWWCOpXBn
MH26u4dEv805dgSleYYXQ23GOqCTLqJu
1ZMAOqgxiysbgCK2Qhj8YR6mzQdOOVTU
CZ6R6baQKTb1E5sAmpDqVkfMXF7zVnG4
2IV57qZtYiHn5vBDR78ST1LbCkGZYE2t
T62Ry0cHQcXSDxKL7NhTV4RGJa1EK
qG8zvSl11wlr3PyhmTIK5vu4A0XKpxa7

POSSIBLE SECRETS
bluwftDwBGArWYVN2grLSP1kPnHfbgfq
AQLjxK2FjJRwwoaJlN65VrZWNOsgzmXU
zA1HDLVhPd9PsL9PenCbpcrAKXxlN0d6
dhX4OOJDnXICZP9pL8vYTq2cDSC1Ep0f
IGCc23FH28N7ANBVj9k1dGnz4ha0U
5Nyv0guRYVcKSAuezGPcUxg9vJAOBGi4
IF8IVPZcS3mZAefslaNZ6E9xMmjOqdH7
kWwRq1ENXLXBTFEhopAwPvilnneCtOoi
cjW9lkVABx2P1Kp63XktrUnlRFV2zQAL
nUQ4NN4k5WyfvhfMBfttwidjpDAXB5K7
YNAb6cApL15ElRgBdl6o6I27RW0RMDqg
DvSn6PhmC3i7LdpG0vBUuRZmjagS5as7
iX8BjoZjE8Q6Igd9BCVMMRG15zWrcCbA
NCxqzJ9XoyzJZwBaeLOgiQiCCHtLSMJc
DPeEZCdjnoP4QwMjUw7HIDON5EObNWtY
UjLwzpYsoJlrFySVWBkKISpV5tCrd9dB
Gfsvb5V6ZkZ1EjPhJmDEOg0wCX37AMGK

POSSIBLE SECRETS
MWo3y3hb0MBWDkSxf3yLIfYNeqli5rg1
ddQd8aXmX57TCv5syYSnMf6Vla22KopM
rrEUCxltihDw1phZ7LTyezPpj6vgfWBl
WTgfgYLIZCoaxL5kkjP8NMEH1L99huZD
npAqm7bEBhy427JdaT1Ni0I7koiD7S
TpC7jOiqrQiocH3FafzZC3NFqv5kOY4I
yYyJ6pNJ0kgjmttu9OhrBT2GfQD0mn7b
RankGpg1WKksvMbjf2r1Mj9i4dXCVfm7
XchzO9Mtzl1GyvdPdWlZd1J0iwZmFx3H
jF2bnw6E6wYHKm8plX11kYiLrSAbSJmD
TAsNWcfBygYGmj6nueBPL3we7Mc4FYi0
THEbbjWzjj3eFDIXZnSzsYrmSmbq8w3u
ocODke0nsuLbpuPtat5dt9ny7kj7l6fu
QP9Vd5zf9OYRCERvTyUemXpYBL6EKiE
iVBORw0KGgoAAAANSUUhEUgAAAAwAAAAMCAQAAAD8fJRsAAAAVKIEQVR4AWMgBNgYJjK8A8KJQBYK6GJ4zBDNEA0kO1EIPgIFQSCK4TWqxBcGczBtDmQhAUuGBCRoChPmZPjF8B8JfoM5QADIQYUC5EowM1xGET6HNygAkIo2DuA7sTMAAAAASUVORK5CYII=
WdHf0IV4QkHUB6jMNa4hJVyYAF4qnaeC
v4tKPq3EceuOa5aRsmEiNo1tTprRM6C7

POSSIBLE SECRETS
uqMFW3SzqAJLI4ch9TDXcfdjcmNi1dfZ
spdSEizAECgh3deYwyaUKu4kY7nul1tj
59L0PM8TZSDfga3AwgwmMzwLrxdyp45T
LKGrDWI4UhzaVgtHDOFvkFmAOkdfM3kS
nRnK55wdJbrp31Rh0MWe0TNMbF4aeg8Y
9IT8hcDIm0Q96rR13ReP0isvljsKRNLa
IkPRs4KbLtabABAzVL2ijXaoS745wM0q
P1fPvVUp9X55Q5XI2H8DBdFxzWSw3WjN
8CdfBsPIUzO8votQ5auuotJRUHhSpjIA
uhCmIX27t5rzSWT78KYVdoY12DutI5Be
qAPSTh6NWFJn67KuvhbHHX1Z8TvKPVYB
AfEyeuF2jCfkWNmIQIP22Iq9vQ5XDBZo
LukWv8Q1lv25Jz9VZoWHVgr80BMsfj7N
DIRAqcjzgSQz4x9q8OrEXdtc6Zce0V5V
pE8eczaUY1qYPJUnjn6leqRwAOZhXoVo
qc3aTE7BEdzrXIQnZyWq9L6n5Sm1DvD
1W8BLXCecsGswLg5J6ltB4TJ0leP92

POSSIBLE SECRETS
YxSVdBM1mtROHF0F5NUzvc6S3n3WzSYl
ZjGJvfPpi7mMWyj8ThC73X2hXlQsvVeY
iqJuIXwOIBXLoaWKOF5L6veUHjclhPcL
9vPtQsIMJEvaRYxyY6ZiMi1q6kn3NQTo
kPzS2riknK7ja7wZhtH9DjUAaupVVGy6
YO9dGq40ZDljeOjTjHA4uB3VVKU9R56l
Fpvfvil3v0kwqJlSCQAnqVBmdleuMsHJ
mDPrx6EC7JunlTiRZIITWuDkOY6RMx2Q
Qu4rCXWHGrZxyCLj91nJYm9HwbbNBaAB
wkOrnjHBm7RpnZhD1xCNjmxcoEtiASyA
t47MXZ92dMviPmtCt6osuHBAjezNQ9KC
5erwLY6dW1OUzDMynaZgWLcHWIHtC3ze
6y0uOKezMm2TBG2XREAais4zy5M1tLxd
txN8wQ5fkL3IFh565s3Q1NMKA4RH7CNr
9jmWu3moBjPGR65ZxocrWcXRtVvlqMhB
kRbho3HgdeG0CdJ8rA209tRIImftPXEnl
ohbteayusWQmP2eqo1O6uo4DamJwM8Y2

POSSIBLE SECRETS
QgNQyFbsObpuCkNzfa3XkTwr8fWterHM
7lyHNSQ2TJBMgpMEgH3C5YFRcP1ce7U
NzhSZMUYEy5Cfuxee7W6lelnRPwNjtL0
GrKIMP1w4PgYrm5YCKNZqmcWRop33Hln
5G9wMrzgr3HoIE5OqVQ73d664iMAVR2N
Mriq29IS8vjEPztqvg4mnlhqPa1pf4jw
y4tPrpxAohrbTAcrGFRil83jmLq5oYH4
Pp9SKBa6RS3IfLIGXA9e4oeVKGHa5CsE
dEcUfU5Lns9loW0elZLaj7FKzckicWHS
clPTiq2qkEqnYzKxb3sH3HOJO6VigB4N
DTEqb4TbXnNBCaxA5atVnYK0pSb9DMUi
4v8hvUTZL3so7eNuHQHoz0JRLr1Gn80z
9OVkIR1fNYEoLujhr4v44UGlqobat2iA
auj8KOWij5XUc2OVh7MwLzJgAA213fGo
CjrlcpNXno9M2QOeMZvTD2WdktHrPs5P
Yc6OUsH3chOpt4vkJfacRirYduge3wUm
uF1MaBjHqfaou024Qot33eYqIFU5JpVL

POSSIBLE SECRETS
FpcSILO2LyEt0C9jtDQqRZtHAa4Q2N9
bATvX0yF7VRTLnTu9UqtYEiONsIli7NA
Hn1frjObrkkWee9bQkUvSoGsCyNbx6K5
DouWW69VsyGxi7cZQAT3hM5mkvCiYUWz
iuv0k0UwV2hxTLPIE5sOwikENKEW9q70
7SeobKfCalBp1RCtBr0PVzHsRPnznUT1
OMjsYZjecgzBPFsO2qu9DXSbxh5JXpo7
OqclT37Xtir4oyEfNmT1h4Rk4YkQZZDY
W91ciBUViBTZXJ2aWNlIFByb3ZpZGVyIGhhcyBub3QgcHJvdmlkZWQgeW91ciB0aGUgb3JpZ2luYWwgYXBwLg==
Rosc2egaZ2bfxLAQiTqXfx2zjuVcC1pu
3EmvKqRjFYzRkizxID8eotggUBC8U5J9
VEYTkYrZyGJHkQMFJ6r271ULcITBjkmP
Y7uRaXgz80uNyvcPATB9r3b0PwOkuM1V
NHib0yCpDtVNZGbvtAXjlsV6RzrfBwwf
oBzM86F4GMvLYp6iWCqbmyfPVfF4ncm8
WqDufwBE7AlvD41n6qdN4YbCXU2LtDad
OYJ8Vha7o3AKqeq5fQgJy4YAYzCEKBrH

POSSIBLE SECRETS
kvUI2sJVom05aD2rNLnp8ceY2vExoctW
Da8z6HvdaVwrG586slxSQ6hIHOkGiutI
VWluBm7xkqaj1AqGCIKfvhlqUEnKMMIs
UifaSDkpcUGfPYHJ0LY2wgaMbKOuGMMh
6iBltx3Oq3HhhZI1vDwKIUw2PCH0pZTk
kauKwe7CVPrqe4cOgSlwGmxqelbhToEk
uL1T6UePNJ7Kw1irCYcqIA1GlgIEZ
1fXdEFwjU7prJAsTSCeyNAHeDLvPmnaw
3vDVqZB4rWVKvgx5b3OF0nUGahQCrcY0
3hiG2MwLP1vY28w2jylZHTbcKAIMPBpZ
w8KDuB7m9FBYOy6hijzio9ilRX5MSLSp
pH7cradwiFTKLrbheOx3UovjSmwH9sX8
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
QAVxR1pm4g3OMy63NQvftsN2xqvHZpJs
aCUXypAv16RVdaAbRmoDPgF0pJQTLdN
729G42gqUNiz5ZAUAXRhvfZ2YWMhTd0L
3vWKjffhrtNYzin5Ij6lQFsZaR1xXQhq

POSSIBLE SECRETS
cACdptFygePFXCUb5rEKoIEmqMGQ4nRx
GhmTF3RrY3ydpwpSZCjZy8alHeXkOr61
R5YDbsM1msNnvjclFydw3DY2O0brJ9d9
kAdv6lw0fV2hZ8Ef8nLI5eDcrpXj
wge6vcbyVd2LlwU9IzXxO7y1yc7Npjql
klBKgO4naDZyukeXVXxcwMENrZxoY36q
9PVJQ3IXsUcABNIhPZfYMIRDAFEvqeV3
azYACSqPfjKxfvivKERNz1YXvsYHtm8K
XtZaZ3wYkBKmpvCnemS2yQk1T2uyfDPG
skYYV88BTcDGkk1Ge0IaKZH0HqJ76mgM
fqT9snXDZkE2N6blU2twhbCcrvrF5wQR
TkHTtlemUWviB5ws5Je9dF4YdCApPsSP

POSSIBLE SECRETS

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333635365a170d3335303930313233333635365a308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d010105000382010d00308201080282010100d6ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4dd9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3c645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d0101040500038201010019d30cf105bf78923f4c0d7dd223233d40967acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e618186673a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c1962fa0c1833335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb21f277c151aa5f2aa627d1e89da70ab6033569de3b9897bfff7ca9da3e1243f60b

DWBjmVB67PV4ltRyT2e9caL16z1NK91I

yUSRg3C4669fvLzuOHw1XSLd3PantLKL

Eld5jOcDiZLe1q4ZwHFfLyVQFAikb5sl

5qzuR4qMoPZls20V66WxKiW3T4KGbQbj

gKWOMBrJHuMwvM90e1kQxbLVjOWHbC33

g0Wlbq4DK90SLCQeiKu8stzXkqWEObgJ

wylfRhN1EoOdsBbK5VRzuRP5Lc7uqmg**b**

hkIXVCWcwK478YEFfwbo8RGlomhe8bPZ

bSLHaz9YBjes6EAucIteHitymP7rzXdw

qWrr7wKcnD6M25Nm7U3j0NNRElcnIA4d

POSSIBLE SECRETS
OuNutSfPZXXgacWVKzm9oLRb1otwM5q4
nkjKj1MvUJoP2SJPYcgbaBjYPy4EsWOF
kkRIGGIMUj7iwn7pYEfT9Vq54HRzcbQk
3pkKTVgLDXVJJ5N8zGXuZSULCDRtq3PN/ITUajE7BOs=
a11484fbedb2561981887ea65a38ac4
Xtbm9MFCOkvOfDux5Me3XhO5K6Bs7EUd
uCvPJ7NUfrK1Xmg35VTgFJzpSrozRbu2
yAL9OJMifRSpz7GOwtKIA6RWbWPVLH5t
T3cPMba1o5OKtrwqBxp9YFX0amMUuBH0
qz0up6pplELboyns2CZBgMvSr8RDOOhA
VjlbmM2G6pRRrYhuKlf6SOzC6eQUF7eo
ydRMenJrqCbsHYuDZ17G4nGASKkEf2si
j10tNg164Uuijv40qzFG2lFbsKPXtge5
TyTQj7xFBxvma6AaZ1TUwVS6lItsexiQ
Wj5TDMvsQRhIdaVPvD6nNpKwpdYrUsC9
2wu5mHiieWPMNFGHOEN0thCm6lWO9Xya
Sw0ATH4pFwZMILzYGogxuLPhb3Dp7

POSSIBLE SECRETS
BR2eyutWjUUloqp0GJ1CKmWpDC9ci7iC
VkS+X+TtwRpHm8NnTYcac+8VmOK3ly2dr/dAylrO24Sc1GEe26lkfA2Nk61lr0mw
ndgFEZBTUbwthgxyC0k1ffQbXbGUnRaA
aaBFOo2Y3N72goZoHRvUb35kO6Lzp1W
e0kN46odqljBithjpUkTXG9hdDsWHsKW
Egp8wbctYg3AnrLoFsY0muWOBg0DV21X
LLxQm2Zb2cHXH3GFymsIhrLJVNNE7YVf
FNCbzyr7QyRP3SA06TqNXuxS80zpa9Bi
6fWFj2Gulp8edYChPrJEmZ0EGdAH52zr
XITZtpYy2wf6QHmOozCONy6Xlkm3ca51
Npnx1Hqps9YG5SIKMksWN5UpsP86zlug
eVCC3zJnJ4Hf6U7Nhns1G1PLJfclRjiw
0NViSQPmvGXLcgxETt4LuQqf8msO5qX
0XWjmjuElj7dnGBGcTqheWJCajtkSlxV
IHTnNhXeBOI0IY3AjtGeZO2cjDNAOeyF
hXTgBapwd4emagenALPcDOSBW5zmdf3H
wPL2yleQwYX6RVVdEOaHMWHZq50QYzDc

POSSIBLE SECRETS
jcFxTUNQ9mBSPSNjMUJY07wGvzfGS2C0
IRKWghuugEe9To8dUXYn546QiGafUd0F
fvCBaRVGvF6m5ZfwhdbeNg6rR0MmpiyE
v9uLJ4dlwyz0Tb4FaO07wTfk2F9IBV8v
A19aWphbBlm9ojDJQ1W47aeMdyevB22
ISgeAY0wdrDCT1ale0N91K8aXfWfv0tW
DYAXZKj6jF9OEHVnXiKZJEzpdMmcnACr
vDexTJGknhfX1yfKKY4uPeWNY7BUXXsv
6d2Cvy1MfGwOem3AHh21iiz4RwVuOhP
nuXOesuXOGqaff6jWjDzzwB48Mr7m9Ru
g3OSAw6b49bJrXDnrxpVD58FIN62AVv4SO1GAfj7rnU=
aqPjT6JpLbsnsfh6ilpVbm4livKwupA2
wqmF86kNtSHy9CpxzvQffLVgP6PIYafb
5SG7ZkmA1SrYT5HpW6e3IHPIEdQjCnoY
QQPULwNyBmE6z7ehguJldYqP934Toq3j
2aqRDajB7mkFiu8JUeuEjEkcXKsGj4gd
7dh0o4NaZc6u8WRc1KGfxvMUmypAWeMQ

POSSIBLE SECRETS
eLJeQSRGsG8qXj pz5HdRmaYCfpHE06ps
2D5IQzNrtBbYQ5DHntvZJtwThsuyUgKB
qxfanbBXl2ZjoCTgG7w8KuDdjJLlXH62
sGW2HqLA0299cVeMoAEL9ZXgIk1rIANi
y9xLyKazRI3zNBUnflZmAOMjGK0AXhl4
Vrvau7r1HMpQKQXhvyVkTfjZAsfHOW4A
dMAEap8Em2lp2DdLAyvSKUKIRkWZ0JXT
9JOMWIFuCKG1ze3B51PWtKtXX7g1EywZ
TGXFUdlvkhfIYTg3tHRPVMdbYrS98xM0
w9qB75SnMFWvoXL9CpdnGLUKrWLPOybN
OxllPOzEVfYZ4qffVVucen9spyCFBXaZ
b8N1ZLVb0l2QrMIKflin5UtA7D7V4D
E2JpTArVwuU3wpOoffpeNj7iCqMKWnlf
4SytZoOdC4egly1bjES6fjmcc11RDrll
CvydOG1rdpeZVjh1l2HxFGGpkCBtP1uR
aPn41y0iNcbQ3vA5A69njqeDstAsTpsV
G4THVOFWMbp9mj5nlEieSYvLtIDTgl3R

POSSIBLE SECRETS
OlveFKmAPVIREsrGac3LUkj9r6x05YL
cZVWzEhLkZEIrP1qq5upinuo09zsB0MT
myOhX4xCY5Mi9IbsU0pUOVW5bZkAtWyQ
LNV6u0tAGiEAXpu6l5ZCQkq7c5KJBKxy
okaeuhFd1McrDnHL3LojszCI5VhJZfc6
KTsoztq2QL6ABezf53EfN52Eki9G1bvj
T6brmwdtMhRZgX81oiPgAK3x7yaW2pG8
vKmpQ0k2zgunQxdAFsx7Wlk6dmYtSCUc
PBqWGImhWZdo7lXQpaNFK9QIBHxMp4wk
G5LXKc5ovtw5smiaOglq2UN4xBS1bXIF
UrmxquXQt8SfDHHjv0dMI1nlqdR4ATyp
KiE48ndyzelvmzNW6bdZaRvZ6MMpVIPo
ZdzTHxr5JGj0Sa8aqjDa45W8xDvcUiPL
hKzn1bJnFsf9yN7H5QHOi1sHDJlqnVRW
DvOfDhfpity1gtQUN9QT4js3IOkVb8st
LnPBCXPfIDTyG7NKycPeENml65ZDVhzG
taNSjGkhdG2DcrPTICkef1XKgKxpKPDd

POSSIBLE SECRETS
ZPecGmpFZujqBRhyZTNZ1SVkZFgKhO38
12vglqLCD0wnh38LM4o4LF1q7CPuStNa
P6OmLQzTnVk1JPGEjhdY9fnbkCpMcnWe
IEC2mc7xTTQi8lqWDODmms9jEFByhoZx
vFLx4ryl8nKhSFQKGVnAMH5qObxMihWN
i2lfi3JYyaWanuhNA9EoVixSZwQkBGPJ
CTsEdbmp9bu3ZhSS7yZH02ALmjP1FNtP
XM9iQGBoaLQIRrKYvs1BFwTGSVuWakLP
aJo4Pz0hsbQrFibFt4ypJbnLPuINPYvA
BfdFnDj7fdcaZnnCNK5XWBSlzsEwyMTC
gb7KateBwDTMhIVKT6fWGE4qrSBelOuo
Oy7EzKzQwTS7e9udIDBq4FtqglrDvqBF
9a04f079-9840-4286-ab92-e65be0885f95
vhL0b6HUS3n8KGRSweUyC7hetHlgxe1X
tWuQt3qCpORkhzaHtCNFkUwj420xxTd
399Nx2YcC1GvFjLdWekHdHFO2r6iBpj
HSR1AlegXFyx6Ykof879UyMIHg1PZ4XD

POSSIBLE SECRETS
eTzqs10iSeQQ2KrnCOv26Mt4rNMbsJLV
VDpaDUxovSHskE3K7Rzj9CiAPD6OjiUH
0sCqI3ucQZfe3Uil9qNltLDWT8T5PAU
OmWU9dpRSkGgYNmEjrV8zsr2Naib8MwM
308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964301e170d3038303832313233313333345a170d3336303130373233313333345a3074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d00308201080282010100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a43b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c2722252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db8999552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04160414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d13040530030101ff300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce60763b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f6009ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0ccc7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb627ca674369d084bd2fd911ff06cdfb2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308a
WYC0eM9KSy1kpGQhaCsWuh8F6Di5rl0B
JXkbPmQXP2BcwiEI3FqqjfiGok6rwhAB
E0qfl7DZu8nkzGv3MH4nJgqID44FCDGV
vrs8dXMHiXGodZZR4QILWUxaGUalJKSj
Tq9sEDvjDozJ9rvk5K396aURjyju7hY
NTKGPTGyq7PSuZ6pDxSrKOD3BAS3oRMw

POSSIBLE SECRETS
oWL9SRYwVyvR2JEBKybOkKnbuF7SsiRC
vUfHgSsjvwNFwwToyev4j8iiTP0xmLzC
Y8yWCMLbyGH6c7tX9y83KsZExSL4VZDQ
GmBDkEWrzwPugE8SLtTHysECIxUFQGpg
QCLV5siYIKSB8enqXDrdMSWnSISBhPag
OwOBv3ZEKz2Te88ibAl3d47J53q2OGok
uWpSMDe8DI1QwAjraNXmi3HjN39WCwvV
xids5JFtyjlo4uGEh5DI8Wwgi7h0jVQM
yyZsxnBpb3hGEtLyBJQzoNk7OwP5So5E
x7i9CQzVOJPdqjX1dHOWNRL80PPtBuUS
7iAt0ZQxlGPQ5tCLEuhHxDXKOxsROBn5
WBmgDKUAJnOjRPVdo459bnYjXDnRSoZA
meFW53GZPeeKUJ1o53ZEj9BrhLTR1vp6
bvzGMF7Q1FtgEXIkORXr7PxZ7BJPLsgM
cmMTh0pUaj1RDNo0mFNR3IJYAK2Mf6gB
iuLvneSMbLfhzla7Pvm7Ht11vKly078I
U7opStToMRhy5hKGwjx6Oh4Ofub1lgfj

POSSIBLE SECRETS
kvvW4F2OCwdEIl1qwluxYVFpmp0ugJY5
QYcuKDWzo7FBs229Db5R79YAEK36tHpY
AcoknuDDmNnfRhvATxjBAe7psr5ZdYIV
k9lbPcfog7a2vud71ZD1yiSptuKC
7Ae3C11G9ZnRQnjC1YESbkjNlyvjMOhj
n0W8PrjEyrqWI4lCbLWkK9bcjvpbO2Fn
7e2Wg6fQOHKIG3pOdXEcbT27Kf8nm98Y
ZwvbtEc0kmFFJCTTqnK3GQ6ySyfl7Whf
bZz0x6nk4wqsfLm60KBH7nDut9sP39y5
zHv8FBXr9PQWuExvP5DWalTnfdKq2QcW
l0mlyabDLijh1QvHe0VixDkOpEP8aZzg
hh10uoQ2wjGgTUsUevn281NORx98TkB1
59F20xOEewuTmZzPatOKMeF6XI6ZvB1j
tsgBYsPi1lzo1wW5rl36QAscdyZX4HE
qoTOEE24iOX0Q2ijnmkuihyFZ58dtUeG
wOgdV6BnuyxARX3Rbc0CvFDDXWIKfgjM
oaymDZ7pAEcbNFhv7Y0pKv8En2RbSAw

POSSIBLE SECRETS
x02l2Vae1akitXdZsfkSin5rPssADgyF
O2dNNTCX3dr0fdBVB7HhwqWACslxe6aK
gHUMWkXRCT33pqDj2b4VuW7lrrl9
Hh8EscwfVF04VFT3j4sJSjqD2Smetl3K
J6qCpr7RcsAqb79Ub3PrHCSZxMucifP
p94ARmBUNLq0Xt6llw1RhFZLPqWNHfk6
vAhBirgpsYGDvsbxec1VAyH2PJeSZTTh
BjlmtcQqBka41jhChDLZKaESgBphWA9m
G67BWScyobP0YXFvqACryJUlpKzfHuOG
OvhOKFZHGYEQ5NA3UMfcxvSqe0D108CD
1g9G5auDmi6BFhp1SUFfISjn2zbmW8bl
IsGiV6tW8eEZvxsgDHoXbhWPQfEYRFJe
bnluMaXE1Uw3b3JGoNOZfy6HcCqjIXqz
eOpOrWRcfGMpq7bOUIBYRy63hHYmgzQm
Oc9p6kWmaRe51UGQv0AehnzsYEIJ
X1eenRL1zYDBvWo2ZsNSENoyPnB3gliL
hUzVtg6QDcg3AayaGyy4Y5hfj2RvIx7z

POSSIBLE SECRETS
doPidwKYaz8uB3zDPTURUN8nIU2BS0bC
QUMQF15y8F49TOv2MbtF3pi6YRJU7tsI
0cITUJ7IdavEtZCHOV3Y9WGxeqgTBYuh
M4hKmbj6QiDhWM6pD0tSNqk85KgZRxnW
GUT9witaJOdRyBBc2tjzvJfymhz5uMqF
f47n1mRwiFyOsV4myeWB5UC2YKJiwKop
tpg9MOL30KnGen5hdACKzszPCJWxtgkM
YZUwpVg0T4azRRaUQd2X9mlkfrI9cQeh
Wq/lKBdmFHBPTcQG2uw+enxSoneybsCZd6x3sGCEaqo=
FDV889hBrMc5njiB7wS69W2fLt8zA89o
j2KSQpoHLCijcwafhELrhzMfazuB99E5
ugldyp1aSJPFHYCiUHctz2XPYC5YD6Ud
9RLjFZMlaqPSYVxgrCr3N29CAF4vaCFh
C4ABHXMC4Or135sUJAGmAZL7HooHNZP1UfgRABckcZiPz1ZmVgJdnOYsXpFfGNDm
sws4bQbg9GprWoTPEe05ZIT1gMn94mHS
VbYmpptfSIV8qdRodswF8V1n59zym7XK
sRFhiACxeNyk2ofGCUeZfsyXhtnOr6n1

POSSIBLE SECRETS
GuNYv8iGB9fWJbOt3uu3Za7wMxPGJegg
d79paUk3eSzGphhSN42PN5Aq8dj9iVyl
8lixZ0CbQtqPEft6f86OLqdXtqxnPQDWPkO7PVnus4g=
zMDzXw8vWik5v34E7N5RdlcOKoPlh5je
Ll4waC8pDZc7B2Ob9Mw4umyD0YVp7lep
7l8ByvYlXSCthXwQgZUxBbO6MrgPm3a2
NtNriTBuV2osPITyWDh14DJ675Hb7mGw
y1nS2Utxj9rUbNITrIgIYwtdoX0kLvBw
WV1wdoH9jrQVDigahBrbrXyjnekpmiiE
vM9bR1K3Ny8GpvAoAGhEbHV75VrlC6x5
rjxpciZarLCWG40Y5u8euDt94bevKfNO
SFS5Xb2c2LrmqtbhPrHYALinOi1MehvJ
C5pYKBzTNFhaTyoOn8CLtRZjld8VucJT
ceiH1Z9CkPvfm4IjnpqvFzCjzC6OBPie
a6lxlCkVmcf1QOD6ZYjDV7INHBfwC5pE
5f2Rj8D53s9YgCs1y8vFwUZB8s77zEMu
0RW4iFiTcND7V7aOlmrXD0wRPeoZ1zLG

POSSIBLE SECRETS
39yYd1UQG2Ds87yjj3zcNOqOMstH4rtR
sygTD4E3XWLeExwvPEtpnqdNQjJK5IOm
8s2Qgj6JQYkd4IbFNTxV1IfTN5yjUxqm
4zZeHgY0eMzISLpxtPc37pmrQXWGSxn
IjjW0qitu5NILdXsS3BRz5RQsDn5IoSa
Gjwy6cOcQ9K2s9TECvKSb1UBI6p92tWs
VGhv6FkZrITxQRu9gbMUemqcetkh7B5f
eBmlwoifn7sQacvwwpCdDN7mM49IFTV9
W8ZvrObejWqz7a9mktO8s2uWHHxOtl0w
IXluT4ZzsD6fM7rO3zGi3X1PCHmREvtS
Xt2DRLIKFdB95NsINvyqeyDnMxOOuDLx
bCdq7Y65nqLa7O1PpyZ9Umffim1tIKH
3weclwG7n9RXAySrMV3Jn51LrKgutG4n
z6mPnscAmNwlAliMzxZ9cFQDVALsWjfG
bq35BXrVyo2MmN2pvK0AAoIbsBJXmHFn
iRGOWeuny9Hsl73YGVQjG7u65oKi1WBQ
tHIP6jv5sj70nCQXOaNATx3kiWqPf1Tp

POSSIBLE SECRETS
m0v39bkLL0n2S0xNgN89hz2dGOcTpwho
LFAAfAeIjJtENyizMXbJJCIxkMYQ2BS
huHeChgRkwF7QVPgKoMeW6tLhEc13T9K
HbJVSbX3MNS6tqQ9XVLKo36QU0gl1Znv
0Agn9JxSXdljUr3w2sjNTgL3mmZAwFqU
Q1X3dzo1KUJ0DHI8HY6jDpMIStfBjogW
kgfZHtVXJwuxNbqkZAemlWCJOmm9Ylqd
3VbjZKhXDsexEmt2meqPVZABMNEQkFPW
Ap6BNJVrmScnFk1hMNs3gk3nfiOqRLL3
Xxl4rLnj16XDfkQUiM3437m5W6qonc5R
Eu2PxKSDFU9IAkWHn67wF6yqVh6mLTIL
MK2VCqgBd9SNnNeGly9LCo5Q0MZYLlWM
3jbuJ6iR6slerVLqEJ9xAsC0KuP7QrbG
6Yd3MlxO6zs0On0JMF5Pwnois3aNTjpE
mui60dwzFhaHNm2Uk6c71g13RzPqoL9o
ZqBRFK04oxBzllTVeb4xO6w8kHwYHjDg
2CEJS7GQKAShoAR5BcckvYDLq4kjdsx3

POSSIBLE SECRETS
yjdYoV9UEi8qMqqcqGKRK6SXbov0CwAj
5bcad13a-1d8c-40af-9ba4-1e6f6bd0970a
iulf573S2IPMND7glrZX6jdv4yAWs7sY
wiWTa2PhZxJDnWnFVxR2jmvUAFeWjohE
efuks0AdkGQXVqtKjDHDj7Hnj0oyHabl
0dli5ldtNE7riKXsyOdCpznATSfs344b
4ARFUTCZfDvsYR3ca6QZg5ToT0PD1vK8
HdQqsudNtb3GwZVdOuSjCK1cvypXuBmO
Te26Sy6xLG0KtVPzJaOHws0Kts3F9NRb
JGtMOr7ZHjmwUVfbInfaZmEhr0nxGN38
pEgzTi4rZbqmTwficQat67UuNHBZNbaD
P38LhqS18Cw18aUWRDVsuYtPAT7MPJu
SocWGKvTrb27mU7l6HYZWtCOqe8vN7We
QDBncvI7iKMOMNKOJPIC42FDZR3i05c
GS41ND25W7ytYawGpGonJQP9IOOENLXr
XHTmtVqtTM8yki9XiQ4ZuPNQzfhQsr72
N23slwJuVPJs6YUtQHsKIlyMmg17H8I

POSSIBLE SECRETS
jUvIMuc6V7f2FSlr4bukaecFyxTPY1HC
Gt8Vn0C4eF81I9TsnyjdaH21jMiVX3Ky
fTMWdmHNSPpkmFXnKlnCifd3toy29TVe
ElSuOUcfqRTRm52JPbd0IEktycUalpsD
OjxdnAkOlAgRjcigNYlctVvIDEXS237I
M6cOBFfgZV5WrXqkO4ySzzXWKNERUvDd
aLXljAOeq43kD47uUx47KIqfBztZ5JR6
30w5jfTvH5e90EUSXrOKs1RMT2PDXB24
MeWTB72qJhBmjPGmSmxXQDSK14yx53vj
3KzD1A3zkNrKwQoZtzGyJl8BSj940od
FVZwpUpIP67oS0xaMKq2ljUj3jrVNcvU
MZbjv39kBt4hAqLFGwVFLXITEV84r4gZ
dSZ0cSzoMmmORQANAKDw4NsHeD3ml6Jb
Lm6L6ti1RgkYKkQwD0idrMlu4GdN9z0L
WisLA7DCjwWBxH7MqLlw8w9Z4gicIVYK
GcSIxJRAUXsHB0u2DOmppTTbOqtsj228
gmqFy6ZQaP5ka1WIT0se6IKCqSKhRNov

POSSIBLE SECRETS
sMUxEv8h1aqUKtOfXRhWvF4cd3jhCliv
92ha12DsR5eF5zJ1dM6CQDThjYn4roQH
flpZ4gAxwncTal4Qx56KLzmZZ7uUPeai
sp7WuMlrQg67lklbNPhafgU9zVWwTylU
pz3BbjJT9xIHe4B2EghGg76rolJKqfV
IEp0yqe8iFuZgqtiF5MEL7dQlxaDf7o
nnJuFlsGV5CjoI7UJHQ2Bk6wbONolcvD
fj8UDgC4HzdO2kuBNBPUB7GtanmKKm25
9zMPJcjBq2CUVbnUK8h7lqP7lj2y2mDE
8Z3ODqLNUneAqB2P3Amw9Ur1PSsugik5
XTBsgsEz xuO7TTQvYMT r1VxTZpUI2a6R
HYpFHiAeuVvng5d4eXQK0awgijL0SEef
xiBnzSw2W6K3rvYkwdUGMYXv5m3ZqRWR
YDmM9nsCETgUfjB46tzDOSpydcNx EQ3F
NpDFSQumXtRd9HWL09jYgYkJkV27cWXf
eO7qbggyddGiOQuVn8N8jDULGwym82oB
J0ebGdEZD5oKohgNzUxMA3jiHaSF4bRj

POSSIBLE SECRETS
metH7Y2aXkNKgtpuuGKiPWqQd6SU
TSw2akNEB1AjctHCwaDYxiu1Uwr65JPJ
uUhMN1Ac0a0MVvdzsNpT9rjxKSsemVru
NBYiw3cvWUp2yNoHdye4l6uBFIshebL3
35EgzrmLPkhoCqMLba9eqfKFMV7fawsP
BiVeVWtUTguxpSjeMqAkCwQXeKWovTz4
yil6hBrwRD3U5d82pKPD9jkABJOmXKdj
J8iBwEklEhXrFuUPyx99GyZ8oCljfyK5
ZqXwAcmmJts9Z3eghrFogO2ZvZ2KPTjy
pvdflY6bA4nr3ZgRZtp7kAtC3Qj6GBkc
jWJWqJl6vm3EcSkucHo8Z2hc4QqQU5eN
SEOCmBzyD2oxYau0L8QhU7fYZrlA9WRm
cxDqg6Vwj60LwY1YIKiyT4H3elxAUSyl
O62aedMh2uH8SX7kKpV0hPKbmKu3dRtH
of0bzA7MwNGTia9F31tAkieNA09H6OOQ
MydLOSuorekD0WEADrXlrTB2aFx1Ufvf
zsIT757DGHQcDkpTRw1DlpZ4hqoBSQOy

POSSIBLE SECRETS
TH4S9e3rxD8emXavfeipeAwkF3kWLOvQ
bylXsJDFT4cdH01hLIEiCoP3oVFxRmF5
mcSvbra1TWloRdhWTFL80td7BovB7Z6D
EOSwTSd5S9U7JglFfn0dhffzbuhXMmK1
MOi5LCZvXht1yXQHfTxaoFALkw
0rYE8aKdqB5aIUcDRGHr7byWf0zxjLED
tUcPI0tEvSxC8oU8uPz5JVtDe3SsNXw6
5rJSRpPdF8KF8uXWImzbaIQKFcw1ndDO
4Gk3naybi5dFEHdfNJUEACWbr8WBlccD
UGSwurzNNOniPMx0TIQOqAAX3osRvTJh
k6Oe58jhR2JQ133LIP7LsY5IW6eco9I5
Ri5OG01CF8gLgqNPBzhcn52enWrdUOS9
CZFK7KMkAj1VPwfzqXgnV4RMFN6v0v1b
LPAb8wO4e9Bm4297vBHQiNlf50jewka4
LEtC8FtnVg5ihxRCphfXt4mvpUeUrdN6
C0QLMKXu1JepGMQqxbYq5t6gzwkqhJGP
Ulgz86lvhOryvjaDBipPmbHdN9m

POSSIBLE SECRETS
1x9H6MAyleaM4oP8QSazbLvKby53Pv0n
DfYXUN1CCnyCs44nd3klcNIJOWqVY6eS
LjPyS32klH6YipP2gsYrsbvo7R8K
ydp2W5xsf3wxxmClZrLRLpaCcQN61V
wHDyMipoRF4Sy41BpQnebh5fQe1LXtvR
ecnT7ltXVuTi5H8Gayt4a9jA0qUq5vl3
SYDRmpizq5sDZ4GfL4h8WluGMHdmoTuM
M9df3TmYW4NVajXwV617xCLf0ka0RL
82TROEAjyC6M053XP3PwF3lgkAnZSWb8
xytzkpfCSmXtl0pVvZtRxgukiiALNOU
AjQwhKg0BmylW2zY2qnRPlrsdpwDD7xX
jmdilAXdKLha38CDbN17xGlpmuplWnFc
5xEbc1UmueoelDSrZ01pbd3BmjNIPp1U
s0U2lqORDUirQkjYFZUhzDbmHPDS66DK
dDjGu6T1nGcXaD4MN5Vqyli9xlOLfrVa
YmqCfQGeJdZscNiSsRHgK8Xqwc4qCDQV
TxtnMsOUgyy3lgc1MGFXcQorbec0OOLJ

POSSIBLE SECRETS
YclbigHQdqatdiMMFtmKc8uyfonolz5d
3ZCCYF4lrXqPGB9Y7gdbmjEX2m1NZSjt
O04BUWOaHdfjopELTyPIWCM73tUUR1GH
kYzWBiiTSiU3Kogqfj4EjctPAodLTQqF
OifCwo2rldbue0L51wUPSBWzKiQKf6dm
tnW8WJDd0hyAXA7zkanproBVQy0r1bMC
ralyQsFlfjjHchT6ijaCYOn7xcrh9SYP
rwsNokIOLx9Fj0KMvDMbhHWjcozH5rOe
MYlveE6g4wScBr3MsnlZwbj0w3RA4Q0m
w6W1Pn4pGSy1veXw7fNic4Q20vJelJ2
8S1Qfr0uQHuwIKinBNgV3mwJeBc1O2wn
wkhfqpsDh9pZ7alJlNp4k3fYjwmP5ybd
vMXK6MvWFWmZqWG9iCsHx320m1OPkYMA
miC7MzRxLOQa8wWv8sWGlou8AtO76hIB
MkXsOhuicHq9DXlwRCZefot2VxsvXJH1
1TLrXBQAGAxZlydv1bacR9cCDSxOiDhT
u6DSTaNAwdJlIdo1ZeFLEjMNPQO

POSSIBLE SECRETS
pTWsWF2qz8Xr2QvNaoeX4WQy7B5K1AFD
LKoEdNrfwYhRE769hHSL4IsoF7TmWWKx
YX8F9O1K3gbo5OniWABn3Un2bmHHQded
zOMSQIOQC2uzgyYA4i3GoXbtL5yC1N4Y
HjSYihfmO4Fjwo0SJsN86rpclq24412o
ccCRkU4tjU1cPhlyS12s2rOBaxNg0sA2
zB65tdLGIFDHc3IlcHjCnZN0WwQ6SUIQ
H6QEdKrNS5VKUI2eiDzJYDiDaOSTSHZm
UeYo97OquvC2FnZv3LivDSVlricXCoYT
Alwpqv7aDt0R5Z0o8sSBDj22LkfdUh0v
H8LkVKTaRgPgjl8wA09keGujcKlyNUsx
GOJ9oRRABJfcwjAA770tm42MgykplS5Q
vsw9aGbGyLBdbL44W3z8tEYPUFR7w9
eTbeym3Ey2TfwhNFyBG6ZkfAKtzQxWab
Nr0U5YnFPaRVMsCPPiWFbDdqIRS3TX59
xfmrtsxFdZMJNwdY4lCwqytBKlocc6OO
jgNloR8qAkaEc7us150M5yTFbz

POSSIBLE SECRETS
JD3sFkMXr2jLKKNxvTNpqQokakbynhd6
FvQHlihhdkZe9tXm7YlHdG4glBqm
dE1dCXJBgr8GZeSYP1l3R34BwUsmGXNG
Rre6UfQ4j0qmCPYEhTx2DnaeM5gEursB
eX0NjQS6Cv0cdupm07HV5hzKAxMqH0d
YsqY7Lk0NG7yMwVwuR3aCKQ1vCFnnoD7
jgXU3SqF8Uv0ED4x1YEVN8i2uqYthAt6
nBGVAWTaIDrx8Q3Q0HTp4hPpqgajoZ5h
s0mDJJaIHwanY7Mz7gNVqOFT5Njr2uCg
744UkrvlbMLGnb1Ym0KhEyQ5rxbr3wA6
Oy3yacq1X2KDRnpIDSUXWs28RTZJmhMt
bQ6q4wCv1qa3psjbWrVNO9D1ADq5zdw2
UGzvR3ks7TcixYdkl8NPeDNLgobFHvbT
MPCQ8AeafYWdEx3u0S1dfC5VpPwXU5er
DxhhwSm2KO29M0snTVs4N8QFyNW6c8YZ
uyYe2wLI6RVS9ukoAhHADlguTPHvaGb
EvGCIE7if1wWI664DgGuGJMVxIj5MmF8

POSSIBLE SECRETS
FWAQk0vwFzOT3H3ejUps9E7fwyQUHgqv
sUrKaEkRL4ABh9brwle2ScDHOfoRuahW
Y1hOWn5yAZG8wtugOKE5SlkB9Lmm
mg3crekamZV3aPoxR2E4kv0bqU3kjrTA
oaAjYFLN3m9AYmyloxISIBjp6ETHW3KF
lPif8zo0BCGymIa9nsJJXRn9Vdfcrwfz
gyhAwDIMjNJoK3bJ2ki6wxmL7XFPannX
yvexzu4B1k7dNWe8D7Or2RByN379E6p0
Ktm0TZ4NHfdoOw88agihQWJn0lLc0Ki9
YequbpljhMylI9uyXvP2gytASLo9xZ7L
7H1g3sSDF1cZj7eOXlokIXc1uirRZwhG
f584f73e8848d9ace559deee1e5a849f
UvzuR6baVszWBvzDMt3B0F14O1ipohwY
lhywLkOHL1xCVIOZTw9pXaD5EeZGan4i
SVfMGWcG5IEJEA83X9P3956xbutBXkdM
01nBjZj9wdoXPRYWJREYdbljHTCf93fz
VKsjD9ddp6JrHwn0FL0Df9QGs7RhJ4JT

POSSIBLE SECRETS
jnP1uIPOifq7BY1vqnqKLiUetY3DHsfM
UwkWzl2MRtUAPiPmZ2pCt01Egbad
VlqKJtfjGqtNso0qX2A6lmnvOZsZ2xTE
I5FSM6v9D3qkRXnarws6dVsmQqtQojdF
NLpqiEYsaOJ6LGI2A1qehjxsg53G43
Q7EHaqXEYxiQEOilyqjopxzkHRhZVKtw
exa3hMIhu9HiMPspfK9jv5JkxYqQeWLn
AO4oaRrhS9J5INJLsqTeqW6rWo7URvM3
AJGqtkftO03LFXDJsHIFXR4ujVWNfKsn
sInYcYZFDBEgJMtczrpy3D6NQdPiCOq
Ji4mIDElrKKLO0fU8k8hI0n9H2FXwyxW
O346HS8RGmqKBjl58VTWQBGWIRLrpgc9
GEphX9PDUn8ir5euMideMTZrm9gVIFzw
YeSBMNELIt08AqIHfsrA8EpBPFL6cGm
1qM0UqBuKeNFs4931PZdKXfB5ZchECK5
UoQOzdqMFdmvRVk6jZTbQbhJ01APWmUd
PAhaNRNZ3VZ1U75Bha3wwWQKZTmx8jYI

POSSIBLE SECRETS
M5dLDfrAE2TxcVuZGCd0hZ7u7RiqVG3
GS1RiQ0Fe2OXcQclCuEDku7WILZ5IDY
8guEXZpZHmWIQufm4UgBospnJN08RLPS
QusX5FxCSt7YALporGf+YBQ7+D9RItA2wCGYVD5mk8FUIvZ7EQ6LwVnumJjBeUBd
unAGmyqFwvprojifSqdeJubKYqzfvtr5
Ss9b1ZFAapck4qu7GxyznnEhXuh9ADD0
BEVDZxUetTHXZyMQk8onv0fPj1ZBZ1Qa
yVUW3irpFLZwTCrJAvbU3rlgys0qFO1P
MWq7TNsVs7aXK0A5Gh22llfb9AkLnJo6
QEyzFLJTZNzdsjjkYvljVioyRUG2XSKd
P9OfQ9yL9WD45vqgxteLJEc4LCKor8r2
4BBSavRiCGZis8TiCNo6nDjqjRzxnCkr
NbfmFkvRWQfztm8Xt0wszzyUhHEjBSFU
Hcx4PZUYJ7P3vk50CiSuOhi8dLkBnJKe
me7cYpsF0CfkBGZ0HsMy9kxuKf6pUD2I
fSpGVoQESo9i788g3Yt2BRpnP7rxN0IE
rXUNYUFSY3Wwjf0Rt9wl3pKgcM0mrVi5

POSSIBLE SECRETS
15DEnWMwGzueTnQFE8qATib1q5d5oHj9
gKpLqM1fc4CgqUT7jB7tlrf4xsKdVFyY
oWQ9IgFva7olaP1s8z2NxAvwjycynmKEe
cPHMZVY/KwIUfpGqtJoe3sZWjmRLYCJUzedPb6Eusduzq1fr7QzoocP3s4SDqjiP
ZUGfW6Md7SIL60yz7Eq8Bq3LU56iFcm
HJCnnsvFRKCxDdAbEWuhDIcdg3xeT1pm
2a6NLKfKqYFtWGCWoigE8lnPrM
3JpGgMVfhEKs4h1tr8RMzDA7DOHokops
XR1Jqmc9zxsTs7IfyBsyi3NvUHLKhP3K
iob8LfIWsdIXeaYrhNgyOnbM2iOL2mj3
4MzGZFDG0CqgMdiolrH5vwyzFGAbThRu
jAlZY9MHNrHTDDv2DRP1sCieuZx8QBhv
515d6767-01b7-49e5-8273-c8d11b0f331d
vGzO7SO4CN32udhBb2qylGFDHHv1hOkX
x9Xeu0fQ5laTPGHlgNPQILpO6czCAzlw
XY0BtpFryTh5vj9OnDecIRSpSIoi5uhK
RYkflwVTmTjUKIFHuRroVnAWoEc89Iji

POSSIBLE SECRETS
LXio5gucrx5pRKqWpkHtzDtUlmjWag3t
14neR4MzrfGB8mqjKcaUOPf9qenZk
5rAhOQ4yCQtmZH2DOI09MtNNwfO3P8Pu
IcKPV1BgYthEUpBDtMv3j3ugQMZqCiQ0
FdNrM275eXYBmZtzCUI1db95x7ONP
7zrNMK9WlizC5ZgtVSnCLN45BdGxm2zl
WxhxKdWnRRsy4vVQ2SEOPzEThBAjhQcp
3BFkdmsCGoZH4fXk29OjuKfr1IH2YrFg
KydMYgLy4pR1xg0aIDIOHDDspqU3nVp3
m91XZsk+YhuzWKD4cAkZ4TbV2JwQi634x6I7GtEZSF0=
qam4zJzNIQZnne6rIhaeaYE3gj58AOpU
2wkv5tVRPNRTL1bJFfqOEJwxkS69Blm
UNYHKTM9Pgc2Q8zoabZHHBhpgHLQMYt4
Ef46Z6TVH4NcbkjVvmEOqYFgRFOKpwYs
OpD2t2SPaq7VaFKSNzknI6aN9MYETC
j2BD3qxwlCatqD2Ch8dsr4SydA7XKwXL
be3ZgXhlaup3yXbKLr41yKjcTusiQNjx

POSSIBLE SECRETS
QlJlEwCvhgb560p1OMiECGtKVXCQy3er
dCQrNLE74jmKWuOaqJJ4Sbhiwuuv5ad
RGEAyvOYfNtgiUZah7VCMfRDLY5FaLk0
PgLDGrk3t3a26fQCrT3lplrRB5PMNBKm
6eK8uyM5uh6d0JMEhPLz83VmKAM97iIF
cKC0Gfnr6KNVk9zoAEVguSpqajRxhGsy
5vrQw9TAnlgebYwA7tbvLzoGHglPMjBr
LURDo9IeWAnwhMbBUEplRT3enLIZH2xH
Wlqb3PCyph61UkVVxo7ng7VZa1hYfmo4
hZJ2tRP2pGaevCKAXmW2Fr9GhnOGACBf
qjsfLXTzdQjFcrr1MQWDVCv1RezJVkpD
G9TzZa55JFGh4eGgvGtqHGY1m3qrW6LM
MqQzuM0GD0HqxOL2854PPJvoiao7nama
BT64P8yXTg3gcHo3v2kn4U06ifDkl76a
s0FY2QjhDMSgalZxb47pyGCKoKsYBuuX
Eri8EAzeqOX6dLYscfL5OJU1HmdTNDem
C9ShSy7zMtGRXyHgR8PAzFWulvZi4KLP

POSSIBLE SECRETS
lLeEucKPPYu6Z0yxrpg2o1MG4v3W39r2
uEqtiXTroQ47jvhgXsjyxp317gkhCVZ
1yL2i4AIQTHR8fVHiYQ7c9e8uwPzvL3
5EjlyJt0kzQOvAP28HqeuGPqaebz9kN
PTQtUxKdjysMmbj8hCZsGKEwd1IRWqqZ
1kYj9up9VehuFRcMC7DoHBWW3d6qFcAR
eDOzUgm8HT4q1AQmalgqs20fTFsFJUGd
Gu0mdlPkDUd91D8731Vgkf2rQInnPX0q
G1LpoTCkaTmfFLDCiyRgtkZuciVWUChZ
K3MGC9Pem9CSIPJADsZARPOkTW1wXgVW
YSRve52qNSnKNw3HKqPQ6WGg63dcEGZy
cWID6xQloznFOrhLXGfxCs3XAeGgBa
4OCnssyPGh2MUqheTrzmDcc0Epkw2MIq
WHSSbjkejcndJnmz9i28DmVQ7s5doV
i2W9TrIDW1srZxkjxV7foM0MgZvVXbWR
HfuCmMeEYPJ981gewRafdBFBSwX7gAX2
XWwbNIOGXItiEE2sGKxxfB9q5IH48KSv

POSSIBLE SECRETS
ymAWKg2GShyJej9UBV5xPoPh0gH7RDQq
EJAz0i2eNdRPLBpGYGjYpv17GQTuD6uU
O7TDRFBIXwUJB9gpJdCBp7jSvPF55uWn
ovYsObbmHQ4MgjZYSdt7UbSE4l8jd3xL
0JsvRjae8Zudzo37ubyWjxcMew8uJTbn
AssHqLhhTyxVt8qn53NKh99glOkG76Zu
2sehTzR2RD89PLQKMZ0CUhyomJdrMDfZ
moGtNK96e9AI47TRfaGhqgNZaCCQZMrY
ufwmFaOIh4ETn2yFiF4b2v05oMaexVS8
HfxVquxaUjpYbjldoITajwkesDv6b5OP
r3FnQil1r32czyLALUutLd0XCkxYZ4G
0PvfoUFANCVNmnYZfPoejD6ohCtuxysE
e4cnN7UP0SnjMswao4r9LHhuRWlwcAUo
VQtaGepZfQkON0ZRaGi6CJHbKlyPI2Xb
ez1lu7S0g9Y3okmD0rAeLGMZx9C5J
6pBnRch9VxXRPJwtqH0gd323b09mKXXU
thfRn5pDzJN70UFYfVllaB6cN7Gudk2R

POSSIBLE SECRETS
fjsFD3QQ6lDqlywrJIHqXmb1Bv2DWOX8
kSt0PmIvWs2DEAK3GKEU98UDJan6EgWc
QnOoNSP4qihOpTYseackLt73SA9jbFjz
hzuEXRscjXqDwpEtdx4S0pX8oo2BN7E1
8cHG76IMVFwKxBGRg2kgut24eHhxfbd
ZmCtUBplkW4VOgBlZsMYRrBehzT
iaODdCdac2HdoVtHZ9a1KA8cNhJnLj6B
oE62i0kU0YacGkvCLxgFzKdMfiudOn3o
h7ITXytSbKbsxwMfZDKdUPEvMsTrizAq
t8ZdPgNdDyW7PJ5OFmmKGTW0QKkF2iLI
VX9OpHMsF9E36khSHc5jiQggPTjCMNcl
lZu3kopIqXcrfR3er40TopUaCPNEg1WS
8EJDtH9EjlwutgZO3WtzB3nx702AY4O
In2mDQuCVOg3ihkf16hWdIIfuM6sFv5F
hUEdDcZTQNKRArh2wdU5F4NdxnsUaLHW
JQYNK67rqjtKQrqU2u3iSbXyZUf2Wicm
N3hUjd9gC1zTrolrzHWDwio6K0KaeF7v

POSSIBLE SECRETS
KfQZimx5EO3wO5BoFkpX8klEmrokSzla
4eRsFOebWHxsrQNWOVJDelaBrSAlnNpc
BREsl3NjjelkGT8YX46XMxY6QnBlFPku
TkemScCQ72wM3yeu7V5OcalZTlgQuG0T
6Jh9GB1FdSmhvo4jirJmKwQUVM2B32M
u6CBuCaagyjpN4LkQhRqLLvzhKEDnG9S
EPGGJhXl7bdoeZDT1hnWH0ijeyZXjvPV
2QJGhvhuyca3nv8SEdFx1xy9G3klEgNt
UjylGuEYWfjjHNBaVK1tpUnDezxoZlQO
GcMaFESaYtqWHDueobHkP3OuSFimx
nC2JCQuxt461FEwUH0osGyRmdjA
d7tLiGkqyLa7cKOkED7RtvmpIXZH8d0b
K68eMOOAXfhu3P8i4BL4WgotL7owvGg9
HVKZvR5UTjStDLOL9o4rPessbKuh0O7V
kpxxdOz3cEfo3MLV8RPQuR2Jasv2n6jF
PSzfdjRZC0XN6VxjsgcztfFaZhgzWb7
4hYdj7INWre5bef3R1byHGHBmmQCX

POSSIBLE SECRETS
yf08nX9dIZfcKypKRld4zDkH94BCZAU7
9xXPI1nVQC4CSUB4soKIPh985bh9DA9
a4nYvm2BizGaG1Ug1SxTpBLlw0WxQ6vz
1xHckKpPUOToshADzl4JLY1c7M7
sgzsFq3t5RzUzGxHOqvhuB7Tq08HlvIk
c2PEJ6DOqpui9EPvmckbHNLd48C
fWYAWHkLFKDIfIVtn3klkQMsZSy2czx5
0WQDc4By6ZKUv50MYhDXaKvo73wTc1oj
VwHKKtvbMk7FPKbBmlqapgeuC2T6fwds
AqSvMoRqc6BrPHC1U9YSDW7FEIWr0vU0
55W5G9gSwojRpeM2nuMk9rdzPBhIsXI5
EGdl4VK4aN1uiBzzsuaeFo7lQ03tB7Gh
Nmo5M96rPCfUDrZsYva5XI4ZsWtaAuQf
SYZpn4btE2JdKC0jqjVDdFV7Ab7Ex928
bjYgwsFaniVg3KmdX152FYnlljpDqbBS
1W0jBamhj3r3Yg4zpKy5fnBuSdv5NYDW
fxC7lv0XmsujX3kF6ChIFpCKa92dKX8Z

POSSIBLE SECRETS
YowA8l8uvvZXaVypumJ5yBUyc4sOcAQV
LWQKQsADjd8kwxodkBq3bjfZv3R2tuNQ
dbvBYMdgsIkBJuEWD9uCPJqFmtTt8cU5
MVnjYKLYm17azeeTFPLJcrer3BwrjfHI
7hSVajAeCgz1xOL6e7JdxY1GumU2HXyD
YT1PK3WBVS3kniXpybROmIhjWhGVCIPh
m3yiGl3d5h8kg9DGPr7qvl1tLoj9C1EY
mce3RnjQuKnQyZwY2MYCRKsU6qDPnRTv
uEolzpc8zYF03u8DLAeDfs0A9wQx2vsd
OtZHHid0c6Ryk9CDDbQ47ngXcNIdIUWH
NSE2Gca4KsMRHPK68YKw53X7X1h8nHIG
LRipwKypnEKMqg6PamR7G8YuQckBwe
zMrI2nkZvee1EVY6Hu3DKwgaLEX6aHI5
qe3nCZLHIIYVPimtyVQbZz0eRg0vYsPF
wvrH4lpYI8UyLhNBrrW8XGK9bs66R2Pk
LEhHmvdsEQXOsQ0B1AVwqczGhJrofDk
HgqSjgTeAT7xF2FFP9WgcaMTZUImKzh3

POSSIBLE SECRETS
apnThSuxD28F5jipUISQB7XXqWmqfDCi
GAvEeTbbpjy4dkpTDH1oMJCt3ihg
YVtNrV2twcC96zFGqk3M5li58NeZhLji
CIzgFD3PxrcztWhUemjZg0F42IFR8Khz
1PNI1axnrexK2c7Nxi5CJrHaXY90XFpd
z90Y73QdABRO9FFteloeal1S2h3luM4k
qdt3Ji8DW1HY109DoSKbHU8vPEOVBakr
3dQVxpobetg6gtulmvAOL3PNXFyzfQ27
wvs0VrXDMEHK1ZrgMliCmQkmYlqFRPYZ
h563m8r7YKrZnjlnan8U4LFDYfkXwskw
MHidzBjnmsHNQkoojipxy3AaWgleVPOv
09LVPMUcXpQFix5jag1XMCG3MLP6JHGE
0sQtHWJTsFmoyuVwvJXQHcjlnEg1c
fkCzuvVfwHm7OJpjmgBYeP3AajMmrNF6
EOgZonHCFyaPw1rQOdlgFposS9KMweND
GRntkGfXke7q4gy1a5nBcYrAffQzlmQw
C7a4pm2tyO8SrXv1cdlxK2sPFdgbW5ae

POSSIBLE SECRETS
zu63YSe1kidAeMcutkZVGzck9psTtGHZ7PCNeED4MwOFY27ac/4Jvy5q1i6kfidt
GijYkTHpyeTaf3ywPcthUoX2rTVjWFCb
8p7NFpdJ3Ru5gkWuUhdagWmcX99TdvPx
Qj6klai7maHlsMhbAYZldrm5vw8KbeiE
Q5ai3781mryKatmpPHMLZ9OBEo
dqOZRsmzwGVkln1A4hbislXuNnlWGGSy
OPDxW3mvsrdjNTdOljiPk89aFloqol7l
l4YUjfl7ivyphsQmVZd9dZE6KXUcfPo
hgUALiBHRBx3rc9PT3qyJLJuKriNjQIA
cwEc0Hil6y8ZhWJ4MUGuUSsWKgKIPOUb
z1GRGxuKCZrDa1o5qQYzizq9PHvTpBdUj
JAyDdtJpzqPUzVgkiSCBL6msT5Uh4b5j
NS8r3iU3bE12Q5c28wyOjlLRdJ0J08ul
u7DTPzY4ZnL64vf2BaZ33uVh1ryYgEua
UC9R5lJXbgu82zo5LhenPIKKwn23Fltm
HqCRL2sDmMVhvd9OffyzWNuXpbgyFlqg
cbDGC8uMMSmc1mSYy17nilWnTwttZfvA

POSSIBLE SECRETS
aZpNXGptJoOcjVIsPlgA0RFw1bcc4fl1
j6hvLenmhks7DifvzYp6ZMm4s1P7WZuQ
YzvHsTMmTYxxNxJ4BW4C6XDVYqyEhqwg
3K2bfdY4Lns5cH4Uqi6qZhk44zURNmgZ
FOMm0GjvPogulFgRKU73d9QQGInBRxBZ
B9gj7Y4phClGiLSa5KNqUW4wq7x20Uai
YXbhfnB1JeAOpwzc7R5F4UgUcnERyrlo
KQIS07WJlXQleKT2EaNKgCMREedmurGg
dru3glT9ekJ0g4QSSusKvICYyzfTBGaa
Uet3LTw8rLjmru1DFWkYPrlPq9yjq4
oKML8tkCm175rZl2zBYjmvrxKy9flX2h
DLWRAT6zkYb5ZQ4lVerhsjeXnJdmq546
IY1PhTJan2YjTy3m27KNizUeB7qtWqJm
Wdifh5HSN4RyvogFUrIVqQJQUlIKdEei
VUYnCtCcQXjB1sQxVfFNmbLRjpOLxas
HAZTu6IPNZsD1qj0M1i9utr9DJx5S0QZ
hswj15pvf3NTuHVIPHvaS9SMJgLIba6d

POSSIBLE SECRETS
osfW1bR5YMM4TxT0YESgxQn9EHcmZGy
8eM0H3liKB3nGBY13JLbaheObXzockOS
6RjYIEZz613sKxZlpZ2APlvoVeArWnyB
2erUCN4YfMxeKpPmRmxhBeZiE0shrr6A
s1ncMgVhGbgxvH35X0QQBiYqSsxlRk3j
nvQKu8DODUZzpB2wBCNLkPpoRBQ2eh0
PAVmNMJ6hNXqyRqmf1Doke6LQ8aMFdOg
N4hTYih9SgQSzhMEA04rsaAJRlerHLwS
js0xY6djzstMh1ZGSSFwxrm9J2KEODfF
72pK6LdfIPudsj2MuQDeavvj5e506zcn
ZUquOnXGk9BCY4cqa0yz5KxW6oH5Pvvn
tMN7ldEkNAphgvj5y1u3W8bdaUauudV5
R9UUrzGy7cjs1hDg6byYICYbXfp8nW0w
KG5kSs2s3o8nfvSCZiVMOrQyfdZTA2DP
eWhcqXkmKwACVp6tQL5WW3qntxITuvc7
ylxA0yuP9hQGfN4fa3NPu5J4rTDeCvUe
c0aZKZ8jQy4nragOIR5MHbPn3w24MGfh

POSSIBLE SECRETS
4a3tRj2Sc2HjRD7iGLBoGFg5dIAFXATk
WffZMJDQYz5YPWrNy4ctgABXEOCglES3
zFZ56n4eT6FX9g05wYbCu7I1KdVIhoN5
LQzzwNJ4o6QHIfYkxXGOUA5ejYw8qpDj
EGk9np7aMhyDNRib589ymbWmiZaYsnv
av2tITPhYKbVn20ukUfjR25ELbcgjHbj
NUyLGY6c98DzuB2hwNhLwgueoQfkovra
GUFACnFlkHbDsIOxTIAKu2zM5da70L8W
ngPHprqjPXgJBcmGEhNrmzVf2B4dA5Oh
LoT7hgjDsiOliBRZdxaGjarYoXkmB79z
PUsgFaltT51mxPXWqnHKjq6lqfkoVDea
W6hI53UtRDHSRmbx8lgXTECIFUbvBxjr
vkL4fX6PzwoldXVPCJAguywdSt35bgjD
nxZ14LVvmifQqYAtKolsC3BrAoKw8mAA
dUQbnZGK3vs92wXndxI51oc8w6Wzg5UK
t1lur4hbWemc11jTFC6OlnNGsbjhQ3VM
rqpSBs3vuZ0ERZdVV6yaRn8vqIGdmkwB

POSSIBLE SECRETS
kCJseLSqSirXu4CFjUZgH7qP37OfZeHD
bp21WTLlcRSzBiFixYai9jfTwoum3UGv
rKALTBDYJCbaiFNXEtUJroCn52VpZZ
KOAWbsFFbfk0jNgDY62WplsFaQMswz1L
wwjqIDfPN4cSDtn9coCmQZMwbPpUFodD
WXTUL6dhKmyeG13MmR9X1nSF3ta0T4v7
VEroNg3l8sNexmP4O78VjHFua3ncuiYT
9MCcaPs0cGd03qEkyl2X69dbSrrSW7Zr
Brw5i8rGHBW71K33du4zjvljk6EmRJH9
nCxI35vO69EqZhEDDoDcGzJRz4rMZIE7
yrQkoPMIPCp0FUw5bDslSTdDJuyK
5Vop4gtsdytJgHep4xjnsMChzM034SFi
FTixXnraWBf7yQ9sseM6khJqknPB2
aB8lqMkBKAtMJJQueiQkXGZRWNVG1wc
HZwTTDt8MowEsM3lUInYTfNVGUxvh7Fx
ilEunU5aQdATmqkKFrVV7R1hAU4VbdID
BEtp4ufX6D8x3OZIDxdpMoFh1oKQqP0t

POSSIBLE SECRETS
egBmqwJMUEFNytxVtqlmiDvcEIQ67KRc
oi1AWXaprlq3DsGdE2VtVNFOHzfK44CR
CwJ4sBopjGul5sxVyPsrv7O0APgi12j8
YZfXt3sXT4j271kDE0ioC9OxQaOXWjH5
uc8dsziOyfZDdpAIC1PVCulQ3xFINwSU
Ka0OyPk3mlOgfUpq6xld3QQILfS23GTN
k910pd4k2bDwhoi7Zc3GT2m6dfUWVoMn
fpksqhdo9EiL3TJLaFmG7oCu1r9K
NRv5J71Oqm94bOZTTnySoFkmq1d86Acc
xLvიაKB4KZlhZN1GU0dHI8c6bwXdm9iC
Fl4ka6a0nXkGBByMLlikeuhoftQnViDXP0
8rD5RJTKmVYL1h1EM8GIVzxEaE8efXuD
F2wXUvOdg1ErZ5Wo6Cgjufn4T4zC8kyY
cHoAaTwhCyKnC5gllgOheFkD17ImOLE4
2ZHjPJSTqlAuT8ks3iUv9R1XL7D
TRovmj8dsKeWsGtAEtnO1NLs5DkGdltv
ytO6VNISXI4nyu5127ZVkMBSWij4cMOM

POSSIBLE SECRETS
G0yvPsPNC2vYmeMn8hYLEKyQ1tXXfhoE
aDvj6xsBYLtfkWvKOvjAJhuXcdkZRgYf
1hSLaROLE5s9UJkRnEYVy3hKzt6jPrhV
UpueiF5Mlf4qFrRwKkN0oaj1wZcm2sVE
9Syc9rzKlnhB1gjxfWOFcJRGeL88RA9A
KlezWCwDulS1StSn2NonTUsqgHFd0zIY
0ZUpi3OgdImKuABHcG8PMsqc4Oj
NTut6iZFc5ITOEQfsc6CPFa8BEeWuD1
6JBjvnr9DSzDH8E8QP73ZcoxgSr1ahx0
eLFDRkAKNxNhqN4Dib4JBju5Hz9f2MYZ
BENjy9ISBGpLCtRbprsy2gYEceZw0rIm
sMAw2w80fDiQYhU2W3UNXvphSzhcHd9d
PNJ5rPmEA0nUP9bGeJM8wQu7KuAYrDy
sdmiyO1ExKOYMO2wbr6XNnW0K6t4WoaH
kGPruxXsJMcA49LPD5OztVvQJS4oto1Y
M5NAc4g4ZEDKUijLw0hm4lwG5pmT3hrL
PtjeSixlQpPnp33LbTolurfrF5aBxWMN

POSSIBLE SECRETS
uzFI86KB8SuPvIlmns5EhrThmrxeiZB
xhuyCPLYH2PKP53E98JhdsnjasrGKyBu
empHZDdin7c86b5ED3ajK85vhcLRVQYd
DaG3Y2wQcTFt6n6rQ7Gr6ijZtSjkgUIR
kUaC4Xj2GLTFGhk3U8FgQLf5h3yptWRI
di8Sf9Pe7Jbfr41S9La3sE0XUXUblcTt
LYvtYpjh3A8vQy5q2R4RxEae0rP
TXE2cMU86vxtF7wl18ThzZXaU0uTRMLS
nByhcE3HAON4xHhAaRL71J2smf2uyoDS
S7aPtd9QGtmzyQ9VrNW20lwmaDF5p1MI
PIV5HCfMNdAm4GWeouxefmFP0XOPfsYa
r0T7HSyuXxeUz69yLbXIR4BhliF2UDCf
5t6lwnZxCy2d0LK1iys4a5spMU1PRxL4
IXHmnICBdoyL7DjWTMRRGmshSxtLnfl6
ej1ha0ISNb53SSfCNHliM2QVteujQRGV
6g7apQMvF8ZkxnUyBbRCBajSKJllo
97CkWcXqrjyz7Qw2gcwWTF0UsRxLJkLY

POSSIBLE SECRETS
WqxRMthVFYIWmP0w7krXRzluJmv
FY6GSV0T1DmbxtheDZWAefy5bW4XMUrK
ZxNu1nQjo2XkCjw5ERk40jWGoeljYM9V
C5r06ne3nHFGlipq1ktKTjeYxK5IlnNR
NZCt4jZqJZROeAh1myX6H7SaBhvHRhTJ
iqnfwKKqiNqrk8VWEttLTKe7o3UJQGSCfPqGjpMmsBc=
ABdM1nmFS67IaChkXEO7C65oL6pHbci
ywEr7H1ZkU3fUIk8F5vLu65dTGZjfu1h
hl8KcVIJUIPiTEXEjbalUYczznSZgz62
Qia1n7qQgpdEP2KZeQvga8Xzcvo051lj
aj2yyuicdEn8dhTDbWTrD1WtuleVGPEx
x4ZdmXYSSnH60B6WOaypztUTceO04NF4
llqwiPI9WBGdX3ILtNQPOldd/oo65vCmZGiUmTtHOSQw67bDkVyvEAM6wctf4g5A
OIl1JjPDUNYuj0Z8zSbytdcas
nVrienaBQfkWnV6qlsNJmuY2fGTgVaBy
b74VzSGUDjeF5gq780pkK2xwxVTOFG7b
fNc2y58JlCy0XZUWB5ryiRvO0DobwjiD

POSSIBLE SECRETS
RSHxB9AoZRnm9g8NXStW2wWwzMRvBUBh
OVtNfyqIZ80xqW4zrHdkYxbTKYgYXHc
W78BPxXfK8rmPtex2UpgUOA4EPabdg1o
jm5obH6VrXyDYReHZwz8l0mhz55kc4yf
sk1pAaPclwmr1DZFuM4XEVDjMgj4luU
KZ3htwrCZaN4pnqbUvwqLO4F2z8ifUIK
oyZlo8wPjlkpHiFdOrp6pSDhzRhw9ZCk
QSMsFg5SqZ0MdGMo2pjKfVLErbdATzfM
aEdAaZwrqc10hFo35SyTbulH90C1HKve
WRhnMtRu3VoUyGpCORxDhLZcb6GbN7Pt
0oLwhKi5Kra6RCRQth8cl0tAgv4BlfMk
suf2Iz19vZ0KiKHE6OGV6LDrVIRuCGMS
cGsHRNQKRzUTXMDBZCyzngEN4Bg1pclE
3CPPKLCdNdSlf2uW7xM1UEZDCok6HZIU
JVZfUK34SluqNwHf2oV3ojB3sFjQruRb
zHQaRI8Z04iZfuq60cOZ3MtOUQtNyLXk
2rOgL1VomfnKNDiiRLuB00t6jlAsVhoY

POSSIBLE SECRETS
Yb4G3rkI5nMioq4UjOOwWhO2qlazISB5
p0GbhYKTQLQ9v5Vn33otxdnR4fUxZFvy
t3UgO82iTBj4Je3asj0XN1i1cbfA
Sw9TLHolawUN9KVNZQE03EMAiDKtc0hD
koNydS70AznyGH22QswPXmmCOWqgW7Lp
CXfbTdSUzIrlHA9c2DxJWpFugzDpw8Hh
LfCM6PYFJNbwoVLH4thVDQon3h1Zk2zk
EGElOHn6uGhmkRxS9uXWLB9eFH9So4cV
BRSYa66X5aU9tnHulh6jJE43QYKNdFpy
SMfU9IuS4ycu6Y2ZHRBSqn3aWPXKMTOT
gDoO0sRHxUPo6SrSL989dqr7yWBZykVP
6OY3VkvRT09gTvB5T4EFQBtDC7FaIDf0
MK9C1gjsPA1p5Mh8DRiOt3aRaZeKw74T
UT6xnSlzbr9JaeC9T1uoRQiwoDXC3Y
UNCiZzJs5PDRpvixsYfSSk1mhxuZgiq
nEwmQOfqxRkjYDAAu8TY0n89Pulsb82
UgKs6UjNXVBuUp3SkOyu8jDi8UPRq7Ac

POSSIBLE SECRETS
5jLxiAOonCPZsccE4Rlf5xBOSnJl2Mxj
xW65fi46BSoc5ty04RtWZW7HfzdvAXLT
hHdeWCinA2EaAz86iaUgwk6OrkZVXmHI
MbYnCV2deeCvNEpfUSPgn7RvjuaamywdV
YcDFZjjvwX0vuueDfq7B81mncQMZao1W
ZkOx7RNEMabKvQ7fgN15WibWDw11JZFu
liIP4D7d9BEQwLM9jHUfqGkSnEdU58pn
P0DudR6QiRsnBUUKuogjXBQdTc93lhW3
KlZdBiYd7CYsgOQcQxjIkqODuE8wujbn
cASVkZ3y2DetEF9G8otARsSwnjimgRtg
IN5yo6aIVzQxSBDS0LSAMVLc9G2MRZFn
FHRIwpAt7jGi9NpBTepxh5ZgXrGMSq7S
bo2sqrskjgNWasJuJCrp16cZ2XBNeH8X
BnUGtdO8J5ukLmkm+ZGsWDuDWstQiBajlb5Kf+8oxak=
lhELmGRUtbYPcwjFNCjn5HfCntRtzqQU
sNKw3geGf4TvnRH7EsTwjKTQ1PVdzKbr
FTL4wNiu3HGi8YEZOv1rCtrzX9Uy9DdR

POSSIBLE SECRETS
5IHxymbE2bQiDNmNKuHItj8Sueck67l
IXDsMs8MiMzYVjpFmNZXbOdNx8hS7U1p
6uVpGgk4XMy6iT3bnZwHJmMch5uofQt
uaVeZCSsPKZMiFLhWQ93bkOuh7Bkr
7jkgWI5wEjtN4OtVk5f4fU2wMaDr3zYP
QfRSCgXdOTNJYzcBVbNAL0t7GjPIPusf
va4Mi1Jjiq4w08mNkhVxy34L1bzfr4W
4ly1cFvfi9Man28fVF2v4dhkOJlcUKEY
1kQLpTrvfGj6Xu06grpBcUVv32549uDB
pUEZtwC879kNTB0j2TOCFjjulbgJhqUC
Gk0JtmCCXYpL8dPDyrRdSPBqQO7pSw2M
N6Pae7kbdU7K2JDJ7pHsGdIVXSdZHDtL
Bb0IGURQLUOEhbLX0rukWyrGFqKwPMNP
XI5vdZH0G6FndxBvW8fNBqRq2FpLqBJ1
zi0KH06te24gHksPurb3c9I7QBoJ0HIJ
MLRfngDPgLR4PHXf8VCaBDfWkQKvwd69
WpQimEPBWZ8vG05HKhTxshBMY3NNEur0

POSSIBLE SECRETS
w9Y7A1oKaVmJ8Ov6eZqRiF6tVMdmRve8
YvgwWocx1FADdeAzbpsmJqKucTKVrLw8
nPyigXhxANI12gOwrMulZJ84NGYQcgH1
9U931lGThjH7Qz6wctlm6EKEWHFtvDAV
acKGpr4PBH5WFf0tOli0bMoNuU2uM3j
EpPf5pm3Rz1Utl6Lal9QQC8GFK2ymH0S
C2v6p3cvqb8VeZJmls5VVCvxLYipHy3t
raTQlm4cfg7vGpKCb1rXGyza0cFhmMYO
vKITx3lWvQKkFLmjQGxCBJXBbaEzbyA1
XfFEJYzZGPN2q5HAGj6MgKNVfzLwmSZX
ihweZBltsWKOZCt0W3g4zNqGDXekxD6l
5xFyhJyAmXwpndJ9EoKqTFqqLI0O0t2g
WP5CpU5dCfM1vj2iCgRczyLeS833jqA7
BYQArfMrHiqwTG3fAjpcYjBOCFZN2nO4
115792089210356248762697446949407573529996955224135760342422259061068512044369
QlnNj2Zi0n3XZkktRetea07zoE6PUgNL
iEaWyjzULIZCFnp1nESIU5XZjwcvRjHd

POSSIBLE SECRETS
zsr7uVrJNcFH7kX5XxLPdtK6eEcZRxE
g3zfveVVXBcmJgycEkuKjieUd9H7rTtS
3rpnxRNe64JCaC2lexImS1y9p5GeiPOv
xB4ZDOqJN2K9OUw5kZCJNg4Il7dteaQM
txozpLaaBXvdiU5pC59NuAEDTSpBHfjF
gS2RFCMrZVvAwZylX045evNEUJ7fs3DK
rwxiKY1yX8M1uCycGOqUPfCL86zZ3gS
vl3ScUwT7Dxtepa46leMofObvUCIFSdC
3lsw3BGBXoN1VbjJcagr5xDVNXHwLpl
ZGbO0A4ZRQBBFZeQfXm02pkO19XETszh
3vZlMeafjrjOpHP1eiyT8MHuy7IlJRNdQ
sHaOy6LtlfUQKDjNh2L68IGHQPvVrDu
TolyleuLgVqT12ZHnDYontQlJbt8XJPF
baeaQjGS5RYnakDSUMD4HiL2ABi7hiKM
COqx4q9kDUbjFrhSKPpHQyyB6JO5bBDL
EtuvklQgZLPMp8CYh3QQVMKsyyqrprqR
O7nTze5knL3NcSr2rovnk7vqxWhLtUKF

POSSIBLE SECRETS
dyzDhPt8uBzEduoVJNMFQS7AR2KfsUmAWoQzpkryTU=
k69mdXr219EPEfxjmleoRJuaia7o0PSr
60jXKlpbxaQwCHoxf9ChBAtjIKdb11wg
ctGGwCiul8x2mhpb6iYaTSYvEv38GMVI
79sxQvyKDcGCor525oKKopIIPAz2exYS
MOrewcskpOrth27AIRjiHCsaXTOPbZzW
yEkjaL4nSOxIxbdygxb0eg7rmaPMv2Rh
7koWfuH1ta1EVLUWQFGgmnLKJoN2uwxl
1x1Spdd4leaR6rMylqz7jDuVALPBafGP
jBDMosIM65rjrOulbY8WA7ZUxyDm84U3
MT4OmbQoWg65xLbimDOzp3HwjWCrKcc
mdGsZgeczhjsROxHbS4UhtOI0ggMdB2A
iK4U0ZRxzEtdW2fze8Bf3AGjQ0TqpV
5zrYwBRwluqa1cGxPZZJZEcv5DdOFBPM
kvGKIZl1lyVjOHyD1SwfLq7Qy0hyNYJA
rfyFxeBVRrcpHOkzoebVlka/58kwozJ0Dt9pVZcWCXE=
9ZbgWIK1Tjah9N2o7wCokUZOiekVuClG

POSSIBLE SECRETS
u0Zxd4kfnWeayuGPbNnNq6ZbpiAglx3D
KaVI90AUCQiyYrscuVolg37eW2R2JvQo
O7i6ampyP1fRYbe4QOmd9JyFrRUTDP0J
WAUXIS76Mh78MuMCacZeL0Bf36KHKL6J
OQSQFxnIZZo22DxvkKeXHq8FF7pzfl1u
oL0VvX6tDLEIK9z1dEY1PtjpuEVwAQ4k
10wPMgxL8A4TQ9Hf5dRzrJ387LzBipD1
BO8EwxINC4bfwl9QwPliUjcYWt5Jq71N
388jVMFAtK4Tm3JKA9SjxAcbz1TvPoye
PYELojq5TDB6rkMOhN6BPW4xOGIFZ2Jw
79zDbww3HJZgMiWNIsRhm8isSNpdNh2J
3C5Zne3gt6SFfa7y1AnuQltffgpl3Oh8
Smm3aT6lchFgLH9ob00fwQqxHFnPPG6O
HDn8clfTWSkx257fNktZvpUDI4vYZW
VSpvz3ms1TmmGNHPZhiUX8aR3VKlqH3F
nKvQ299cRrmi8SlfoUYXILZ1CbfqCSq
uMvQGqYS2R9kLiwAhxbB5gyg9uPLoFmG

POSSIBLE SECRETS
07eFZyxYDfzIdCogAj5SagFmNdTPnXPY
gKhZoL4mhYIFRC9fFMXnjqdiW6EOuKfZ
LmKV0vies2yKzOatCTvdNkioufvejCG9
z6uS01sVSQZKuOHXwfbCrotAFRq98Mhk
87Ino6sBf8EnLpq9v2WrftgOrdI4V
LLc1CvKTLQ71W60sfu5S1t2gX7MmeGtj
zrCnzE5ZWKYUMsAQc774FEfNITnoEqKy
Ggy2RwA8vUf08bZktoWyq4zTcOxITfhb
nH8zlfZwPcU2YCM90OUKaCidDMv0PXY6
hl0DpOFqxM1jfk98LJTADvCdggfrETQN
XxvGV8PZkl56DMpAUShQLpZcYfSVK56v
ZyXsHo9oibpczWLkt42lpHWLTZevRgPI
sVZQ6MI9fBzEITS5ybXWTtwXQoWqWbAN
US601emoXjvV4DnAkF2mociZLiAqpNhW
NnwKyO2XMzRH0BXfVduboZ9DAJ5a5svW
HdySUumBlxpTjl6XDfj50FoXA9Aqq3VK
JzsYqi5M8NjiAfZVcvXbGjq2yK7Lit7o

POSSIBLE SECRETS
G6nQ3x1CDARYZeDNWH7T2bNpdDV6NMZ4
INuywCj9LEYUa8avgu1fHofmnBtqXXwP
MG3JHDBNbYnrrwGYpH7tUB1vkoKKXxdT
zMftdbZDucx4tcPG97oOAYZ8vQU5TBbw
6dq0Mx0u8Kgv53YJdcFQMlotDIRuazjf
QUTM7SdDWyFumvZa4ixbAFERkcyJbQtu
1OITUJms59QGnZv6uedBszpwZ8CEYVJ
Ouz028YKvSIJVOERB46zGmLFjnusBt99
ZFI3hp6NIHNBPBZ8p7tKJKM6DxTur89gU
If1tsTh5P7IODA8hmkOKCVUdKtrYifbk
VCM67JEqNnPycf67Mw9BgN4gUhlxC0Ru
0wnkiGzVks6qBKMatlgqU8hY2PaKIPy
exdb2ky9NstGP6elq11NgBzvOAGjRaxw
mXaQIkSzTCVxPQuz9HLogqhmhljgMyMR
PDzOFNAaWMsAK9ucradbIEZZH9uUUiPx
QQYWJjbkBOL0LNvUpzlisqGaFjDA4I4g
PuGcjbCEvSEVXUJBdaZJQ0xYiuJzE14G

POSSIBLE SECRETS
fiQ9VXnw7bAvrgjS7V4rUJQz4dMTS6ql
W8MK3buqarkLhDixdfnbfGeXuw3i87xB
B2R3kYZJBQt6DDNd5X8Bo30p1EhdmlAk
U1b0Njqb3LWazyJmLiNcKHMDagE8OpYs
yc78GsDKEqwKVvSYlw58zbgjS6oh7wuT
RbaaAkrovMg8PH9D4VYwsWVheHxj
WfIl2QLxhpsV1cZ5bwDa0wyCBTSluEWm
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
2B4l1t7rFez9Iyb0KdS6JKEUq9HBo8Fu
57HIDLfbVfr3RAVSTJxvpSr8EFB1Sod9
SPMIRY4DBSEQdOiv1Q7wDsIDeTbAa0F
Hs12mGKVT9cGMSCRKoT3r35VsLlFJngq
WzMdgVuSy86surt8lbrNO89xVpYcFvZR
mWzZtnKFhVqOEEmQC7RHylpmfpW8oE62
5xXH0hCktOzz8vKUWRcLVJoUpm5ITBxe
7eph1fLTh2YVQj3q7V4mBddTy7HaxieF
KmKspjn8yBhlsuKfHc5dD1By4HqwQES7

POSSIBLE SECRETS
kO1FJ5pbtA78NTGKnINecVB8MAIDEUuG
98nQxxcA6vj5924MyChW7mkeiNjnWKv2
MOnirYFFQGBOpDM1usFuy9dITQXNjsmg
lue4BzZmQF8ChJf2GK4Pk4NwU097v1o6
r4XHqvELKUQNiUGngs8vqNM0Mk3b9MGe
6c78zY1geKIDJjzmV6tL7kXg2jKyThsy
aZ9WVO7oGzsQrfntNmAENBSB60kWMI8d
30YalsquWEYpd1gcKbt6iXjPGudeG4qT
cawbZ6x1RsnaWkC6S2Mb4x7gKiXWIBBw
LLeOWo0qfj5aEilGNMg5Y9nqgC8u5H4z
Sy9bhDNhoUd7kDt0yrvFBLns12VVbk64
LxewRmCzOSDY9SAQbVbh0hKQ4ZXqC
pyyZW9LYVntbYIKTrY71spzm2cbnCDIb
30OsfDGqNeLBXhmKwxFpv8WuoKRgKdOB
zIUGSnqgNQBLEIYl1akNx9HRDEYjixyz
IYuGhUBeP576iz9ihjd4qaMvDoX6gejl
lhzBP3Bo4mEfv1CoOUdrfulGeogVZlJ

POSSIBLE SECRETS
PWnwmSQeuTDG1VW6irl4bK69meobJxc3
Elfja0hemr4BNawwCcQfaPCPd3YJxnrU
cvJ0Eg1FAjPz1pwRpU9xefwXrHpQMXjt
wWjpHbTO1A0kh7kQrFgOS5a5YhBzSTgd
kl7ibQwe1AQrx3uU2dVSWI2DzUKGSgrF
25DCnOqD1cr08G9nl6wTfczykol7NaSA
qLfrhkjowUJwOfly5BnGf78e1AF6747u
RPmyeRiulwcpe3gVYddUzJFJGH82m9fu
PnjWz3Ubzat8tEiN6RTB47L4MZQANY1H
TprGMNp3AYOmeYIcCj9alnxqC4oFWUd6
NV8kH7O4XMciCHnyYHa8IR80N34PEowy
kLeAoHdKyNjIIY3W2InIzypZ7jBCZpds
cRCq0i1JCmFgPvSHr0NI30IAvGtOkPUO
Pb5dMBpLoD8oISqqN3M1wt71s6WfjWWx
sZN1P6CG5u8rJaXjKPttrcVUDogJ8FeU
tn8QhSSQsmhaZqBgPW05rXLjjsf9pF2E
x6yn97aV8hj96Z0WREvv4HAdEeLr9VIY

POSSIBLE SECRETS
OUGN6fd13DTUK57USetQiA6N8BMR4vG7
o0fRmV5yhDY9KCH9v50URkZ7Eg4hKean
fXviZ9AMoZT5h2KBZwjslTMVylobOTux
YygzZHUIY4dTUEusYM1qdSBaSuhDwAUc
oLB3f1kinZ5WOxb9JrKF9bl12rnC7Hj4
g7NtZwf9Cfcv4ky8xjWe0WMsxKKUH5F1
98Tc4ikzWj4puYv0qdZM5IajNuj
Oh4UdQnW2uXXSwGfizO0p1l6mbU3rWT
lv4Tf42JMHAUVPcypCqljFxlq3tnjr4p
D3JUlaax70Z19DqZX7Vx94n8SobUQclP
SxwA2mF5bGl3KXtpcTFDX9Gzp9XH67Wr
3gx5dg94KuTf2YQxiOsayTUTecU9lJlq
71kQi3libsstuH4Hlc9NqpIK3KKhyeB5
pHXVZv2iqxHVHPkGMSFE5ZZmXa81zybh
hUMcZshotDkSaD7wdQ9kfmyHpwJvjMA
iVBORw0KGgoAAAANSUhEUgAAABIAAAASCAQAAAD8x0bcAAAAGklEQVR4Ac3KtYECYRgA0UnxAqAALMI72fSrYf8M74jjKGZDOI3l4g36dDFAYXiQKkJH6ygDxMK/WFhoLhgYPGmwM5bhgAMvW1Hjo6FIqSw0MI5YiGEBIsnOWvuTAnNeLlg44QUdCJhi4lVkJmMwiGCVJL89aaWTRqTPH9+C3vRpygZ9roDjp6hXFQAAAABJRU5ErkJggg==
z8dx8jcAs7HM5esb7c49HgQlCMJUD3t9

POSSIBLE SECRETS
XOVitfQUgiced3EP4pTxR9JfCPrZNimg
TkUfKGPVf3MACXJSEel58pLd1ZQWiXgG
qg4jsBrtjCwX7ZbqQAPOhxC1noKxQthL
6oqVw1T1HmkJfSZKyFG8rr7XXeYSScl0
VtpTHv8dn8NrwXo7ikKBEmVWKD8j4YCX
IKLCTUg5DoQjO8iCafmP2M1qyzkHhRyN
B9l3YaSVbsV15snZmiMng8FLUGONco5l
Y0RqBQKF49030hyQzszDurtmlsUicf4U
yAYMFY7gQPsoXL0bw1Y8FO5LYSWRNpHN
1wLIXhx7j4gWLvUCKldOcZbAVKCqpjoE
xmFnllfDlkmgoCjzWXOPDTkVceE7vC5Q
dTodKdBY68fO6HNBSU3LN7qZJ4nOCEpk
mGjBSiyG9M2YGVIPKeXmqCjoZalx0YC5
QJhjenmrzPYVr6mrKS1ywlZfks2sEqmv
oUUA5cBolxHqACzkd5Y2T9kUvSWODdEm
pS0yYjaDPNGuTrfnUmeGhxtdeEtLadoEj
1MkhueXc3ojVbbuWw64h1Z2UaaL8Cuya

POSSIBLE SECRETS
0a4GBd0juwjU6ZOPGBL8pglRsQZTAwEC
S92E58UldGCmPOb4LYA51SRur0tU5vPU
GPD1kjm6fR3i7blABsL8PkfqVt5tQ0ec
6vXrl6nW4BVssue1T84qDnzAdKjaXJyK
oLip1OJDGHlgZvy2QUOX9qyG369fMg
oba6yDpl8JhOkZT1tW78u2uvc0qfjLnV
DTCFkmk3oZJb2r35tHvEOgl8FwtFSJKN
lZC5QmFNV9qqPs7G4jyYJaaKbEwmE4
NQ4djAykaRRiHV2nkQWoiztobM3LGBfO
9QEkehaQ45REYiwwlXw9otHnKiruCzQN
KyBHe82bx80nGeQY27WRdjvWIWXouYTm
5OO1eWJNP7Y3s5cQVhBQzuf4m1TAFPYu
RrSFtRYH4qZAbHiyxnUErsMfABxwLq
LoC5Exa7K60en74lmCNTJxDot4v0o8bM
pX7zul93kCj6F7tlXqRnEpKrjeNmhaPh
3ukMDhdDleVgfGP2GHVzNRiRwZbG92ZS
2VG06oAYTcRzKBDE7gWFCU36hzL5px1b

POSSIBLE SECRETS
fEzx6YE0SeCvem7jc58qc1uowK5CeHyF
z9Q03TMU5lXkReREt3l6AE4mCa6N3G46
PyBLhH8YgyLL4rtY0CuV5vjOqs5FO6aV
VZrluYan0GxbimTZrmDwvEADARuUOj
CXzEdDffw1S8MeEFGiMAFtRu6laAL
kPRAmUopJCVKL3kgnj9rN6E7NTwjXhY
SYDx4pa2oLtOnCxt4l9slcAsjVX17
E62MX6H1l4NpqQbgkpQnwXfk7jhgOp7C
Jjxe8gs2e3QRovgCJLhxlujBEulNGa6
tP1qXeWZ1rY33RxSca4DZNHo6L2lNWeK
vtEgA47YqlpfzAewuy7lSaRlDIFsO2a2
XQj6tBQR93KUWcmqG7acynHpkyXbPHo4
eEBATBFYUp70gHXme0z6ms43UYUPOojj
gOGPE1XGqnroAjihU7XGAfTAdWa21jWC
nA8fLeyOwVmNwwq6alqKxCaagHA5eYr
BRrnvNJfpVwihHaR5a5gEdBxu0vp26qH
oMfYSWXrIKFBNYq7bMfMNj8ewYt05Dn

POSSIBLE SECRETS
fUzr4JaNgjTtoWHz8k6HkVts9HpSP1Qi
0U38eQ8bNMWMKT3qwHCBhGirZFomfBRA
8W8Gty0itChe2KZHdRNz96726BmzX04b
WtVme8bpEWm7CPp05BwAvQTPTn4MSMol
vT3nRtW3uRS5jX4JEmar2PdDFOqNzjtW
WizhEabCQflhxCPZxjxQrLo8096TZ2te
tfG9iZSRQinJ2EvVRPjnhc19jSuMT
iVBORw0KGgoAAAANSUUhEUgAAACAAAAAgCAYAAABzenr0AAAAAXNSR0IArs4c6QAAAMRjREFUWAljYBgFoyEw0kOAmYwAcAbqmQbEQkB8igz9FGnxB+r+BcT/gfgPEAsAMd0AsuUgB5yhm81Ai9AtvwUUk6KXAwaV5TcH0ufD03JGLAkjFOdrJgFKvcWSC8A4i9QPrnUX6DGHUB8Gp8BHEDJD0AMyma0wF+B5qKUHUXAgQEFsGCGOeiHkBEPxLSMAIAIEwToeZ+uOQDmulFHDOqQoGtlhCsk6FodY3ME3RskMEeAmmTbgTgXjJBKj4bAaAhQEgIA28ZhUJU6FRwAAAAASUVORK5CYII=
tEspMkbluGZVzgapMfnbK02RMeMH6P5b
RJO08lIt3bxPyobo0aBvpyFdtgNFIs
WCZdwi0h9oyTFk4ywd5LtkOxTOpQ29Yc
UaBpk1errz52kF5dlu80Mei9ciV9Nkpb
JbcDsPAiqgb9rsViVRKehTXv1iFS9Alt
FRlIOdlmLcKdb9WRfG0MH6oacSxD1nRF
PHglGL4XjX34Q6lxLVPE9YioC0GgMwVu
LtvBgOfO2pmZDU6uCsowjLyYxKVOoB

POSSIBLE SECRETS
y20EBjUW6EvufSuad4mnO0hpKR8Jq8vx
bVoeq9MG5etfSqxTxXE6PlzRTetccpLF
FJvJLlvq782Xeh3qU1n4ZIKrAnM2Vabf
BUyqEEjsV2YgLKNMo1K7EsNVHhkUuDnl
Ps2SQ7luP6kIA6gbjSFjdYKTtXuPzT18
M7tzCbQcNsxxyZ9EacAqZIMXmH340eiG
TQLH18Rv5MEOVOxclrRMtSKcbgUrlpIS
5GeP1Ey0MjdLLaKEOIMigJbDmlHcG3Ps
2vimyyNbMv6AohadWhJSDQSQPpWOARjH
JB025Vwse6xgHKaH4PdIPsgjNbTaZijW
wqfZZQZmQi2aSztJgSnfuEG5zpWvg4Yl
yxtXe6d26bGgo70LmfUKAtnwRWe4i0hP
FRkSQOtD666PiwdWpMANCzaC3fllZstE
khEJJSEBeZaj3OAxCgzNidlYCN1WdrQ
ewvVStl6GxGms8C3aQphiMoMwaYMXO3K
zvloaGxek6NRisBEUIKkM8UdU9N5bmYn
9TpefdXfhJ1bgovOujDvo0cycPvHTNeY

POSSIBLE SECRETS
vd5lczoeg9gY82TvyWngHoQKFpNC9gt0
ixlqsHFDPmeKY4bwdkSegalU4BLtdlOn
oskFp91e5pmXbfqncEKHUOJlooKh56jY
rXihwUdCpNalTwqC54bRxWTmSWKYNVr8
b9XzHrtU52kppUFx5howa5WHGE86laMftNEAtcnJuYi+uEVxQTZmNq8DYIFxWMDO
lt7hksMEFpJVhV2333OBclOPOVPW9bfy
WJ7E7dTZMlxqC9ofw7stZL7dYzOgEyn
poMRnmB7rAFaE3bMUxl6O2dxmVQ0Moe
zFpRfifZkCIQawK1FUSg1K3EtGdV6Nz
IDfTBPjSylvL4biEe7dLkbKSavqcQmadb
xEAmwUG5TGVzyoKH1PTTnmglSds6zi0t
Luabopmg5NHs5SoCXeHlBwAQFsLRvj0
wkCF1xtlBevCyUX610AjjpYT598Om9ct
RKsLS5q2cS0IRujCPj6xGulAakz8g2BG
iVBORw0KGgoAAAANSUUEugAAABAAAAAQCAAAAAf8/9hAAAAAXNSR0IArs4c6QAAAHJRjREFUOBfjYBjygBmHD0SA4puhchdxqMEpLayUAWn6BsSWOFXhkEDW7IxDDU5hkOYLQAyymWjNjFDjmID0bSCWB+lrQPwBiPGBx0DJeCD+B9JINUcWF9BtpygQYYYhG0lwGrGFwVugSU5AfByIVWGmDmMaAnyNFVTVvpwAAAAAEIFTkSuQmCC
MEXbvG7De7IT0m7kyXT3Vo2bjU5t0LAQ
qBp8iQwY5MoBhJy8uyiyd2Hnkft4tubm

POSSIBLE SECRETS
osH0FOpWNHuyeeWL1EivPlw0cJCzEheb
qDYnzfveQxKkK3O0opuqDthRtcgsED9a
PeTPZHvo27yatwpqTVmdimri9j8DCNS
bV5o7GaQth4ZZOPd4LFtWwXjKNVB8lua
G77t423Wv8U+IX+CBfR4k5CGTg8kBFUI+IsHI5zHfM8=
MNepmlV8OvsHi61EfIBswCx5NcPOIPrl
5vzP4JEpPTq7RU19xyhl907HqVflv1o1
cui6soXC5t9pmBntrzPEG0Dw30SNZqBf
calSGpe10AH6YV6oPZjsWkhcYoOFDSm8
JMyIsM6N3mQ5xBBSQQoIEFTakpln9APf
oStcn17TrhEMCT80qINsWqFBzeEgJkSk
xXjDpbk5Vvc7CvrBd08NYXaj46SIZN7q
mShHrd4Vu2jNkvRJUK8UrhhXjzgbGKI1
q1PjRK7gg6WFD8n4pAFO870HLaNmi7ir
E1ApzwVLRR4CngvpZefiRUryjBkpKTiq
lvkWoeS5LcA5RnG3xI5yLmU1spuVI7qW
i9Tkte0qzP2dvhcWyRZLUYoYUmQQFstK

POSSIBLE SECRETS
plO80Ik7YnGQvaXazMopbLlwOg8MB0TR
hN481n1w8mbA7LjoU4cE4SVESd3upNHM
60rX9qlLFkokv4JD1C8g9QKhync8N1Cu
aMiDNxLEmFtOjuqrXAq5lyKODggVFywu
gkbD2s1xpJQg4uStKBrjHXnqoYLvnFUr
amz9CZtibeJcU8bEqG7a4ZYgRNeZgxWk
C1cp7SniMnLQ2eyeNR7DTGSoW6Un2OTz
fHTA109Q3n4ulqEkzS0ATd3oS74QB5bj
XSEs4n2qx1UWE4ZqziVXK83aDtCG5axI
UJNVxnyD05Ff97smdNbQ52dPpWZWnGWu
hmgvtvPST3LKdfFpjmmFZYvFoylGtsiKE
yiSP4Q9AL7pZMBsKWJvcqboDvH4W4ekH
yXveppwLCP5eqnK3ndR9MGNfrhvwghUf
tDWcsuqYwEAdFujtzhVkOh2ka7NI4A0
so9HDpzw9NbS3t5s7rLQl2iaR2XAJ3iQ
wKnqjXSh8f61FKWyknAGi8xlXXoDdiLA
xBcWrb6s57BN1yke0uYkFqIH7aAgPEb

POSSIBLE SECRETS
DXH16eFILWYw0RtLAghDBKxBeg2exJb8qLqayb1oQwo=
47HB5bdSxtP74yDXUEGozfNjn4WOkRGN
Xl1Xq2FkjwcQfgB5bw70GFmYpaxAyyjl
MuXE9yewg4GnYpwcSobAkjsL3VeJsTJN
WikZ4UHmbJsePGJfUuOe0OgY6EWx9D8V
6Oneq6t5dYPIbDhRy7qxaYTJsizasisX
QAYpS6vLHXt9MUnC4alg5miPxTeCV04h
stwUo5SqMIMCevvnzS9Ivu5YLcfkOLDd
8b1nsz8L9hYpMQj9k3QW3WLnldrKItOm
SFeIEgnsWGvj7S3XoKkTI5wMpuch1G
NLZosIPt4DzrQXhRsvqwWEHVFOTX5bDJ
2JlvdJxfzc676EJF51BR6DiplsSASM3N
kCmdEzEHbLuzxIacOyabQp9NKin7bt2r
4VmeTfaP7iXdbh5q2O9S939ewelN7CTt
sxXavdrivd5JbbwFv9VJPSRnNTBEZ25u
1JQdIsQIbSDn6BLSr5BIwZm7GWHfhsN6
WUntfQVcja1qFzj09nDprclV6sl7IKs

POSSIBLE SECRETS
tqb6wmVqQGZxPylUtz2fkClx7Bf2Wilj
C0dwqHqzieRD4ga2tgMcAYqGi7lUqqmk
vQnjhTu4uDmsPPd6tCmWM2PRV3nZ7tVA
VmmYRwr0EoTUCeedPY4atWijqM07FMep
kIPqAM4BpBJNr6xIOjiQhoS6UO4TrOHS
kzcCp2wTfEGQm2KGuN32b5oIYABnQWPG
TWyum6rZOm61QmMcVNeRxxVtfflUfDC
sohFiklnBFgr2LMW5unaYXldoh7LpqJ4
5zJBssfwfWeqrXRnFZsUzQPBIx8wM7U1
3bsHplyd5cpBijoTJ4OMmefdCTR5gTxx
l427OjiZERII1pgFYs7VIJxglMuHqTWY
axXL5TnL0HBMXsVKsrA9GDOWQxSG9OY6
bWE7L7mx05VAedoWHlxxCG4hfzqVFx
F8bzMC9kGkJ5CLi2olbpsia5Bq7Sq0
1gkHVsehFegipbXpJD0YhFUDmEZYz3Bw
0XbQU4AacrxiEwxF12eBigHvj8
GsOQXWL80Wqi8CBj4PFxcrgidstVbv5Z

POSSIBLE SECRETS
o84FpHzEZxPflbBPVc3PyjBEasuCfO6c
0XKBrb3At6dwoT0wmD89VHK9vq2VdTUa
C44Ajl3kvJruV1G0pt7gVRuztfjSJyFq
Qgk2ZsNAH7VHvpqjGWkwA7oIVBmIpezg
3Wee1YLSMyRTxC38n8Qm6eLBL9IfF0GN
a3NvGU2CXdpQvxvcysdReyA6yUgKGJjf
Q7qi9RXitykg8APizUDlkxccyVnHWt3u
ziOTckvigWpUqNYWulExTvMWDfbz11Sq
yQl7wYGB6utTXxK398wXXYrAeYZNPLId
ET87P0AumYMcji6vyLu4qFXoEmTHeXod
gxAB8m8awSLzC5VQ45NFPzppUrTslZFp
fzNe8vrGdkAB7w8Spfiah9EVMbtgHYCD
klm6aBATY902pfwdRKxrpHOKjcym9ne5
HNVKE5hkEvipBMdeuLWXISQ07SgK2Jmi
sZUrtXRAji2vfBWWwphN9cenOJ8FQWpp
UNPhHDAhOEnfjuuNBPKCm76i9jIKW1r2
zIHtrJzxIsbAX2RcAusdDGuQeAmEyx5S

POSSIBLE SECRETS
al6ZIECO6LO12zMiuvYELaWNpYKDhozx
tN9YMGevxJBQbN1CuNoijuB9DRrwOltB
v6FRbmKBAKb4FwdlpHjrHHJWg4k1tULi
SLGuxMrf5R7JWBKvcRLC7wUDDVq2YQ4u
tEP4S10y6AtQbDA9ff3H424KLTnX0k7
kQTCJIS50BSCbahTVqCDmy8LW1L9RVvG
RtKJcmlp3WHhRmLDIsvrFFxbXoefOAJz
UwpbEbRNI9IMKeij6uSiSZky6ATbVFhh
Wsn1vJkw9zMZ1dClcpdhA48NRllsHibC
DN3PdRai96zSFxDytd4qNigxYecPuw8S
dnZnj0uYb7k8tLcQy7f3QyFduQrwjEiR
MSKIPe4okWTggpeViHGIBF3nlCraGBz9
Yd8bjyJazlom6Oxe2tnjIAjyfdSIHwWG
Wtk3PbCDBweHk5gehud8YCSUQvC6nwdT
v1ACOKrY4UH7FivMLirmPA2shyqDqR5U
VgUZ5KaBAYbzt3oMlew8EQ4BA2c
77MleEyOR9uHuiszCvhjWPNRz4PKDadz

POSSIBLE SECRETS
n6YHsZRNN9GNUdvk073uullmM353lxTZ
LX2NnyEsDXWEx3dFbPH8p7fzl1U1dTZ8
0MlfAaRYFlqcluCsT0Dbw6pT1oX0sCn1
aZlvEWsb8DNHwllatfYd47toXevBFNNm
Jf7te8MTt0xB0AnyTHSRJJahUuQs4RIN
mzuq9lDyRMMzUIblxWm25ivrGAnK4SRi
QQZqW8pW387BdDH3gcXSwYVoWAealxNz
0vjdyNO9qrz2Jf8Kt31GcmRDql8haFQB
5ylHflThOZnGyEtaFkstDkkPbeVs18fd
fnZh3TS8JAEktifjP4n7RBztgRvZoar8
3ccBwYNuPT2bbHKd70up9vlieZX79PEX
vBmFH1fuq9MEDYSajFcKFjMjxIndPyIT
zdcyHT7sTCB3al7NijFn52Vz5qRveBVU
hdV441LwjlNtZv1709qxFOpnny4fVUPp
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
Nj4TqS4QnuHXli7th2heksSDMg2Z
EqLnRIbAlvqb7JmhHHjyb9MWmtPppsRr

POSSIBLE SECRETS
J1px6UpWvF5yPqg1xQyBufR99iwwtdKC
0qAO2CVMQ14qnLtRtzyjuYZeLu4NiNP0
5sMQ3NVw4qAuaNcVNLKcvGJPjeyRgc94
4Dgc9JYMaZvt2hrxHtp57hAkjrlRZ5uW
z2LBMWL3UZ6mgEOfq1wT6wdWGhdUBaxY
mwC7eMAbLdHre0yQkkMBVztsNAF33a9m
Xi4zcaKQ0kTUusAVwfois8CGtwAhjWs7
Vzc9rcIkwZ9oA3QEo9fi0aCOPKhgVZjz
GTgJlrsu81UpuNTgSBbivcMs7zrnCeeB
CefcuhKyPhUbDvzsvxPUhaoMgi2Xy5FO
2xZTToEoCwsl8MeSQ9EIUdCBiuq4j6Lb
O4cx2PGKkzo9i5bvAJ72S2LPHrsLNif0
MOPRimalhpXtOf0evsEmKI44xylzjAWv
bd05r2lrBXgQHiU8zhW56DndFWzjq
9ju5liavVqCXLI9PRLJCuH215nhDnaAN
pjLm1ZauVMrHAqpQAI7gN0n14eRh7O52
Pqli68R1jGGut3mXcbdL9aII4ZRM

POSSIBLE SECRETS
iuSnr5mIAvkputnHCV42XmFxKij5KqRv
smnl8goxbtEXy2ari0oo94M5wBASj
JAo85nDeN7hM6ugSVwGhvUnreF2qbK1o
QLvP2fWr8scB6wxknOoMcrfxMusZtwX4
hfSsrwL4qnCDd3h6Kdz3LdbJUMkhTjAD
E1Se3PKWItYNI2w7Z0IUvGDZb88eKAvD
oNJ0dA1Zpt4CixMfeWT18n5RxX88Y0E3
JUan8YMmX5ogxIB6aq0dkHVIKOHTqFeF
9NOG2BA2dnIEqMWgY53wMXC47FXKBrl
cpHchmbIsy8QJlq5SMyv1Bjwv0Y4tWtv
yJwczGSbba5UrkwzZOW60Je1LUoZxQII
EHOXN3CdaNry4JqIO2ks6QCeQvbsrD6f
mOXymc7srnaPPj6rkYKERyI3NxuvjHfL
eaUsA8pmkvwqM9uF8kH4nQuKK9Zu7ymc
Hy3jtE4i4RZSyY9TIZC2h4MkAjfybT5F
KuCOx1ArmKJG2Js90Y8iwcXaowa3uSzZ
uXFtIpuRRgamX4n9Zkql1HjWorEkSQ7b

POSSIBLE SECRETS
8HR6gUBCIUOA9VGF2AqdEWeY5A09ChiZ
n6CgIEssquLp46jPM2UWfBhL1rINMjlc
TCZjzw6sPrB30puBliA7RO8MkqmMxMbX
JAkiPTeS8Sgp4wjMZ2cE1Xuhf0WoAHfE
zMwpak24Vgrta9nCJMzGQdczaD8NI08n
S34yOHPbjBOZXrhEKXqsFwPvtnd1qciy
8gq0YClbFfezV7VWazRrkmUo5lqHIAe0
A4NmupT0027YOOHOGvpFNaMrtY8CJ39o
qlBokwmGez00tGn8Zoa7EPfSBX4wk2nd
SsyQgLhJr8BA6K4Jeu0226NIXlotTSUK
8gkZjHnxCvZyg7TzwjjGeSdvls9L7Gam
toY9r3GQ2V7oewvjptOzxrS3bXTXc0RA
2tfSkouS8gaRHNRU7OMeTyiBrWH6VnUA
6SlcDzdssqL5L6jmaJN4q0YtRJ9ZiIN0
xyZ5KhWZZkOCw26QnbyRE89VYXYHkT38
vGS91cAAG7hMw0xriamqCYCKlpI1kVhb
pUfrmNID3jjwd3BaOF4VLqTdMmEyzhLC

POSSIBLE SECRETS
uwr3gwrpCwnsdPI6tcqzo06z5LPFYArK
NlbXOynBiooMG0S9J28EQxAtjZpLZjNW
sEQm6Nsu4XqoPKwwi3EdYrjfunZcOKFC
pY35d7af18sebuviuQ2bLCANBI7hHJuY
hSwONVQ9BwzgmNPK4tziO3X6uj4eQvsQ
oiToeohcscvINDKXEsytRf9HFldaQPXB
oVRoE2FdK0le1s2SfNlozg00Kc9sH4MP
qKKFep347IAmj8sue1lLg6VgEBnKG6W3
jfx4iKnVrCrKgYd9K0Ryokj5bMLL728G
m02wtPmjvn7xvEVIhglLVdsvYaekd1y1
iPGaCxtDoC1kQbSunDLBqq3asDJlWzdx
4N5luf2P5Kce0fziMzoENYJ9JUsEy4RG
N778iUAZTctb3pj5Cpi07oq2oMO9GnTO
aKhyH6I995l1LklLucgRLjj4pFFWcDrl
o0dN6TNbDPM1OFHwgByg4fes3ij5f0X
h8pfgUZIB4VhxmKVTbPlaDG6t2cnqOd2
AEnMZuqp98GVRFTkSbmwbA51QL

POSSIBLE SECRETS
Gmz7Ylt6vKXB0Kh33k2jAQykhT9FiqdN
9BgxiAbaVpMmFPJgyPUrG0VpyjL4diCu
IECj1aNSpXIXDwy92hzTd369PO3PVRtC
77NuOZxmpln29Otv7yNmBxSNaW0583gz
9imsVe3tjkVzhTosgYrmf1IKW7QE2MSM
y7mBVvZiAqPkicRJB5fzBa6x2fmSG8Hq
urCZ1k15svGSg9r6LMSBF5zX9epx6b4x
zjkPaZGeICZRQbBHOdPJm8zqRs5ofq42
OjtN7hHvLZrci2IMJuqCcc7lsxYWRGMj
I2tj7ud2NszgocKkHkmCIXbQ6vIHE0Sp
eUYQ7lhEg8fLvUIhXbZonIQsFkme40oK
KbGYZiX8Pduw0KfpYwrRe1NWFWC1OMxy
k6tMd5tlxlmCEJMQTJf7pwLJqfV91j3Q
iO76s31fXqFvOM0OYTRIEsGTJvkob6S9
kSz4FX5ZHsEkHeXGD1Cn3cbmsF2hLdtD
8rYwk9o7IGDDsMQbyUTj4ra1LUt9E6qX
75AaLozsvbqC7RPKNa9MBDOQqsQ1eQ5U

POSSIBLE SECRETS
32G65PTM58F7sQCdfpmp6BeZ89jlEc3c
hJNgcdrxKvM79jF48EqDHnrsGOCInbxU
ldbjEvhnHaVxGyPD7qN3mcBmJcGmTAqs
UKJjq974XMuOG6VE2UuXyW1KY5FjsZ
FYi9K2JmgPw1hqWSXD3EPgcEPQmLRiB
Jar4Zz8ck96tLH67JFbLbWmYESMeU49V
iogVWxzO6MdlKqT6F77t9UC3cqMLTkpE
qEZm9kPptvCV49j1bDgJYwonF92a
SAPoZVZ00ZwZwmL71sxtzrpJli3hly2X
SldEizz9oP1X0InrrFd2Zym6xF4ie8Hi
0uD1E8KeZOnBJibGqVh9DEewsO4i87jr
py7QobRXpH9AZVstdVJJOkElejHuBaN9
hV4gkZa6iTnBQtPHVFcfTHmR1bNEdnz
C1CZfaM4quGDJTOWU4x6KBGTC5pPu33J
ouMPsLdF8VOzsynXqmRiTnVq9sCULIEK
BSu1Ds7nymHwzPjWE4jzwGDd8JkRRJPQ
6PropUQXGZAV570tqu6sTLuUZZkOZmcy

POSSIBLE SECRETS
kj80Vw1IOC47iRluFhEDeBzKcKjW1m8D
HAXhrl7a7PCZ9u3oTFWkwwhVB4A5
1xdZaIBKHwxaXIFBCUT9GXbMegb8IQts
h6cBxdrGRvPICzB6Kk67A24HS1YQyhML
xZfMamQuDxA6bTypucZ197RYNE4mvlcN
1uDei3qzNnKNtNYr8Y2Djp0HGajvtEV5
CFHt0yNdC2PEY9oUs7GHhr9LuJSrb6a
HeTTodjeOHNf6YJV3Oi2xZW4zDR7myJi
InKISHHeiiV2wTMqAgm3Jfjv4MluVQTY
Prja9buVBy0glhaqAx1SHba3MELDXzIR
C9gBfAnfslWjb6MmPGjedCbgsvPnDQHc
Qixa92rp7KQSHPhBld3L5m9SXc6gxNRP
I9K2sHUvqtNZm1Rj9xJMtQcmEPzsJytW
NBArrZMeyPwcwZbguPm4zDdVfStRBHKE
TpWxEHvEZyAqJcOvGEooXr2tQ3t7MLKT
1GcTjvefwXiEODDnEjfMRtb0cPUGIX75
vVWBcEJQjEsfNalmzVe1r7miASaPIW1B

POSSIBLE SECRETS
RvmLzAjUPGIONaTchxcxVzTcBBQZgw7Y
j4JmDL8bElApoe2AoNbHhKsqdvNkVwQT
RgCUIJnwcO1OfAmeWTYuRnXZni57XYFD
wWoQGnRDm0PwXBgVQ4qITNDkBBZwoYVj
DeawL9PzUIIDumNdtXISYTaSpfy6P3Cj
Kv65PDKGzQbP8opzJD3T0Bs4qFkMuEvW
s7h49TBBG9Upv5zOzLPi805BwVxtpEdY
MpkqXegYf54bz8gSrJrjZ1BXYdnwAcLG
e6V6RqcsweZ5TPTb9FgQuQ0pryALZ0j5
I6DCOVwnZaQMuPJJN9SXx5QHr45WFHuE
eRZf21luPciybvl5gLffDWdEin7TzD8T
UTo8fMhBtcAYVBkj97ZdrNE79DqyVdeE
W94yXwDUFyNDAMV4dQ9gRwTb9HKmhar0
uu1yNZ48dLzKD2dAjoihYwXYoxLcRzCz
8J9Kjrdi7zCHtnCCZzRPzmuoDEsoDeEL
ikuxhPNUokluk07GzS0qL2IBF7JsSDB6
G62o5XZ8JRlbj2NUyH9KkdSeUCUXeXTA

POSSIBLE SECRETS
AqiFfSJaVcvWeekshHh0ldvtL31lvyuj
3tKYH9ijUylyPmbH9Trftcv4NWgUsp5b
IXepHslf415JArxV8sfEK4fqkdDxnDOZ
YnWTxT53I9VC0eKuEFoji1GxqSMOrSIM
QPajxPBXawZguZvlACdyFqOYUKJhGG1P
XOFwSchhjWWz78nEYYkf12AsjhBhdKRi
8bdUvaky5WHdDfvtqwXLakhjtGg6hs0c
23Thg1fStvZGySLsE7bFCmDmP0GXJhTR
u0FGaDlimXxXG0l3UqPLAtx16Sc8Y059
S6ePTdxfkK6c7yhvbHMQjZqIgQsLDz3QO
PUk6Ycp3lyZuDM2vxECINB7s
cx0ufmmqihH41YoN2BlvmgQC03N5OWKz
xx3SSYxbJNPipDYr1BHpxDm7lAtLM5T8
0gfrwT7HQoixTXE6fbcieZWPZxWYDLvm
y0WyytXakCt9dcKCWCePMiqFSD1TGdmN
6CjO7LbqJIONUadrRHmx0RuGBypxStir
oqNyJxLxp23hnAfKGRpFUMlaCTnSy4au

POSSIBLE SECRETS
R3GeLkF45fmp7DtCtFYf0NMS1ko1sZ3Y
gRg4fCi0LCTpnQrV3PsNly90ZesL/QRa6YWri3+gAi7rRcznZqsXWOYXHOMcY7vO
hSLXxwS3ED2PXa4HWxT5O8AkoZWeLCaL
fnDzwAhU6GMUs0cCq2fTQuWEzv5lBjki
9KvTRZ4e8scFY8lRtC8ize1aHWfIVCyu
XY5JZk6rXZ0NPH7SICFbrzLAUaQN4bdH
JZnOfrviSGR8gsT1IR6uUEQvndglfTI5
iGXlqhzzj4re98AW13mRmUxQt0ip7heY
eFrFuMkSf6MHcof7LOi6YZLIlbM352nj
sOAhAPVwmiqriGnbgM61Uai8ITIqh97W
Whp7rDnlG0MZliYb9hz51Us4d
PPqjaOYWzYRlppBEr7ot7ueRFIAfsGXr
vzkDrAxp6TV0asAVFNpHo5ff03W8L4C
GuqAlZnTPhAypqf6xpABukX78gW1eK
yHVImQtB2njQla6Uhu5u0J3QDrhoWJXT
FYT6FJfE388FncoeBbUW5LDH7Ti6Kpnc
7VyM9GgXJuu8YzSYQI3HrMroeBYRJajD

POSSIBLE SECRETS
kSelswvDf1EbxUzrii1mBr6dHJR0d4zj
vKvp49qN2fZ5TwJRBpfaEcKI4xZFQEWJ
rlsHXzRCfeM7omVYo9FzTVqRdgDeQr7y
aAsnKYirvcv97dya3O8NjUmjHgDgPMP0
iMRb6IH7bzEtCSJD4TfZYArDATXy6kqw
7DjUWPQBmfUfGNRSVIZnb128L2jCTSEC
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
Uy0CZyDaBZXejSQ63Y80hAJR5wsAeIR7
Bw29gSSAA0erG37CQVEqOkFPeCj6ZZr8
30bRwlya64cDsyZ9K4ZP4bQrXzvpCneG
sEif2eB2MLrj2k4lXiRDbZReHYojKwJL
XoeGOYiSv0w2M1U1qXC2kK0WxpTFbq6C
VGea8qk0EPS8OqQ4obSD5aeRITRdn39K
jY1Ixb6DMe9BpV8yAbg842YJP45AQ2Eb
j1xG2z3v9jq0UO66H2WqYNbpkILAu6IG
gwTEk6Fa0GjLNEZ2sqovA8E7SRT86ppt
fzusVvXWPget8SSdASQ7tAMFHi8p37he

POSSIBLE SECRETS
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
rkbwsxy0OcV7GrP7ELmdkRDeQR2uGuGh
bzy96m6ZRNxMDmYlQEfFnOCqhh49XGXp
puFnwNxTYtdaaLd9gUGAITVzIEShK4ZY
Ec3vTQmgAcMNirmUvkhwoL1JefVS29Et
EkRuVLWI2MkZHilEOJmpUJfRXNZZ35jr
rjU0a8GNBirc6jTbd1zls9BaAu9jQLsR
QRrQz6m9v7aBhecCWxUXgpf0lUmjlya0
HNBMfcg7Bwld4TPuQ9QkuhinF76Nerqg
yGvyB2PslOlGSHN7xWAdlyeKrkUuSj
ol3MR5ayifXszMqJK7WjfrE4Lr8bJhi8
GuFHMY1Ngi3Kc2EkthYzFCwamVcTYP
7yjp0zMcRreZgWUPzTirOlbpECU1qPL
hEO5MspmQwWZDjfO9hYkGtE8t8ljCUN
srtP07Djk9aYu1B8NyoR8EE0j7RhN7X5
84098ee7ef8622a9defc2ef043cd8930b617b10e-
SU7Qb1lCkxq5LQRUjQdAnOKVI0Elt9iK

POSSIBLE SECRETS
Xz3O4WRluCzLKbQHyaIDpuywePn7
DmLMY21jiUoRuKIWConaRVpMyfqBnv90
BTAVkHunqM91yRRN2KcoYuZCergWfboL
q8Ij3S8YGVBTsjL9xOb8znK6VKYJyoeN
okWwdNSxMQpYeQbiZnCLiGxFx7BKew9
iVCyimFGxTrkRtFibV9levDJM5ZeLgZu
H8yQ2FZGH97VM0iLZGupvWVfM60nEcr
UFa447OZZwRnjgAwYt6DCIQRKKYck
3eQHzzddeWPmYl0bNsvnb2WjxREMTE8a
oiVBLQsg82rzAXMmQswhUJYEb9MEhzaa
08OFOgjSb41ktoPQP1wiTHuWkUblsKHS
EjpOJg3XytBiyqa9xlkDMYbHzsrKCWwv
b7yxm3cRAk17Eqj8H4F2BjoUql6
2BZHbySyGqLzqR4K5b7TQMpiAd64K
HSkcF60AiAyYjizD2I8vljqhfibhLk4F
41BFLxMtpa8zSeOoPh8lyezFWRN0z1Os
eY5LtUfPqkDg74OjVCyNIMIM5clj8vGG

POSSIBLE SECRETS
Llt45BVzQE0ISVvxtilRjadurhGFSSrG
oIS3LUWJBkP0D1bim3OID749wsN9UxnV
2xISKY0hJDtdJSu4Q6jXzE3xpGdbyGij
DNKcGXijWm6BAbsHYB9tjVHVwOJf9ZE7
g7uXplwsYCOjvlzf4Zz9qpIJQO82wATZ
vjl2zY43b2ds9JJYxQSrl76cEpLCeEgS
GrB7rajKFFs9kqGoJu059MGrbQoaWMXN8wftnS9PR9E=
zrgyUuiGmn5ero9isYcfajoNViVI9QPH
q9Pm9O4XheyxpjllaV85netzFUNpUTJ1
49lvjFCSRSvhrewf7IAXf1OPFzRU50IL
BogmwpJuEiSgKohE6B9VLJkKNQC2pxlX
gyYiWp0aVpa2EpLIT9J28do7UtlziSMd
HQVmgybyrjUxxUX8qS7NrtU2O4wmu9TG
oVaFSOpmfGo5v5TJJzCIDpDAWRdHWsbi
0BfqaNpqjs7ROgqNLFdYFDMF2kIE2JVI
JD8RnvPxGeaTxsc34jN0O6vhnDfoaLvm
nxo01JuHYgldSih3CNMvKr0vsuD4ByKM

POSSIBLE SECRETS
3xCBACovNHKuv2JvT7we0utPzpikn
viGaH6ErnKztM5tSpUcz87FTndzVVCsd
gegEjgEL8kfybdRvZS3nVx2Pjrbaxz
ZnYv6Dz0eliuCYzsHLE25vrPvm9Ysg64
n5EonvV2d0ynVphuWifrU3PhJk0DBM6W
uRN5Zlx2bfjM01c7Y9BPpyYrHffBp2Tpl
bKq2dxkRCeugdKx9Xa6GvrcP2g1fh08B
dsOpW9WfLYJghusiq4Ru5jQxxgYMnVUV
wZfQ+wDgR9loosBg1su/yp7pQRnlrEzLYNBZbby3s7Z70mOof0UhZ+SwlYLolxzT
4CnifSrgKpd7e7K0x8WvikfErouhzSPT
qXEMgnv7Ct425l7ln8PWxhOPFYvbEYpB
slYCg9imVkQl2lB5irC0agqTwBjTAdyw
VYMBA8uabkegiq2fUHtiV8r4OY0PGXOy
AuzesFDqytnerPl8cSxQvwaSTNgSXgGN
oPtBq8V8zceab2K03f0YSkruz1vfGvQp
RwmcRua1hejs2s0vOAX6lsL4rGT6f6
68BFtnvNUVid3aPwudNpvlsh4Gz74lHo

POSSIBLE SECRETS
tg7t9oBRXzMr4c01fdl6E0npLzJKU9lY
fv9GP7qfSE7s2d8LbAJl64CqhFUEl5ze
qAaaebg9ykXfaLqjorYlc7xVhlpk8
A1O8dvsw8NjieGbBncMIJ1M47KAaXmaM
R3lU2DY6GPkOKTyjngiZTwzyGAILDPw1
7rYOvQpYviXrBnOHlwWo10NGfxdLsgiT
3AW52F1sopS3WF7CLvtUPS7egllfmwo6
zLY8KEVp0MgNhcadjz3HGMWIKnjSbq4p
WRFzwzYh2MAqPiUxzG9bo2kJfp2KHcHO
T8hiTRn5Amgadg81lccjSSIUWb1StHzV
vjRgY08J1B3TNMsxRteKWvE9VDogNaKh
vdpx440NSg8M4CnGdydtu5qQkftaFl81
xZmsCngT77DU5lblEiekqTVKPqNdsast
7krTPzdKMYjdejqNC8FU3CrmbwWia7OA
5iURk91XNbuPvrjWt8OL2zSUhjl2Moa0
L0AwLnMzpUVZw0eA5xJMrWaPTFyNZJ4l
L6JKyztUTZrhaC2oSi2AGhNMneOalgfU

POSSIBLE SECRETS
QKSLI2et0ddSkJpCy6yOqBE4Y3BrEDug
NYL1YQCqU8Gixm3Jp8vD7a2pRPzJmUnW
QUCZbzbNkPS245Tw8RYBskyGMjuP2pyB
dxYBmhUa98SUIpbIHx6MiqZ5bWUPty4B
oyZJZuVgjRVelXKioVrHS7OTGib3SAbN
HbWJiF6R60B06srsOI5ot4Pv3KsUxfPN
xAVvuzXwzMicNclETZjP5vM2paYATPUF
InQCvX9bMvCeYEwlTxFUxsBs8sRyWh3b
7ET4ZuKdeEmot2qkcvXky1glDqYIXUUX
BPS7NXJzE3eQ4STyzWDaFmaROpCtx1Hv
sG0ZW8iA9FhuxyrPPxk32ZMKyd5lpxxl
vBzt6OuEytEA3fr2a70IMY3R4BM3PC0Z
UAfRYX1IJYK1F4gMurnkVir00q2Lzr
ZP1sAESULwb937k6ya35I8qp57tsUFN9
HWTvO3PtXP9N2f8hjjNBE5ELyu96O7C2
dejWMVKCsRHbrwAIECa6aRABNrvRLL1
2xsSJQdmJTzWNBkVklPVv70adF3crTtp

POSSIBLE SECRETS
N6xF9rR52YV8YEOBA61RWKACjwLFpOal
TVYpI9shQgf8MMEfvFWnKjXtFk1mYiaB
kcuGN1IunmBh6z5P1vsNJWvgiUTpOK0Q
cHYfBDGIswlwoHTG9sXOPVtnQq4RISw
dfpT2dt5bGn60gbEA6wBEIGJneIfVZr3
f8ToU2BaHxZg9tVTog2hKPYEgQcC6j0M
GAv6eBsy68sSiadtgyjEU9bIJSusD372
3ZYb8Y0gA5eZQJbeDVtSAHPMCBzrwI9S
C0WlebzzG6zXoAefXyktNQnJ7qo9T71d
aROWSCJTZ7USEA9NykDAgKPqU9Hz2yMC
wlCfUq6cRqM8QSRmplxw59Ia3C0B28Gh
mvWErpvjRXL0vWcjCyiUNQO7TD5zouZh
BWOi5Qn34m6VEGTMmYfzcDYeX0GTjOOy
UVmnaLPTsQqsAUFvP4I9eFVdZ5Bnbi11
ijbAvzjhUKagc28VCQirSaMofa9qCEHE
0p8mXLPxFyBv4phdqx8YrWMD1W9nJbZf
GZEwoN9rtJ465FcmqPyyqAeRDOWtpu

POSSIBLE SECRETS
ionJv1BxfCrQS8AxzLJ8Tcnsr6gm7Nx1
Fq26Ssz9KPDLeFZDGni0zECOafhdUI8
hfx8x2hkXgqx19RSFkkqiaOe1zMy03Qo
PC7XIFFDC47aQsnqlkxNyje9RjvajdFU
hGcHjrCi226kocD9vKzS9HyQAF0ZqssA
mCnVL7G0HMRU3KziMebPW175T1XCPvkW
IRr9cxFu4Mtz1eOchhtcqFpk7Zjv6sDY
8GF4DU4RrtKBXIYvExHV9F2Nh74lSozH
WVTy90LHtMArj1Mx15Navn95RKOGxxfC
qwcYbvbtcilQlsge07t8jnpQbFFEGYRzL
oA8yODG3hMHEtxJpNaiPqvWS7JkBcEtN
EsjYGwS5VmRo2OpDKfhEPxAAYWa
vLAqNnzKqKgbXCY8NZfbbPBhHyGRm9s6
zTzAUiYM1BrQqeObFTyCKDEgqKKR2HVC
gi3GLNiiWCAwlyNF5UJWvDNIEZ56BupW
jF3DEBpuUmaMt5XqjGdbc3EKLhdJIOP
3TYgkAWbljP9kMvunjR7VwfmqgOZ7ZQ4

POSSIBLE SECRETS
I35BhcLqTpkfPgrTHobWQpDf1vW4Njv0
FY51T4e3CIDMofRfjaJn97HmoXO
fdIaRasDBQ3mzQVC7YD5nGkHZZAmQvnJ
MI9Qgu3DLJEhAVMYvCD1k2vZQtwOfhBB
OXbCEMjwdPN5xvU2NT0kKgep5UeL1Sqr
WpvUEDFnYdSXMC7RGajnlQQN5IPpeUoV
GijrUN633WOPM1ihGB7sVJQ0vA2mo6CS
FiLUZy/XwdzoXuv+wZ8fpBUMomrb2qDVGXE0AhvrFclxf2680Tj+s03XL4ZGGGoFK
t0eJ9CzsilrQTJZ3mBY5uHdLOToWpPD0
CXapLAnRFGrCkV6tyGgZCOTEzfo7Q4K
wUbbbcGamjazB6O7sNKIV2Due1EGN4h1
QdpFkvZSEeJoLmtyZ134AKJ6ilUqyZiN
0BaBrbX1x0DXsftKwoONmcZPElrNX48m
B4eB5pbJ0Ea0X4wV3enRun3SeiDmty6A
LjJXLz5e9h3DI08dt7Kr5SwlnwXqLWiO
Exhg7LXLw6HgSAmcccR052cOKtX3WF
C8cbl0pwE6ZZZ2iTCRq9FxmEdJv9Xwky

POSSIBLE SECRETS
ysNu2iSNdHb4xYvZfrlytLXNdw8tKICg
jjreqFAWfQsm2UIBXjWleQZy51A8w9r3
awYt8cnKxKdhDKlItvFTiUYUED9yM0q1
AEs2mSbxTVyMZvMH4XIDgcN9VznTkYzp
EzPEwBDGhSnYyJadD6vqsk9WPI8azgQD
fltgrykYfXnNqjhr9xK6GfD4mEN43S7J
MpMZeZ7xc490HXAXJonG5r1KTyiloUHH
dTiKD7UwUCw1SvcKYJrEphBgoR9CLtC
XheyHWRN6othIFLpaes4AkwCM0c9DMBL
ANdg3I4IQyBwkyTt5qvPCa1rPpcvpPK0
JKuYCHjaj2TXENBLxEiyXLq9QhlooG47
BhxrOivCOMjMD1hwED78TbVHZR3oyoMb
uktgRDQdtpFh8EbCos18fWUkW81B3r6L
bpJJfE2YFyKMkHQAe1RRYLnXzBpXgwbsl
rscTiGR64sMWrr7IEiXLU0M2EjoTwZILg
4wWFQkJlgDUDxvhbLoyjDEJLfIHbXKXA
L1yeHoCGmaJe3p3nUxagVjwy9TYWwsRI

POSSIBLE SECRETS
1NHCH4JBFBof5f68cVI8q6XKp7AQPh
Xs3p10eLQltfrtGuZ9I87GBEYIMhEDM2
yYJ6SOT3uDfYj2TBTti7WWfRsn28EaA0
aoyUT4m5l2MLf3LhSWprSpj54sdxW1uC
sJFPBoXBMcAwH7zCTBg0tDpz8XLZJTWR
pYVE6LchgLxW1usH7NIdAbU6pOe1lyyx
x0jdU4oJLyfE062EEYIQTVcdLSkaU5Sb
uWIM2d1CCrIfar3HOPPYeFU5881RH0
qWUfrjWL8adA9tG6bFG21ciodwCrSrmB
3FYeVZ4P9Hva0brxRfDXnSutu97odoaf
uWft37UVBdA9eGMxe0FCLaB7SA4moHLj
LdgR80foYK7ntQpYvL7rAZHaf8ikiVBs
VwcsjLhlZd9l2ct9XMdPqerwWVhD9SnY
kel/WTUFttZVEFo0c79yp61JugW4yicQRy1hbDIEKZQ=
KhrHqa8env5LHobs7dTfjp4HGZPf1i5f
QJQdkpg5cmGOeaue26HVF3aLtsB2qwfM
4KTBK77LN1KTDos5IeArWQYcubpfVnIF

POSSIBLE SECRETS
AHHv9bxqSkNUIoMvXtOCQ0ItP2yQ7
ePkGYIfh56SCQIxOGTOw2FZrMqM6oOvD
V0B6GAr2PKDbDxhNZksh7AEMCKFKekNi
BX9HD2aywQJTDQtUbY1GrFeREy6of4gh
1QSggKSi3jrfAw1MbHCsavUz8mNGSj1M
dHmVS3H0BU3wKh61b1vafqfwBkkFzpTO
0NxvrnR7UZDHrBy4xVhLU5lsqzWJ5R3x
lw6F7y1SoSoTAEcdzLyYaN1xEC1Q2oWX
apiAoBnIaWOp8nG5E1dZaMbzfZqR1u59
4fHxCa0vWIAizdOtLSYViH6HX8wZM136
z2uzga85Ski18P7nLebJhENF02V63SxL
O5+EI9qd857uJNhBPBY+hYh5U8lug4S2akyjrXXZBPw=
uwRNkM0YCJHsxjIKfLrY7glxnVUeA5do
gVUv49X3C1I0CRHiCQrxKc2j3pZm33W
GLZoSVJacutm5kj9CSmVpuybEaBnhneX
Xd8Hzn34smT7X798Wj1HPKCywQ0V
WIY3Unb14PjE3ayNyWd6XWPIVw0Az9uS

POSSIBLE SECRETS
uUcAhhBnqDd9NemnY1mmV8635HbWlwRZ
1fAm0Qu4GTtFv02w82npEu9QoUOkP81a
MAH4q6CsALUjtSr7ZeRTo0JQtTwrXFy
bNPYwAoDtIBZoouGwtv5ypJQZ6qsxo2X
MYUg0L4zDuLwpF69sKnSAkLFZGAyisTY
1PxOfa9BsFICUZKt15VhEMgvVyvUPrjN
IkIFRXjqHO02dLIffjk5MunT6DW2lX4u
YmZygv2VfDGVkOFuuIE9CAITaRVNY9b1
gpIVcqUVkpQz0S61taD9WNDesiV6owqmq
xnB3F8eRzgUElZjXVWbAPi1tu19rGp71
UZtf95QrnlyEi2GPPmv3pYGFcGVBr3II
EEOdRs0yxrMLewCcdIWj6UoX1OR7WiBI
soaxh0FZrqdNmpGhIM75NEwupCBAn2wQ
awSLBYFe7Md8cHgboMT9P3Pgh1wlsZGE
Reipc3PbxUqE4G7HYurM4m8tamMVkuwl
r8ye64eLoQHeOJVpmB1uxWw1zCCHhuzX
b3XBP5juEUhRB0eBqHayBxF2ov8DVqZh

 SCAN LOGS

Timestamp	Event	Error
2026-07-11 22:28:31	Generating Hashes	OK
2026-07-11 22:28:31	Extracting APK	OK
2026-07-11 22:28:31	Unzipping	OK
2026-07-11 22:28:32	Parsing APK with androguard	OK
2026-07-11 22:28:33	Extracting APK features using aapt/aapt2	OK
2026-07-11 22:28:34	Getting Hardcoded Certificates/Keystores	OK
2026-07-11 22:28:38	Parsing AndroidManifest.xml	OK
2026-07-11 22:28:39	Extracting Manifest Data	OK
2026-07-11 22:28:39	Manifest Analysis Started	OK
2026-07-11 22:28:39	Performing Static Analysis on: IPTV Smarters Pro (com.nst.iptvsmarterstvbox)	OK

2026-07-11 22:28:39	Fetching Details from Play Store: com.nst.iptvsmarterstvbox	OK
2026-07-11 22:28:40	Checking for Malware Permissions	OK
2026-07-11 22:28:40	Fetching icon path	OK
2026-07-11 22:28:40	Library Binary Analysis Started	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/mips/librtmp-jni.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/mips/librealm-jni.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libovpnexec.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libijkplayer.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libijkffmpeg.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libovpn3.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/librtmp-jni.so	OK

2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libgav1JNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libovpnutil.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libffmpegJNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libsslspedtest.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libijksdl.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libjbcrypto.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libopenvpn.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/librealm-jni.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libflacJNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libopusV2JNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libvp8.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/armeabi-v7a/libvp8V2JNI.so	OK

2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libovpnexec.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libijkplayer.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libijkffmpeg.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libovpn3.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/librtmp-jni.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libgav1JNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libovpnutil.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libffmpegJNI.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libosslspeedtest.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libijkSDL.so	OK
2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libjbcrypto.so	OK

2026-07-11 22:28:40	Analyzing apktool_out/lib/x86/libopenvpn.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86/librealm-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86/libflacJNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86/libopusV2JNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86/libvpx.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86/libvpxV2JNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libovpnexec.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libijkplayer.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libijkffmpeg.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libovpn3.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/librtmp-jni.so	OK

2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libgav1JNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libovpnutil.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libffmjpegJNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/liboslspeedtest.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libijksdl.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libjbcrypto.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libopenvpn.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/librealm-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libflacJNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libopusV2JNI.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libvpx.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/arm64-v8a/libvpxV2JNI.so	OK

2026-07-11 22:28:41	Analyzing apktool_out/lib/armeabi/libijkplayer.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/armeabi/libijkffmpeg.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/armeabi/librtmp-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/armeabi/libijkSDL.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/mips64/librtmp-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libovpnexec.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libijkplayer.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libijkffmpeg.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libovpn3.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/librtmp-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libgav1JNI.so	OK

2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libovpnutil.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libffmpegni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libosslspeedtest.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libijksdl.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libjbcrypto.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libopenvpn.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/librealm-jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libflacjni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libopusV2jni.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libvpx.so	OK
2026-07-11 22:28:41	Analyzing apktool_out/lib/x86_64/libvpxV2jni.so	OK
2026-07-11 22:28:41	Analyzing lib/mips/librtmp-jni.so	OK

2026-07-11 22:28:41	Analyzing lib/mips/librealm-jni.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libovpnexec.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libijkplayer.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libijkffmpeg.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libovpn3.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/librtmp-jni.so	OK
2026-07-11 22:28:41	Analyzing lib/armeabi-v7a/libgav1JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libovpnutil.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libffmpegJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libosslspeedtest.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libijkSDL.so	OK

2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libjbcrypto.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libopenvpn.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/librealm-jni.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libflacJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libopusV2JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libvpx.so	OK
2026-07-11 22:28:42	Analyzing lib/armeabi-v7a/libvpxV2JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libovpnexec.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libijkplayer.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libijkffmpeg.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libovpn3.so	OK

2026-07-11 22:28:42	Analyzing lib/x86/librtmp-jni.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libgav1JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libovpnutil.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libffmpegJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libosslspeedtest.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libjksdl.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libjbcrypto.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libopenvpn.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/librealm-jni.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libflacJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libopusV2JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/x86/libvpx.so	OK

2026-07-11 22:28:42	Analyzing lib/x86/libvpxV2JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libovpnexec.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libijkplayer.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libijkffmpeg.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libovpn3.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/librtmp-jni.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libgav1JNI.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libovpnutil.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libffmpegJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libosslspeedtest.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libijksdl.so	OK

2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libcrypto.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libopenvpn.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/librealm-jni.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libflacJNI.so	OK
2026-07-11 22:28:42	Analyzing lib/arm64-v8a/libopusV2JNI.so	OK
2026-07-11 22:28:43	Analyzing lib/arm64-v8a/libvpx.so	OK
2026-07-11 22:28:43	Analyzing lib/arm64-v8a/libvpxV2JNI.so	OK
2026-07-11 22:28:43	Analyzing lib/armeabi/libijkplayer.so	OK
2026-07-11 22:28:43	Analyzing lib/armeabi/libijkffmpeg.so	OK
2026-07-11 22:28:43	Analyzing lib/armeabi/librtmp-jni.so	OK
2026-07-11 22:28:43	Analyzing lib/armeabi/libijkSDL.so	OK
2026-07-11 22:28:43	Analyzing lib/mips64/librtmp-jni.so	OK

2026-07-11 22:28:43	Analyzing lib/x86_64/libpl_droidsonroids_gif.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libovpnexec.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libijkplayer.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libijkffmpeg.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libovpn3.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/librtmp-jni.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libgav1JNI.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libovpnutil.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libffmpegJNI.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libosslspeedtest.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libijkSDL.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libjbcrypto.so	OK

2026-07-11 22:28:43	Analyzing lib/x86_64/libopenvpn.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/librealm-jni.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libflacJNI.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libopusV2JNI.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libvpx.so	OK
2026-07-11 22:28:43	Analyzing lib/x86_64/libvpxV2JNI.so	OK
2026-07-11 22:28:43	Reading Code Signing Certificate	OK
2026-07-11 22:28:44	Running APKiD 3.1.0	OK
2026-07-11 22:28:51	Detecting Trackers	OK
2026-07-11 22:28:52	Decompiling APK to Java with JADX	OK
2026-07-11 22:29:24	Converting DEX to Smali	OK
2026-07-11 22:29:24	Code Analysis Started on - java_source	OK

2026-07-11 22:29:27	Android SBOM Analysis Completed	OK
2026-07-11 22:29:31	Android SAST Completed	OK
2026-07-11 22:29:31	Android API Analysis Started	OK
2026-07-11 22:29:33	Android API Analysis Completed	OK
2026-07-11 22:29:33	Android Permission Mapping Started	OK
2026-07-11 22:29:36	Android Permission Mapping Completed	OK
2026-07-11 22:29:36	Android Behaviour Analysis Started	OK
2026-07-11 22:29:40	Android Behaviour Analysis Completed	OK
2026-07-11 22:29:40	Extracting Emails and URLs from Source Code	OK
2026-07-11 22:29:44	Email and URL Extraction Completed	OK
2026-07-11 22:29:44	Extracting String data from APK	OK
2026-07-11 22:29:45	Extracting String data from SO	OK

2026-07-11 22:29:47	Extracting String data from Code	OK
2026-07-11 22:29:47	Extracting String values and entropies from Code	OK
2026-07-11 22:29:49	Performing Malware check on extracted domains	OK
2026-07-11 22:30:01	Saving to Database	OK

Report Generated by - MobSF v4.5.1

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).