

## Tables (16)

Name	Type	Schema
<b>articulos_boleta</b>		CREATE TABLE "articulos_boleta" ("id_boleta" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "fecha" datetime NOT NULL, "total" bigint NOT NULL, "usuario_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id_boleta	integer	"id_boleta" integer NOT NULL
fecha	datetime	"fecha" datetime NOT NULL
total	bigint	"total" bigint NOT NULL
usuario_id	integer	"usuario_id" integer NOT NULL
<b>articulos_detalleboleta</b>		CREATE TABLE "articulos_detalleboleta" ("id_detalle_boleta" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "cantidad" integer NOT NULL, "subtotal" bigint NOT NULL, "id_boleta_id" integer NOT NULL REFERENCES "articulos_boleta" ("id_boleta") DEFERRABLE INITIALLY DEFERRED, "id_producto_id" integer NOT NULL REFERENCES "articulos_producto" ("productoId") DEFERRABLE INITIALLY DEFERRED)
id_detalle_boleta	integer	"id_detalle_boleta" integer NOT NULL
cantidad	integer	"cantidad" integer NOT NULL
subtotal	bigint	"subtotal" bigint NOT NULL
id_boleta_id	integer	"id_boleta_id" integer NOT NULL
id_producto_id	integer	"id_producto_id" integer NOT NULL
<b>articulos_marca</b>		CREATE TABLE "articulos_marca" ("idMarca" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombreMarca" varchar(50) NOT NULL)
idMarca	integer	"idMarca" integer NOT NULL
nombreMarca	varchar(50)	"nombreMarca" varchar(50) NOT NULL
<b>articulos_producto</b>		CREATE TABLE "articulos_producto" ("productoId" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "nombre" varchar(50) NOT NULL, "imagen" varchar(100) NULL, "precio" integer NULL, "stock" integer unsigned NOT NULL CHECK ("stock" >= 0), "nombreMarca_id" integer NOT NULL REFERENCES "articulos_marca" ("idMarca") DEFERRABLE INITIALLY DEFERRED)
productoId	integer	"productoId" integer NOT NULL
nombre	varchar(50)	"nombre" varchar(50) NOT NULL
imagen	varchar(100)	"imagen" varchar(100)
precio	integer	"precio" integer
stock	integer unsigned	"stock" integer unsigned NOT NULL CHECK("stock" >= 0)
nombreMarca_id	integer	"nombreMarca_id" integer NOT NULL
<b>auth_group</b>		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
<b>auth_group_permissions</b>		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY

Name	Type	Schema
		AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>auth_permission</b>		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
<b>auth_user</b>		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
<b>auth_user_groups</b>		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
<b>auth_user_user_permissions</b>		CREATE TABLE

Name	Type	Schema
		"auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>cuentas_userprofile</b>		CREATE TABLE "cuentas_userprofile" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "role" varchar(20) NOT NULL, "user_id" integer NOT NULL UNIQUE REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
role	varchar(20)	"role" varchar(20) NOT NULL
user_id	integer	"user_id" integer NOT NULL UNIQUE
<b>django_admin_log</b>		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
<b>django_content_type</b>		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
<b>django_migrations</b>		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL

Name	Type	Schema
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
<b>django_session</b>		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

## Indices (19)

Name	Type	Schema
<b>articulos_boleta_usuario_id_dced914c</b>		CREATE INDEX "articulos_boleta_usuario_id_dced914c" ON "articulos_boleta" ("usuario_id")
usuario_id		"usuario_id"
<b>articulos_detalleboleta_id_boleta_id_4b4fa262</b>		CREATE INDEX "articulos_detalleboleta_id_boleta_id_4b4fa262" ON "articulos_detalleboleta" ("id_boleta_id")
id_boleta_id		"id_boleta_id"
<b>articulos_detalleboleta_id_producto_id_5d8515db</b>		CREATE INDEX "articulos_detalleboleta_id_producto_id_5d8515db" ON "articulos_detalleboleta" ("id_producto_id")
id_producto_id		"id_producto_id"
<b>articulos_producto_nombreMarca_id_de282aa3</b>		CREATE INDEX "articulos_producto_nombreMarca_id_de282aa3" ON "articulos_producto" ("nombreMarca_id")
nombreMarca_id		"nombreMarca_id"
<b>auth_group_permissions_group_id_b120cbf9</b>		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
<b>auth_group_permissions_group_id_permission_id_0cd325b0_uniq</b>		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
<b>auth_group_permissions_permission_id_84c5c92e</b>		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_permission_content_type_id_2f476e4b</b>		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
<b>auth_permission_content_type_id_codename_01</b>		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_u"

Name	Type	Schema
<b>ab375a_uniq</b>		niq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
<b>auth_user_groups_group_id_97559544</b>		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
<b>auth_user_groups_user_id_6a12ed8b</b>		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
<b>auth_user_groups_user_id_group_id_94350c0c_uniq</b>		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
<b>auth_user_user_permissions_permission_id_1fbb5f2c</b>		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_user_user_permissions_user_id_a95ead1b</b>		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
<b>auth_user_user_permissions_user_id_permission_id_14a6b632_uniq</b>		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
<b>django_admin_log_content_type_id_c4bce8eb</b>		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
<b>django_admin_log_user_id_c564eba6</b>		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
<b>django_content_type_app_label_model_76bd3d3b_uniq</b>		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
<b>django_session_expire_date_a5c62663</b>		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------