


# Summary Numbers

| Callset                          | SNPs      |       |           | indels  |      | MNPs | others |
|----------------------------------|-----------|-------|-----------|---------|------|------|--------|
|                                  | n         | ts/tv | (1st ALT) | n       | frm* |      |        |
| 20blo                            | 4,102,090 | 1.93  | 1.94      | 965,821 | –    | 0    | 0      |
| * frameshift ratio: out/(out+in) |           |       |           |         |      |      |        |


| Callset | singletons (AC=1) |       |        | multiallelic |       |
|---------|-------------------|-------|--------|--------------|-------|
|         | SNPs              | ts/tv | indels | sites        | SNPs  |
| 20blo   | 63.0%             | 1.90  | 68.6%  | 107,698      | 2,218 |

- 20blo .. /ngc/projects2/gm/data/archive/2022/variants/snv/20blorewf-103916040163-Normal\_Blood\_noinfo-WGS\_v1\_IlluminaDNAPCRFree\_RHGM01869-221005\_A01961\_AH35TTDSX5-EXT\_LAB\_KA\_NGCWGS-NGCWGS05681-22RKG021873-snv\_germline\_raw.haplotype\_caller.vcf.gz


# Ts/Tv by sample




# Hets vs non-ref Homs by sample




# Singletons by sample (hets and homs)




# Average depth by sample




# Number of SNPs by sample



# Number of indels by sample




## Ts/Tv stratified by QUAL







# Indel distribution




# Fraction of alternate indel allele



# Depth distribution



# Number of HETs by AF



# Substitution types

