Selection Criteria

Order Type:	=	ZCCO
Order Type:	=	ZCEX
Order Type:	=	ZCDS
Order Type:	=	ZCNA
Order Type:	=	ZCIN
Item Catagory :	=	ZETO
Item Catagory :	=	ZEAB
Item Catagory :	=	ZETA
Item Catagory :	=	ZEXB
Item Catagory :	=	ZETD
Item Catagory :	=	ZEDU
Item Catagory :	=	ZVAE
Item Catagory :	=	ZEQ1
Item Catagory :	=	ZEQ2

Header Data

Jobname	Partner Function	Email Address	Sales Off	Telephone #	Fax #	Cell #
Verizon 1200 H St NW Decarb	S0000	kate.montaner@carrier.com	3421	7038343900		

Bid Date	Header Status	Org.	Dist
06/30/2025	ETO	1000	10

Div	Sales Doc Type	Creation Dt	Bid Time
20	ZCDS	06/26/2025	00:00:00

Item Data

Valid From	Valid To	Status
00/00/0000	00/00/0000	QC Non Approved

Quote #	Line #	Quantity	MLP	Itm Cat	Description	TOS	Plant	Prod Hier.	Mat. Type
47310508	000460	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

Material No.	Mat. Entered	Catalog #	Blanket Quote Control	Dist. Text	Factory Text	MLP ADD
39M	39MN30WL8352014XXE	39MN30W02ETS014XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE	

					30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000470	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352024XXE	39MN30W02ETS024XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets	

					your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000480	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	
39M	39MN30WL8352034XXE	39MN30W02ETS034XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing		

					schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000490	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352044XXE	39MN30W02ETS044XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note:	

					- Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without notice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

07/22/2025	10/21/2025	QC Approved

47310508	000500	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	

39M	39MN30WL8352113XXE	39MN30W02ETS113XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the	

					discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	10691.19

07/22/2025	10/21/2025	QC Approved

47310508	000510	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352123XXE	39MN30W02ETS123XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation	

					indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00	

07/22/2025	10/21/2025	QC Approved

47310508	000520	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	
39M	39MN30WL8352133XXE	39MN30W02ETS133XGE			Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period		

					that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000530	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	

39M	39MN30WL8352214XXE	39MN30W02ETS214XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and	

					"SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000540	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352224XXE	39MN30W02ETS224XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel	

					construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000550	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352234XXE	39MN30W02ETS234XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through	

					660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed	

					via Distributor Comments and resubmitted with the understanding that this may affect price and	

47310508	000560	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352244XXE	39MN30W02ETS244XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements.

					Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

07/22/2025	10/21/2025	QC Approved

47310508	000570	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352314XXE	39MN30W02ETS314XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change	

					without notice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	10691.19

07/22/2025	10/21/2025	QC Approved

47310508	000580	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352324XXE	39MN30W02ETS324XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as	

					"AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without notice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

07/22/2025	10/21/2025	QC Approved

47310508	000590	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352334XXE	39MN30W02ETS334XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture	

					eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

07/22/2025	10/21/2025	QC Approved								
47310508	000600	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	
39M	39MN30WL8352344XXE	39MN30W02ETS344XGE				Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP***			

					This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our	

					Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and	

00/00/0000	00/00/0000	QC Non Approved

47310508	000610	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352413XXE	39MN30W02ETS413XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets	

					your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000620	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	
39M	39MN30WL8352423XXE	39MN30W02ETS423XGE			Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing	

					schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

00/00/0000	00/00/0000	QC Non Approved

47310508	000630	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352433XXE	39MN30W02ETS433XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note:	

					- Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without notice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00

07/22/2025	10/21/2025	QC Approved

47310508	000640	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	

39M	39MN30WL8352513XXE	39MN30W02ETS513XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the	

					discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	10691.19

07/22/2025	10/21/2025	QC Approved

47310508	000650	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT

39M	39MN30WL8352523XXE	39MN30W02ETS523XGE		Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation	

					indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00	

07/22/2025	10/21/2025	QC Approved

47310508	000660	1.000	0.00	ZETO	Modular Air Handling Unit	1654	5600	1AHA3I1ST————	KMAT	
39M	39MN30WL8352533XXE	39MN30W02ETS533XGE			Please provide moisture eliminators	***PLEASE SEE COMPLETE NOTES IN SAP*** This ETO includes: (Line Items 460 through 660, Only ETO items) - We will provide moisture eliminators for the Chilled Water Coils on "AHU-245-05-02", "SIZE 30 AHU-245-06-02", and "SIZE 30 AHU-245-07-02". Moisture eliminators will be mounted to the discharge face of each Cooling Coil. Moisture eliminators will be 304 stainless steel construction (mesh, retainers, frames <(>&<)> coil mounting brackets). Please note that moisture eliminators need at least 2" clearance for product maintenance. Note: - Please note that AHUs marked as "AHU-245-05-01", "SIZE 30 AHU-245-06-01", and "SIZE 30 AHU-245-07-01" will not include this option # these are selected as "no coil" option. *** Important *** Please note that delivery times are subject to current order commitments/manufacturing schedules and are subject to change without n otice during the period		

					that this Proposal is valid. Please contact your Customer Service Representative for an updated delivery estimate when your order is ready to be placed. Please carefully review this information to ensure that it meets your project requirements. Acceptance of this Proposal/Quotation indicates your acceptance of our Factory Comments; any changes must be detailed via Distributor Comments and resubmitted with the understanding that this may affect price and delivery.	0.00