

R Basic Course

Mardones, M. & Zúñiga, MJ.

2025-02-04

About Course__R

Description and educational material for introductory course on R, descriptive statistics, and visualizations with applications in fisheries.

This course has these sections;

- 1. **useR**. Intro to R and basic features,
- 2. Exploratory Data Analysis, Data handling, Data manipulation
- 3. Descriptive Statistics. Parametric and No Parametric, Linear Regression, among others
- 4. Visualization. Graphics and Maps using modern packages ... and more

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports; for example, a math equation $a^2 + b^2 = c^2$.

Usage

Each **bookdown** chapter is an .Rmd file, and each .Rmd file can contain one (and only one) chapter. A chapter *must* start with a first-level heading: **# A good chapter**, and can contain one (and only one) first-level heading.

Use second-level and higher headings within chapters like: **## A short section** or **### An even shorter section**.

The **index.Rmd** file is required, and is also your first book chapter. It will be the homepage when you render the book.

Render book

You can render the HTML version of this example book without changing anything:

1. Find the **Build** pane in the RStudio IDE, and

2. Click on **Build Book**, then select your output format, or select “All formats” if you’d like to use multiple formats from the same book source files.

Or build the book from the R console:

To render this example to PDF as a `bookdown::pdf_book`, you’ll need to install XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.org/tinytex/>.

Preview book

As you work, you may start a local server to live preview this HTML book. This preview will update as you edit the book when you save individual `.Rmd` files. You can start the server in a work session by using the RStudio add-in “Preview book”, or from the R console:

useR. Intro to R and basic features

Source in this [link](#)

[An introduction to R](#)

Exploratory Data Analysis

Data handling, Data manipulation

Cross-references make it easier for your readers to find and link to elements in your book.

Chapters and sub-chapters

There are two steps to cross-reference any heading:

1. Label the heading: `# Hello world {#nice-label}`.
 - Leave the label off if you like the automated heading generated based on your heading title: for example, `# Hello world = # Hello world {#hello-world}`.
 - To label an un-numbered heading, use: `# Hello world {-#nice-label}` or `{# Hello world .unnumbered}`.

Captioned figures and tables

Figures and tables *with captions* can also be cross-referenced from elsewhere in your book using `\@ref{fig:chunk-label}` and `\@ref{tab:chunk-label}`, respectively.

See Figure `@ref{fig:nice-fig}`.

Don't miss Table `@ref{tab:nice-tab}`.

Table 1: Here is a nice table!

temperature	pressure
0	0.0002
20	0.0012
40	0.0060
60	0.0300
80	0.0900

temperature	pressure
100	0.2700
120	0.7500
140	1.8500
160	4.2000
180	8.8000

Sources

[Basic R](#)

[Data Explorer](#)

[EMSE 4572 CleanData](#)




Figure 1: Here is a nice figure!

Descriptive Statistics.

Parametric and No Parametric, Linear Regression, among others

You can add parts to organize one or more book chapters together. Parts can be inserted at the top of an .Rmd file, before the first-level chapter heading in that same file.

Add a numbered part: `# (PART) Act one {-}` (followed by `# A chapter`)

Add an unnumbered part: `# (PART\*) Act one {-}` (followed by `# A chapter`)

Add an appendix as a special kind of un-numbered part: `# (APPENDIX) Other stuff {-}` (followed by `# A chapter`). Chapters in an appendix are prepended with letters instead of numbers.

Sources in this [link](#)

[here](#)

[Data Types & Probability Distributions](#)

LR model with [ggPredict\(\)](#)

##	Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
## 1	5.1	3.5	1.4	0.2	setosa
## 2	4.9	3.0	1.4	0.2	setosa
## 3	4.7	3.2	1.3	0.2	setosa
## 4	4.6	3.1	1.5	0.2	setosa
## 5	5.0	3.6	1.4	0.2	setosa
## 6	5.4	3.9	1.7	0.4	setosa
## 7	4.6	3.4	1.4	0.3	setosa
## 8	5.0	3.4	1.5	0.2	setosa
## 9	4.4	2.9	1.4	0.2	setosa
## 10	4.9	3.1	1.5	0.1	setosa
## 11	5.4	3.7	1.5	0.2	setosa
## 12	4.8	3.4	1.6	0.2	setosa
## 13	4.8	3.0	1.4	0.1	setosa
## 14	4.3	3.0	1.1	0.1	setosa
## 15	5.8	4.0	1.2	0.2	setosa

## 16	5.7	4.4	1.5	0.4	setosa
## 17	5.4	3.9	1.3	0.4	setosa
## 18	5.1	3.5	1.4	0.3	setosa
## 19	5.7	3.8	1.7	0.3	setosa
## 20	5.1	3.8	1.5	0.3	setosa
## 21	5.4	3.4	1.7	0.2	setosa
## 22	5.1	3.7	1.5	0.4	setosa
## 23	4.6	3.6	1.0	0.2	setosa
## 24	5.1	3.3	1.7	0.5	setosa
## 25	4.8	3.4	1.9	0.2	setosa
## 26	5.0	3.0	1.6	0.2	setosa
## 27	5.0	3.4	1.6	0.4	setosa
## 28	5.2	3.5	1.5	0.2	setosa
## 29	5.2	3.4	1.4	0.2	setosa
## 30	4.7	3.2	1.6	0.2	setosa
## 31	4.8	3.1	1.6	0.2	setosa
## 32	5.4	3.4	1.5	0.4	setosa
## 33	5.2	4.1	1.5	0.1	setosa
## 34	5.5	4.2	1.4	0.2	setosa
## 35	4.9	3.1	1.5	0.2	setosa
## 36	5.0	3.2	1.2	0.2	setosa
## 37	5.5	3.5	1.3	0.2	setosa
## 38	4.9	3.6	1.4	0.1	setosa
## 39	4.4	3.0	1.3	0.2	setosa
## 40	5.1	3.4	1.5	0.2	setosa
## 41	5.0	3.5	1.3	0.3	setosa
## 42	4.5	2.3	1.3	0.3	setosa
## 43	4.4	3.2	1.3	0.2	setosa
## 44	5.0	3.5	1.6	0.6	setosa
## 45	5.1	3.8	1.9	0.4	setosa
## 46	4.8	3.0	1.4	0.3	setosa
## 47	5.1	3.8	1.6	0.2	setosa
## 48	4.6	3.2	1.4	0.2	setosa
## 49	5.3	3.7	1.5	0.2	setosa
## 50	5.0	3.3	1.4	0.2	setosa
## 51	7.0	3.2	4.7	1.4	versicolor
## 52	6.4	3.2	4.5	1.5	versicolor
## 53	6.9	3.1	4.9	1.5	versicolor
## 54	5.5	2.3	4.0	1.3	versicolor
## 55	6.5	2.8	4.6	1.5	versicolor
## 56	5.7	2.8	4.5	1.3	versicolor
## 57	6.3	3.3	4.7	1.6	versicolor
## 58	4.9	2.4	3.3	1.0	versicolor
## 59	6.6	2.9	4.6	1.3	versicolor
## 60	5.2	2.7	3.9	1.4	versicolor
## 61	5.0	2.0	3.5	1.0	versicolor

## 62	5.9	3.0	4.2	1.5 versicolor
## 63	6.0	2.2	4.0	1.0 versicolor
## 64	6.1	2.9	4.7	1.4 versicolor
## 65	5.6	2.9	3.6	1.3 versicolor
## 66	6.7	3.1	4.4	1.4 versicolor
## 67	5.6	3.0	4.5	1.5 versicolor
## 68	5.8	2.7	4.1	1.0 versicolor
## 69	6.2	2.2	4.5	1.5 versicolor
## 70	5.6	2.5	3.9	1.1 versicolor
## 71	5.9	3.2	4.8	1.8 versicolor
## 72	6.1	2.8	4.0	1.3 versicolor
## 73	6.3	2.5	4.9	1.5 versicolor
## 74	6.1	2.8	4.7	1.2 versicolor
## 75	6.4	2.9	4.3	1.3 versicolor
## 76	6.6	3.0	4.4	1.4 versicolor
## 77	6.8	2.8	4.8	1.4 versicolor
## 78	6.7	3.0	5.0	1.7 versicolor
## 79	6.0	2.9	4.5	1.5 versicolor
## 80	5.7	2.6	3.5	1.0 versicolor
## 81	5.5	2.4	3.8	1.1 versicolor
## 82	5.5	2.4	3.7	1.0 versicolor
## 83	5.8	2.7	3.9	1.2 versicolor
## 84	6.0	2.7	5.1	1.6 versicolor
## 85	5.4	3.0	4.5	1.5 versicolor
## 86	6.0	3.4	4.5	1.6 versicolor
## 87	6.7	3.1	4.7	1.5 versicolor
## 88	6.3	2.3	4.4	1.3 versicolor
## 89	5.6	3.0	4.1	1.3 versicolor
## 90	5.5	2.5	4.0	1.3 versicolor
## 91	5.5	2.6	4.4	1.2 versicolor
## 92	6.1	3.0	4.6	1.4 versicolor
## 93	5.8	2.6	4.0	1.2 versicolor
## 94	5.0	2.3	3.3	1.0 versicolor
## 95	5.6	2.7	4.2	1.3 versicolor
## 96	5.7	3.0	4.2	1.2 versicolor
## 97	5.7	2.9	4.2	1.3 versicolor
## 98	6.2	2.9	4.3	1.3 versicolor
## 99	5.1	2.5	3.0	1.1 versicolor
## 100	5.7	2.8	4.1	1.3 versicolor
## 101	6.3	3.3	6.0	2.5 virginica
## 102	5.8	2.7	5.1	1.9 virginica
## 103	7.1	3.0	5.9	2.1 virginica
## 104	6.3	2.9	5.6	1.8 virginica
## 105	6.5	3.0	5.8	2.2 virginica
## 106	7.6	3.0	6.6	2.1 virginica
## 107	4.9	2.5	4.5	1.7 virginica

## 108	7.3	2.9	6.3	1.8	virginica
## 109	6.7	2.5	5.8	1.8	virginica
## 110	7.2	3.6	6.1	2.5	virginica
## 111	6.5	3.2	5.1	2.0	virginica
## 112	6.4	2.7	5.3	1.9	virginica
## 113	6.8	3.0	5.5	2.1	virginica
## 114	5.7	2.5	5.0	2.0	virginica
## 115	5.8	2.8	5.1	2.4	virginica
## 116	6.4	3.2	5.3	2.3	virginica
## 117	6.5	3.0	5.5	1.8	virginica
## 118	7.7	3.8	6.7	2.2	virginica
## 119	7.7	2.6	6.9	2.3	virginica
## 120	6.0	2.2	5.0	1.5	virginica
## 121	6.9	3.2	5.7	2.3	virginica
## 122	5.6	2.8	4.9	2.0	virginica
## 123	7.7	2.8	6.7	2.0	virginica
## 124	6.3	2.7	4.9	1.8	virginica
## 125	6.7	3.3	5.7	2.1	virginica
## 126	7.2	3.2	6.0	1.8	virginica
## 127	6.2	2.8	4.8	1.8	virginica
## 128	6.1	3.0	4.9	1.8	virginica
## 129	6.4	2.8	5.6	2.1	virginica
## 130	7.2	3.0	5.8	1.6	virginica
## 131	7.4	2.8	6.1	1.9	virginica
## 132	7.9	3.8	6.4	2.0	virginica
## 133	6.4	2.8	5.6	2.2	virginica
## 134	6.3	2.8	5.1	1.5	virginica
## 135	6.1	2.6	5.6	1.4	virginica
## 136	7.7	3.0	6.1	2.3	virginica
## 137	6.3	3.4	5.6	2.4	virginica
## 138	6.4	3.1	5.5	1.8	virginica
## 139	6.0	3.0	4.8	1.8	virginica
## 140	6.9	3.1	5.4	2.1	virginica
## 141	6.7	3.1	5.6	2.4	virginica
## 142	6.9	3.1	5.1	2.3	virginica
## 143	5.8	2.7	5.1	1.9	virginica
## 144	6.8	3.2	5.9	2.3	virginica
## 145	6.7	3.3	5.7	2.5	virginica
## 146	6.7	3.0	5.2	2.3	virginica
## 147	6.3	2.5	5.0	1.9	virginica
## 148	6.5	3.0	5.2	2.0	virginica
## 149	6.2	3.4	5.4	2.3	virginica
## 150	5.9	3.0	5.1	1.8	virginica

Visualization.

Graphics and Maps using modern packages

Footnotes

Footnotes are put inside the square brackets after a caret `^[]`. Like this one ¹.

Citations

Reference items in your bibliography file(s) using `@key`.

For example, we are using the **bookdown** package (Xie 2024) (check out the last code chunk in `index.Rmd` to see how this citation key was added) in this sample book, which was built on top of R Markdown and **knitr** (Xie 2015) (this citation was added manually in an external file `book.bib`). Note that the `.bib` files need to be listed in the `index.Rmd` with the YAML `bibliography` key.

The RStudio Visual Markdown Editor can also make it easier to insert citations: <https://rstudio.github.io/visual-markdown-editing/#/citations>

¹This is a footnote.

Blocks

Equations

Here is an equation.

$$f(k) = \binom{n}{k} p^k (1-p)^{n-k} \text{ (\#eq : binom)} \quad (1)$$

You may refer to using `\@ref(eq:binom)`, like see Equation `@ref(eq:binom)`.

Read more here <https://bookdown.org/yihui/bookdown/markdown-extensions-by-bookdown.html>.

Callout blocks

The R Markdown Cookbook provides more help on how to use custom blocks to design your own callouts: <https://bookdown.org/yihui/rmarkdown-cookbook/custom-blocks.html>

Sharing your book

Publishing

HTML books can be published online, see: <https://bookdown.org/yihui/bookdown/publishing.html>

404 pages

By default, users will be directed to a 404 page if they try to access a webpage that cannot be found. If you'd like to customize your 404 page instead of using the default, you may add either a `_404.Rmd` or `_404.md` file to your project root and use code and/or Markdown syntax.

Metadata for sharing

Bookdown HTML books will provide HTML metadata for social sharing on platforms like Twitter, Facebook, and LinkedIn, using information you provide in the `index.Rmd` YAML. To setup, set the `url` for your book and the path to your `cover-image` file. Your book's `title` and `description` are also used.

This `gitbook` uses the same social sharing data across all chapters in your book— all links shared will look the same.

Specify your book's source repository on GitHub using the `edit` key under the configuration options in the `_output.yml` file, which allows users to suggest an edit by linking to a chapter's source file.

Read more about the features of this output format here:

<https://pkgs.rstudio.com/bookdown/reference/gitbook.html>

Or use:

Xie, Yihui. 2015. *Dynamic Documents with R and Knitr*. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC. <http://yihui.org/knitr/>.

———. 2024. *Bookdown: Authoring Books and Technical Documents with r Markdown*. <https://github.com/rstudio/bookdown>.

