MySQL8 설치 가이드


inky4832@daum.net


chapter 01.

MySQL8 설치


❑ MySQL8 설치

https://dev.mysql.com/downloads/installer/





MySQL Installer - Community
Please wait while Windows configures MySQL Installer - Community
Cancel

Custom 선택



MySQL Installer
MySQL. Installer
Adding Community
Choosing a Setup Type
Select Products
Download
Installation
Product Configuration
Installation Complete
Choosing a Setup Type
Please select the Setup Type that suits your use case.
Server only
Installs only the MySQL Server product.
Client only
Installs only the MySQL Client products, without a server.
Full
Installs all included MySQL products and features.
Custom
Manually select the products that should be installed on the system.
Setup Type Description
Allows you to select exactly which products you would like to install. This also allows to pick other server versions and architectures (depending on your OS).
Next >
Cancel


Server/Workbench/Sample 선택




❑ MySQL8 설치

필수 S/W 설치







Server Type과 Networking 설정




인증 방법 설정


MySQL Installer
MySQL. Installer
MySQL Server 8.0.45
Type and Networking
Authentication Method
Accounts and Roles
Windows Service
Server File Permissions
Apply Configuration
Authentication Method
Use Strong Password Encryption for Authentication (RECOMMENDED)
methods. It is recommended that all new MySQL Server installations use this method going forward.
Attention: This new authentication plugin on the server side requires new versions of connectors and clients which add support for this new 8.0 default authentication (caching_sha2_password authentication).
Currently MySQL 8.0 Connectors and community drivers which use libmysqlclient 8.0 support this new method. If clients and applications cannot be updated to support this new authentication method, the MySQL 8.0 Server can be configured to use the legacy MySQL Authentication Method below.
Use Legacy Authentication Method (Retain MySQL 5.x Compatibility)
Using the old MySQL 5.x legacy authentication method should only be considered in the following cases:
- If applications cannot be updated to use MySQL 8 enabled Connectors and drivers.
- For cases where re-compilation of an existing application is not feasible.
- An updated, language specific connector or driver is not yet available.
Security Guidance: When possible, we highly recommend taking needed steps towards upgrading your applications, libraries, and database servers to the new stronger authentication. This new method will significantly improve your security.
< Back
Next >
Cancel


root 계정 비번 설정


MySQL Installer
MySQL. Installer
MySQL Server 8.0.36
Type and Networking
Authentication Method
Accounts and Roles
Windows Service
Server File Permissions
Apply Configuration
Accounts and Roles
Root Account Password
Enter the password for the root account. Please remember to store this password in a secure place.
MySQL Root Password:
1234
Repeat Password:
Password strength: Weak
MySQL User Accounts
Create MySQL user accounts for your users and applications. Assign a role to the user that consists of a set of privileges.
MySQL User Name
Host
User Role
Add User
Edit User
Delete
< Back
Next >
Cancel


윈도우 서비스로 등록



MySQL Installer
MySQL. Installer
MySQL Server 8.0.45
Type and Networking
Authentication Method
Accounts and Roles
Windows Service
Server File Permissions
Apply Configuration
Windows Service
Configure MySQL Server as a Windows Service
Windows Service Details
Please specify a Windows Service name to be used for this MySQL Server instance.
A unique name is required for each instance.
Windows Service Name: MySQL
Start the MySQL Server at System Startup
Run Windows Service as ...
The MySQL Server needs to run under a given user account. Based on the security requirements of your system you need to pick one of the options below.
Standard System Account
Recommended for most scenarios.
Custom User
An existing user account can be selected for advanced scenarios.
< Back
Next >
Cancel

파일 접근 권한 설정



MySQL Installer
MySQL. Installer
MySQL Server 8.0.45
Type and Networking
Authentication Method
Accounts and Roles
Windows Service
Server File Permissions
Apply Configuration
Server File Permissions
MySQL Installer can secure the server's data directory by updating the permissions of files and folders located at:
C:\ProgramData\MySQL\MySQL Server 8.0\Data
Do you want MySQL Installer to update the server file permissions for you?
Yes, grant full access to the user running the Windows Service (if applicable) and the administrators group only. Other users and groups will not have access.
Yes, but let me review and configure the level of access.
No, I will manage the permissions after the server configuration.
< Back
Next >
Cancel

Configuration 적용







Product Configuration 적용




Server 연동 체크



MySQL Installer
MySQL. Installer
Samples and Examples
Connect To Server
Apply Configuration
Connect To Server
Select the MySQL server instances from the list to receive sample schemas and data.
Server
Port
Arch...
Type
Status
MySQL Server 8.0.45
3306
X64
Stand-alone Server
Connection succeeded.
2)성공 시 출력
Provide the credentials that should be used (requires root privileges).
Click "Check" to ensure they work.
User name:
root
Credentials provided in Server configuration
Password:
Check
1) 비번 입력 후 클릭
Next >
Cancel


Configuration 설정






설치 완료



MySQL Installer
MySQL. Installer
Adding Community
Choosing a Setup Type
Select Products
Check Requirements
Installation
Product Configuration
Installation Complete
Product Configuration
We'll now walk through a configuration wizard for each of the following products.
You can cancel at any point if you wish to leave this wizard without configuring all the products.
Product
Status
MySQL Server 8.0.36
Configuration complete.
Samples and Examples 8.0.36
Configuration complete.
Next >
Cancel


MySQL Installer
MySQL. Installer
Adding Community
Choosing a Setup Type
Select Products
Check Requirements
Installation
Product Configuration
Installation Complete
Installation Complete
The installation procedure has been completed.
Copy Log to Clipboard
Start MySQL Workbench after setup
Finish


Workbench 시작




New 연결


Setup New Connection
Connection Name:
test
Type a name for the connection
Connection Method:
Standard (TCP/IP)
Method to use to connect to the RDBMS
Parameters
SSL
Advanced
Hostname:
127.0.0.1
Port:
3306
Name or IP address of the server host - and TCP/IP port.
Username:
root
Name of the user to connect with.
Password:
Store in Vault ...
Clear
The user's password. Will be requested later if it's not set.
Default Schema:
The schema to use as default schema. Leave blank to select it later.
Configure Server Management...
Test Connection
Cancel
OK



Connect to MySQL Server
Please enter password for the following service:
Service:
Mysql@127.0.0.1:3306
User:
root
Password:
****
1234
Save password in vault
OK
Cancel


MySQL Workbench
Successfully made the MySQL connection
Information related to this connection:
Host: 127.0.0.1
Port: 3306
User: root
SSL: enabled with TLS_AES_128_GCM_SHA256
A successful MySQL connection was made with the parameters defined for this connection.
OK

❑ MySQL8 설치



MySQL Connections
Local instance MySQL
root
localhost:3306
test
root
127.0.0.1:3306
더블클릭
MySQL Workbench
test
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
sakila
sys
world
Query 1
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Administration Schemas
Context Help Snippets
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch

제약없이 update/delete 사용 가능하도록 설정



❑ SQL문 실습에 사용할 테이블 생성

testdb 데이터베이스 생성



Thank you