


PIZZA SALES SQL QUERIES

1. -- TOTAL REVENUE

```
select sum(total_price) as total_revenue  
from pizza_sales;
```




A screenshot of a SQL query result grid. The grid has a header row with the column name 'total_revenue' and a data row with the value '817860.05'. Above the grid, there are icons for 'Result Grid', a table icon, and a 'Filter Rows' button.

total_revenue
817860.05

2. -- AVG ORDER VALUE

```
select sum(total_price* quantity)/COUNT(DISTINCT order_id) as avg_order_value  
from pizza_sales
```




A screenshot of a SQL query result grid. The grid has a header row with the column name 'avg_order_value' and a data row with the value '38.307262'. Above the grid, there are icons for 'Result Grid', a table icon, and a 'Filter Rows' button.

avg_order_value
38.307262

3. -- TOTAL PIZZA SOLD

```
select  
  
SUM(quantity) as total_pizza_sold  
from pizza_sales
```




A screenshot of a SQL query result grid. The grid has a header row with the column name 'total_pizzas_sold' and a data row with the value '49574'. Above the grid, there are icons for 'Result Grid', a table icon, and a 'Filter Rows' button.

total_pizzas_sold
49574

4. TOTAL ORDERS

```
select  
COUNT(distinct order_id) as total_orders  
from pizza_sales
```




A screenshot of a SQL query result grid. The grid has a header row with the column name 'total_orders' and a data row with the value '21350'. Above the grid, there are icons for 'Result Grid', a table icon, and a 'Filter Rows' button.

total_orders
21350

5. -- avg_pizzas_per_order

```
select  
SUM(quantity)/COUNT(distinct order_id) as avg_pizza_per_order  
from pizza_sales;
```



The screenshot shows a database interface with a 'Result Grid' tab. It displays a single row with the column name 'avg_pizza_per_order' and the value '2.3220'.

avg_pizza_per_order
2.3220

6. -- DAILY TRENDS FOR TOTAL ORDERS

```
select * from pizza_sales;
```

```
select  
order_date,  
day(order_date) as order_day,  
dayname(order_date) as day_of_week,  
monthname(order_date) as `month`,  
COUNT(distinct order_id) as total_orders  
from pizza_sales  
group by  
order_date;
```

order_date	order_day	day_of_week	month	total_orders
2015-01-04	4	Sunday	January	52
2015-01-05	5	Monday	January	54
2015-01-06	6	Tuesday	January	64
2015-01-07	7	Wednesday	January	58
2015-01-08	8	Thursday	January	72
2015-01-09	9	Friday	January	62
2015-01-10	10	Saturday	January	65
2015-01-11	11	Sunday	January	52
2015-01-12	12	Monday	January	55
2015-01-13	13	Tuesday	January	48
2015-01-14	14	Wednesday	January	62
2015-01-15	15	Thursday	January	62
2015-01-16	16	Friday	January	67
2015-01-17	17	Saturday	January	55
2015-01-18	18	Sunday	January	51
2015-01-19	19	Monday	January	56
2015-01-20	20	Tuesday	January	64
2015-01-21	21	Wednesday	January	51
2015-01-22	22	Thursday	January	68
2015-01-23	23	Friday	January	69
2015-01-24	24	Saturday	January	63
2015-01-25	25	Sunday	January	44
2015-01-26	26	Monday	January	55
2015-01-27	27	Tuesday	January	66
2015-01-28	28	Wednesday	January	51
2015-01-29	29	Thursday	January	58
2015-01-30	30	Friday	January	65
2015-01-31	31	Saturday	January	54
2015-02-01	1	Sunday	February	87
2015-02-02	2	Monday	February	63

OR

select

dayname(order_date) as day_of_week,

COUNT(distinct order_id) as total_orders

from pizza_sales

group by

day_of_week;

	day_of_week	total_orders
Friday		3538
Monday		2794
Saturday		3158
Sunday		2624
Thursday		3239
Tuesday		2973
Wednesday		3024

7. -- MONTHLY TRENDS FOR TOTAL ORDERS

```

select
month(order_date) as month_no,
monthname(order_date) as `month`,
COUNT(distinct order_id) as total_orders
from pizza_sales
group by
month_no,
`month`
order by month_no

```



The screenshot shows a database result grid with the following data:

	month_no	month	total_orders
▶	1	January	1845
	2	February	1685
	3	March	1840
	4	April	1799
	5	May	1853
	6	June	1773
	7	July	1935
	8	August	1841
	9	September	1661
	10	October	1646
	11	November	1792
	12	December	1680

8. -- PERCENTAGE OF SALES BY PIZZA CATEGORY

```

select
sum(total_price) as total_sales,
pizza_category,
round(sum(total_price)/
        (select
            sum(total_price)
            from pizza_sales) *100,2
) as percentage_of_sales

```

from pizza_sales

group by pizza_category

Result Grid			
Filter Rows:			
Export:			
	total_sales	pizza_category	percentage_of_sales
▶	220053.10	Classic	26.91
	193690.45	Veggie	23.68
	208197.00	Supreme	25.46
	195919.50	Chicken	23.96

FOR THE MONTH OF JANUARY

select

sum(total_price) as total_sales,

pizza_category,

round(sum(total_price)/

(select

sum(total_price)

from pizza_sales

WHERE month(order_date) = 1

) *100,2

) as percentage_of_sales

from pizza_sales

WHERE month(order_date) = 1

group by pizza_category

Result Grid			
Filter Rows:			
Export:			
	total_sales	pizza_category	percentage_of_sales
▶	18619.40	Classic	26.68
	17055.40	Veggie	24.44
	17929.75	Supreme	25.69
	16188.75	Chicken	23.20

9. -- PERCENTAGE OF SALES BY PIZZA SIZE

select

sum(total_price) as total_sales,

pizza_size,

round(

sum(total_price)/

(select sum(total_price)

```

from pizza_sales)

*100,2)

as percentage_of_size

```

```

from pizza_sales

group by pizza_size;

```

	total_sales	pizza_size	percentage_of_size
▶	249382.25	M	30.49
	375318.70	L	45.89
	178076.50	S	21.77
	14076.00	XL	1.72
	1006.60	XXL	0.12

10. -- TOTAL SALES BY PIZZA CATEGORY

```

select

sum(total_price) as total_sales,

pizza_category

from pizza_sales

group by pizza_category;

```

Result Grid		Filter Rows:
	total_sales	pizza_category
▶	220053.10	Classic
	193690.45	Veggie
	208197.00	Supreme
	195919.50	Chicken

11. -- TOP 5 SELLERS BY TOTAL REVENUE

```

select

pizza_name,

sum(total_price) as total_revenue

```

```

from pizza_sales

group by

pizza_name

order by total_revenue desc

limit 5

```

pizza_name	total_revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768.00
The California Chicken Pizza	41409.50
The Classic Deluxe Pizza	38180.50
The Spicy Italian Pizza	34831.25

12. -- BOTTOM 5 SELLERS BY TOTAL REVENUE

```

select

pizza_name,

sum(total_price) as total_revenue

from pizza_sales

group by

pizza_name

order by total_pizza_sold asc

limit 5

```

pizza_name	total_revenue
The Brie Carre Pizza	11588.50
The Green Garden Pizza	13955.75
The Spinach Supreme Pizza	15277.75
The Mediterranean Pizza	15360.50
The Spinach Pesto Pizza	15596.00

13. -- TOP 5 SELLERS BY TOTAL PIZZAS SOLD

```

select

pizza_name,

sum(quantity) as total_pizza_sold

from pizza_sales

group by

```

pizza_name

order by total_pizza_sold desc

limit 5

pizza_name	total_pizza_sold
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

14. -- BOTTOM 5 SELLERS BY TOTAL PIZZAS SOLD

select

pizza_name,

sum(quantity) as total_pizza_sold

from pizza_sales

group by

pizza_name

order by total_pizza_sold asc

limit 5

;

pizza_name	total_pizza_sold
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961