

Gameplay Mod

This mod introduces changes to the logic of combat, sexual interactions and enemy parameters.

Disclaimer

This is a fan-made modification for Solas City Heroes. The developer of the game is not responsible for any issues or errors caused by the use of this modification. Please install and use mods at your own risk.

License Agreement

This modification is provided free of charge and is intended solely for personal use. Commercial use is strictly prohibited. The mod author reserves the right to change functionality or cease support at any time.

Installation Instructions

1. Install MelonLoader 0.7.2+ according with Getting Started instruction:
<https://melonwiki.xyz/#README>
2. Copy all mod folder to root <Game folder> folder and start game
3. Launch the game. Configuration file will be generated automatically on the first run in <Game folder>\UserData\
4. Open the configuration file and enable the modifications you are interested in

Modifications List

1. Capture Slave Mod

Description: When the player loses and is captured, they must sexually satisfy a specific number of enemies. Until the required number of enemies is satisfied, the player will be unable to fill their ability gauge (Special).

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- InteractionCount - Count of sex interactions required for escape. Default: 4.
- RandomCount - Use a random count of sex interactions for escape. Default: TRUE.
- MaxInteractions - Maximum count of sex interactions for escape when using RandomCount. Default: 5.

2. Critical Hit

Description: The modification adds a chance of critical damage that results in the character's total health loss.

- For the player, the chance of critical damage is 5%. Additionally, this chance increases:

- by 5% if the player is wearing a vibrator;
- by 5% if the player is wearing a blindfold.
- For enemies, the chance of critical damage is 1%. Additional modifiers include:
 - An increase based on the difference between the player's and the enemy's levels, calculated as: $((\text{PlayerLevel} / 2) - \text{EnemyLevel}) * 0.1$;
 - A 50% reduction in the chance of critical damage if the enemy is a boss.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.

3. Enemy HP Reset Mod

Description: Restore the enemy's HP at the start of a sexual interaction.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- MinHPPercent - Minimum percentage of health from the maximum value that allows HP restoration to the maximum value. Default: 10.

4. Enemy Sex Extend Mod

Description: Modification will extend enemy sex data. Will be added fetishes and weaknesses for enemy, threesome and corruption chances.

When fetish or weaknesses was triggered, enemy will gain more ecstasy points. Also it will reduce their sex power by 20%.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- UseEnemyThreesomeChance - Use threesome chance according with enemy type. Default: FALSE.

UseEnemyThreesomeChance will REPLACE your in-game value.

Additional configuration:

When modification is enabled in <Game folder>\UserData\Solas.GameplayMod\Resources\ folder you will find file EnemySexTypes.json. In this file you can change default sex type for each enemy type.

Parameter descriptions:

- Name - name of enemy type.
- EnemyType - Enemy type ID.

- CorruptionChance - Chance for player-initiator to use Command positions with enemy.
- ThreesomeChance - Chance for enemy-initiator to call assist and start threesome.
- AllowedFetishes - Allowed fetishes for enemy type. Will be use one of them.
 - NoFetish
 - Dominant,
 - Submissive,
 - Romance,
 - Masochist,
 - Sadist,
 - Bondage,
 - Wrestling,
 - BreathPlay.
- CasterWeaknesses - Weaknesses to specific pose type when enemy is caster. Will be used one of them.
 - NoWeaknesses,
 - Orals,
 - HandJobs,
 - BreastPlay,
 - FootPlay,
 - MissionaryStyle,
 - DoggyStyle,
 - MountainStyle.
- TargetWeaknesses - Weaknesses to specific pose type when enemy is target. Will be used one of them. Possible values same as for CasterWeaknesses.
- UseTag - Should be TRUE if used SexTags and FALSE if should be used specified Sex Type ID or Sex ID.
- SexTags - Sex tags which will be used for enemy.
 - NoTag,
 - Dominant,
 - Sensual,
 - Service,
 - Smothering,
 - Wrestling,
 - Punishment.
- ForeplayIDs - list of Sex ID of foreplay positions. Will be used when system try to start foreplay.
- ForeplayTypes - list of Sex Type ID of foreplay positions. Will be used when system try to start foreplay.

- SexIDs - list of Sex ID of foreplay positions. Will be used when system try to start sex.
- SexTypes - list of Sex Type ID of foreplay positions. Will be used when system try to start sex.

5. Enemy Traits Mod

Description: Add possibility to change enemy stats and create mini-boss enemies.

Doesn't work for in-game boss.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- ChanceEnhanced - Chance for enemy get Enhanced traits. DEFAULT: 20.
- MaxEnhanced - Max count of Enhanced traits on Stage. DEFAULT: 15.
- ChanceMiniBoss - Chance for enemy get Mini boss traits. DEFAULT: 10.
- MaxMiniBoss - Max count of Mini boss traits on Stage. Default: 5.

Additional configuration:

When modification is enabled in <Game

folder>\UserData\Solas.GameplayMod\Resources\ folder you will find file

EnemyTraits.json. In this file you can add or change default Traits.

To add a new trait: copy one of existed traits, including curly braces ({}), and paste it before last square bracket (]).

You can set for trait:

- EnemyType - ID of enemy type. If you want apply trait for specific enemy type - indicate his Type ID. If you want apply trait for any enemy type - set NULL.
- Name - Name of trait.
- TraitType - type of trait.
 - General - these traits will used by default;
 - Enhanced - traits which can increase enemy stats up to 10 points;
 - MiniBoss - traits which can increase enemy stats up to 14 points.
- Invulnerable - enemy may have invulnerable during sex interaction
 - None - enemy not invulnerable;
 - SexHealth - enemy will not lose Health during sex. But will lose when cum;
 - Pleasure - enemy will not gain ecstasy points. But he will lose Health.
- SexTypes - enemy with this trait may use specific sex types.
- HealthOperation - how will be changed Health points.
 - None - points will not be changed;
 - Increase - points will be increased by HealthValue;
 - Decrease - points will be decreased by HealthValue;
 - Replace - points will be replaced by HealthValue;

- Random - points will be replaced by Random value.
- HealthValue - value which will be used according with HealthOperation.
- RegenerationOperation - same as HealthOperation for Regeneration.
- RegenerationValue - same as HealthValue for Regeneration.
- ArmorOperation - same as HealthOperation for Armor.
- ArmorValue - same as HealthValue for Armor.
- PowerOperation - same as HealthOperation for Power.
- PowerValue - same as HealthValue for Power.
- ResistanceOperation - same as HealthOperation for Resistance.
- ResistanceValue - same as HealthValue for Resistance.
- RestraintChanceOperation - same as HealthOperation for Restraint Chance.
- RestraintChanceValue - same as HealthValue for Restraint Chance.
- LustfulOperation - same as HealthOperation for Lustful.
- LustfulValue - same as HealthValue for Lustful.

6. Extra Bondage Trap

Description: When player activate bondage trap it will put additional bondage item on player. If player was fully bound - he will take damage (80% of current health points).

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- Chance - Chance to put extra bondage or take damage. Default: 20.

7. Fuck Me Mod

Description: The modification adds the "Fuck Me" state for the player when aroused. If the player enters this state, regardless of their health, the enemy can capture them.

The base chance is 5% if arousal is at maximum. Additionally, the chance is influenced by the player's Ecstasy but cannot exceed 40%.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.

8. Game Fix Mod

Description: Fix some in-game issues:

- Dick visibility (ignore in-game settings)

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE

9. Gloss Effect Mod

Description: When player has sex interaction, all characters in interaction will get gloss effect according with their arousal

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- BaseGloss - Base game gloss value. Default: 0.1.
- MaxGloss - Maximum gloss value. Default: 0.3.
- PlayerArousalWeightFactor - Player arousal weight factor (higher values increase Arousal's influence, while the remainder goes to Ecstasy automatically). Default: 0.65.

10. Lust Cage Mod

Description: Extend default sex weakness system. Player may set additional weaknesses or fetishes. When it triggered - player will get Weak buff.

While player is weak he can't escape from sex and should end it by cum or using counter (but who knows, maybe next pose also make you weak).

"Be careful what you wish for." ;)

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- DenyEscape - Player can't escape from interaction and should end it by cumming or using counter. Default: TRUE.

Additional configuration:

When modification is enabled in <Game folder>\UserData\Solas.GameplayMod\Configs\ folder you will find 3 files:

- LustCage_Female.json – configuration for Female character
- LustCage_Futa.json – configuration for Female character with Futa mode
- LustCage_Male.json – configuration for Male character

In these files you can specify your fetishes for each gender:

- OralReceiver - Your weakness is when other pleasures you by oral. Default: FALSE.
- LickPussy - Your weakness is when you lick pussy. Default: FALSE.
- SuckDicks - Your weakness is when you suck dicks. Default: FALSE.
- HandDom - Your weakness is when you're initiator in handjob. Default: FALSE.
- HandSub - Your weakness is when you're sub in handjob. Default: FALSE.
- BoobsReceiver - Your weakness is when others play with your boobs. Default: FALSE.

- BoobsLover - Your weakness is when you play with female boobs or female teasing you with boobs. Default: FALSE.
- FootFetish - Your weakness is when others play with you using feet. Default: FALSE.
- PenetrateOther - Your weakness is when you penetrate others. Default: FALSE.
- BeingPenetrated - Your weakness is when other penetrates you. Default: FALSE.
- HeavyBondageSlave - Your weakness is when you defenselessness and others have power over you. Default: FALSE.
- ThreesomePose - Your weakness is when you can play with few partners at same time. Default: FALSE.
- ThreesomeSex - Your weakness is when you have sex in threesome (when others penetrate females or male penetrate others). Default: FALSE.
- ThreesomeSameGenderToPlayer - Your weakness is when in threesome all partners have same gender as you. Default: FALSE.

11. Obey To Enemy Mod

Description: The player may find themselves powerless against the enemy. In this case, the only option is to submit to the enemy's will and let them use the player as they see fit (player can't gain domination).

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.

Additional configuration:

When modification is enabled in <Game folder>\UserData\Solas.GameplayMod\Configs\ folder you will find 3 files:

- ObeyToEnemy_Female.json – configuration for Female character
- ObeyToEnemy_Futa.json – configuration for Female character with Futa mode
- ObeyToEnemy_Male.json – configuration for Male character

In these files you can specify your fetishes for each gender:

- OnHandRestraints - Activate when the player's hands are restrained. Default: FALSE.
- PlayerVictimOnHandRestraints - Set the player as the victim when player's hands are restrained. Default: FALSE.
- AtSameRole - Activate when the enemy's role matches the player's role. Default: FALSE.
- PlayerVictimAtSameRole - Set the player as the victim when the enemy's role matches the player's role. Default: FALSE.
- AtSameGender - Activate when the enemy's gender matches the player's gender. Default: FALSE.

- PlayerVictimAtSameGender - Set the player as the victim when the enemy's gender matches the player's gender. Default: FALSE.
- RandomByEnemyPower - Activate randomly. Chance depends on enemy power multiplied by 2. Default: FALSE.
- PlayerVictimRandomByEnemyPower - Set the player as the victim when you obey to enemy by randomly power. Default: FALSE.

12. Orgasm Control Mod

Description: Add Orgasm control system, which change default arousing by adding Fatigue and Denied orgasm.

Require: Sex Damage Mod.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- ArousalFatigue - After cum character gain arouse slowly for a while. DEFAULT: TRUE.
- SelfControl - Target character may control his own orgasm and will cum with caster. If Target reaches 86% of max ecstasy, he will not gain ecstasy till Caster cum. He will cum together with Caster. DEFAULT: TRUE.
- SelfControlChance - Chance for target character to control his own orgasm. DEFAULT: 10.
- DeniedOrgasm - Caster may deny target to cum when target reached maximum ecstasy if first time during current sex position. If Target reaches 86%+ of max ecstasy his ecstasy will be reset till 0 for player or 50% of max value for enemy. Character will cum if reach max ecstasy again. DEFAULT: TRUE.
- DeniedOrgasmChance - Chance for caster deny target to cum. DEFAULT: 10.
- PunishmentOrgasm - Enemy deny player to cum in next several times. When player close to cum his ecstasy reset. When ecstasy was reset required times and player cum - he gets large damage (10%+ 1% for each denied orgasm). Player may avoid punishment using special attack (chance for avoid it depends on Bondage difficulty). DEFAULT: TRUE.
- PunishmentOrgasmChance - Chance for enemy deny player to cum. DEFAULT: 10.
- PunishmentOrgasmLimit - Count of player reach max ecstasy before he will be punished. DEFAULT: 10.

13. Random Enemy Role Mod

Description: Upon capturing the player for sexual interaction, the enemy may take on the opposite role relative to their default role (as determined by game settings). The mixed role (Mixed) disables role switching for that character's gender.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- FemaleChance: Chance for a female character to change to the opposite role. Default: 15.
- MaleChance: Chance for a male character to change to the opposite role. Default: 15.

14. Random Futa Mod

Description: Female enemies will get random futanari dick spawn if player set that active females will be a futa.

Also, will be changed dick or strapon size in range 0.9-1.2.

Configurable Parameters:

- Enabled - Activates the mod. Default: FALSE.
- FullFutaChance - Probability for futa to become full futa (dick + balls). Default: 50.

15. Random Reverse Mod

Description: Under certain conditions (e.g., the player wears a collar or the type of sexual position is listed as a weakness), animation reversal may occur.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- Chance - Chance for animation reversal. Default: 20.
- IgnoreAtSameRoles - Do not activate when the enemy's role matches the player's role. Default: TRUE.
- WhenPlayerWeak - Activate only if the player is weak to the current sexual position. Default: TRUE.
- WhenPlayerCollared - Activate only if the player wears a collar. Default: TRUE.

16. Sex Damage Mod

Description: Modifies the default damage logic during sexual interactions.

- The player loses maximum health depending on the enemy's strength. If the player orgasms, they will lose maximum health equal to the enemy's power (EnemyPower) multiplied by 2. If player maximum health less or equal 5 – player will get default damage for “Game Over” state.
- In the case of a threesome, maximum health will be further reduced by the assistant's strength (AssistPower).
- The bonus from the Corruption System will be ignored.
- Additionally, the player may take extra damage from fatigue and vibrators (20% chance of receiving this damage).

- If the enemy orgasms (100% ecstasy), the player will restore maximum health by an amount equal to half of the enemy's power ($\text{EnemyPower} * 0.5$), but only once per grapple.
- If the enemy orgasms, but player not (player ecstasy less than 85% of maximum ecstasy) - player ecstasy will be reduced by 40% of current value.
- In threesome Assist enemy will also cum with main enemy.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- OnPlayerCum - Activate control for player's climax. Default: TRUE.
- ExtraDamage - The player will take additional damage from "fatigue" (2 fatigue points per 1 damage point) and from the vibrator (random value between 1 and 5). Default: TRUE.

17. Sex Initiator Mod

Description: When the enemy climaxes, the player can gain the Initiator role. The player cannot gain the Initiator role if they are in heavy bondage, a threesome, or if the "Player Always Victim" mode (Counter victim) is enabled.

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- DisableAsSameRole - The player will not gain the Initiator role if the enemy's role matches the player's role. Default: TRUE.
- DisableWhenBound - The player will not gain the Initiator role if their hands are bound. Default: TRUE.

18. Sex Move Choice Realism Mod

Description: When choosing a sex position, the role of the initiating character, the gender of the opponent and player's disliked positions list are considered. When sex interaction started will be used foreplay position and then can be used a sex position according with count of interaction with same character before grapple ending (first position will be foreplay, in second system start sex with chance ~39%, in fours chance for sex will be ~78%, etc).

Configurable Parameters:

- Enabled - Activates the modification. Default: FALSE.
- ArousalExtension - Gain arousal according with animation. If character doesn't interact with genitals – he will get less arousal. Default: TRUE.
- UsePlayerPreferredPositions - ONLY use preferred positions for. Default: FALSE.

- UsePoseSelectionSystem - Use position selection system. Then lower target aroused then higher chance to start foreplay. Default: TRUE.