





1D IS -- L=16 (16 spins)

Importance Sampling Analysis — L=16, 16384 samples






1D IS -- L=25 (25 spins)

Importance Sampling 1D — L=25 (25 spins), 16384 samples






1D IS -- L=36 (36 spins)

Importance Sampling 1D — L=36 (36 spins), 16384 samples






1D IS -- L=49 (49 spins)

Importance Sampling 1D — L=49 (49 spins), 65536 samples







1D IS -- L=64 (64 spins)

Importance Sampling 1D — L=64 (64 spins), 32768 samples






1D IS -- L=81 (81 spins)

Importance Sampling — L=81, 16384 samples






2D IS -- L=4 (16 spins)

Importance Sampling 2D — L=4 (16 spins), 16384 samples






2D IS -- L=5 (25 spins)

Importance Sampling 2D — L=5 (25 spins), 16384 samples






2D IS -- L=6 (36 spins)

Importance Sampling 2D — L=6 (36 spins), 16384 samples






2D IS -- L=7 (49 spins)

Importance Sampling 2D — L=7 (49 spins), 16384 samples






2D IS -- L=8 (64 spins)

Importance Sampling 2D — L=8 (64 spins), 16384 samples






2D IS -- L=9 (81 spins)

Importance Sampling 2D — L=9 (81 spins), 16384 samples



2D IS -- L=10 (100 spins)


Importance Sampling 2D — L=10 (100 spins), 16384 samples




1D Finite-Size Scaling (sigma=0)

Finite-Size Scaling — 1D Ising Transverse (classe 2D Ising)

Position du pic de susceptibilite




Hauteur du pic (log-log)




1D Exponent vs disorder

1D — Exposant critique vs desordre





1D FSS par desordre

1D — Finite-Size Scaling par desordre









1D Data Collapse (before/after)

Data Collapse — $\sigma = 0$, $h_c = 0.962$






1D Data Collapse (all sigma)

Data Collapse de M_z^2 — 1D Ising Transverse





1D Exponents vs disorder (collapse)

Exposants critiques vs desordre — Data Collapse 1D




2D Finite-Size Scaling (sigma=0)

Finite-Size Scaling — 2D Ising Transverse (classe 3D Ising)



2D — Exposant critique vs desordre



2D FSS par desordre

2D — Finite-Size Scaling par desordre

