Module Loyalty MVP — Feature Spec

Product area: CRM / Fan Engagement
PM: Anne-Sophie Demars
Fidelity: Clickable *(inferred — not specified in brief)*
Platform: Arenametrix web app (Vite + React)
Date: 2026-06-30

⚠ **Agent notes:** Fidelity inferred as Clickable. Platform inferred as Arenametrix web. Acceptance criteria inferred for stories where none were explicit in the brief. POC RCSC Charleroi (hardcoded, no UI) is excluded from this prototype. Tickets 7 (expiration) and 8 (manual adjustment) are marked Nice-to-have in the brief — both are included in the spec but flagged as lower-priority screens.

1. Context

Arenametrix is building a vertical loyalty module for sports and entertainment clubs, powered exclusively by internal Walnut data (Tickets, Purchases, Representations, Link_stats, Campaigns, Targets). The module scores fan engagement by frequency and duration of interactions, expresses that score as a point balance and a tier, and makes both visible and operable inside the CRM. The MVP proves value without external integrations; a future MVP2 will add point redemption, fan-facing portal, app/POS ingestion, and business-impact KPIs.

2. Goals

1. Measure and value fan engagement via a configurable point-scoring engine driven entirely by Walnut data.
2. Expose loyalty status (balance, tier, history) directly in the contact card so CRM operators can act on it daily.
3. Give Marketing Managers a self-serve configuration interface for programme setup, tier definition, and point-earning rules.
4. Provide a read-only dashboard with key adoption and engagement KPIs for directors and programme owners.
5. Ensure full traceability of all point movements (batch ingestion, manual adjustments) with admin logs.

Not in scope

- Point consumption and rewards (loyalty_rewards, redeem_reward(), grants, fulfilment, stock management)
- Business impact KPIs (before/after activation comparisons)
- Automatic tier benefits synced to ticketing or e-commerce systems
- Fan-facing portal and SSO integration (deferred to 2026 upsell)
- Advanced point expiration engine (per-action expiry, rolling windows)
- Anti-fraud and duplicate-detection logic
- CSV export from the dashboard

---

3. User stories

Story 1 — Activate loyalty programme

Field	Value
As a…	Marketing Manager (Programme Admin)
I want to…	Create and activate a loyalty programme with a name, start date, eligible segment, and optional expiration
So that…	Fan point collection begins automatically for the chosen segment
Acceptance criteria	Programme requires name, start_date, and eligible_segment; status toggles active/inactive; start_date is locked after activation; eligible segment chosen from existing Arenametrix Targets
Empty state	No programme exists — full-page empty state with "Create your first loyalty programme" CTA
Error state	Missing required field — inline validation; attempt to edit start_date post-activation — locked field with tooltip
Loading state	Spinner on "Activate" button; page skeleton on initial load

Story 2 — Configure loyalty tiers

Field	Value
As a...	Marketing Manager
I want to...	Define tiers with name and point thresholds (min/max points), without overlap between tiers
So that...	Fans are automatically segmented by loyalty status as their balance grows
Acceptance criteria	At least 1 tier required before activation; point ranges must not overlap; tier name required; optional badge colour; max_points of highest tier can be null (unlimited)
Empty state	No tiers defined — "Add your first tier" prompt with example: Bronze / Silver / Gold / Legend
Error state	Overlapping ranges — inline "This range overlaps with [Tier name]"; duplicate name — "A tier with this name already exists"
Loading state	Inline save indicator on each tier row

Story 3 — Manage point-earning rules

Field	Value
As a...	Marketing Manager
I want to...	Configure point-earning rules on a fixed set of action types and toggle rules on/off individually
So that...	Fan actions tracked in Walnut are automatically translated into loyalty points
Acceptance criteria	Fixed action types: TICKET_PURCHASED, MATCH_ATTENDED, EMAIL_CLICK, SEASON_SUBSCRIPTION; each has points_delta (positive integer), description_internal, is_active toggle; one rule per action_type
Empty state	All 4 rules shown inactive with placeholder deltas — "Enable at least one rule to start scoring fans"
Error state	points_delta ≤ 0 or non-integer — inline "Must be a positive whole number"
Loading state	"Saving..." replaces "Save all rules" during save

Story 4 — View fan loyalty in contact card

Field	Value
As a…	CRM Operator / Fan Relations Agent
I want to…	See a fan's point balance, current tier, and last 10 transaction entries in their contact card
So that…	I can personalise interactions, create loyalty-based filters, and trigger targeted Brevo campaigns
Acceptance criteria	Balance + tier badge + progress to next tier; last 10 ledger entries (action type, ± points, date, reason for manual); "Modify points" button; Loyalty tier + balance filters in Contacts V2 filter panel
Empty state	Fan has no loyalty data — "This contact is not enrolled in any loyalty programme"
Error state	Snapshot API error — "Loyalty data temporarily unavailable" with Retry button
Loading state	Skeleton loader for balance card and history list

Story 5 — Manually adjust fan points

Field	Value
As a...	CRM Operator
I want to...	Add or deduct points from a fan's balance with a mandatory reason
So that...	I can handle commercial gestures and disputes while maintaining a full audit trail
Acceptance criteria	Adjustment modal from Loyalty tab; adjustment_type (Add/Deduct), amount (positive integer), reason (textarea, min 10 chars); new balance previewed; deduction to below 0 shows warning; ledger entry created on confirmation
Empty state	N/A — triggered from loaded contact card
Error state	Empty reason — "A reason is required (min 10 characters)"; amount = 0 — "Amount must be greater than 0"; submit failure — "Adjustment failed. Please try again."
Loading state	Confirm button shows spinner; disabled during submission

Story 6 — View loyalty reporting dashboard

Field	Value
As a…	Director / Marketing Manager
I want to…	View a read-only dashboard showing adoption KPIs, tier distribution, and top earning actions
So that…	I can track programme dynamics and report on adoption to stakeholders
Acceptance criteria	KPI cards: fans enrolled, % of eligible segment, total points awarded in period, manual adjustments count; tier distribution chart; top 3 actions by points awarded; period selector (30d / 90d / 12m); fully read-only — no export
Empty state	Programme not activated — "Activate a programme to start seeing data" with link to Settings
Error state	Aggregation API unavailable — per-widget "Data unavailable" with last-refresh timestamp
Loading state	KPI card skeletons + chart placeholder + skeleton table rows

4. Screens

Screen	Linked stories	Notes
Programme Settings	Story 1	Activate/deactivate; name, start_date, eligible segment, expiration_months. start_date locked post-activation.
Tier Configuration	Story 2	Inline-editable tier table; overlap validation; "Add tier" button.
Point Rules Management	Story 3	Fixed 4-action table with points_delta inputs and active toggles.
Contact Card — Loyalty Tab	Stories 4, 5	Balance card + tier badge + progress bar + history + adjustment modal. Loyalty filters in Contacts V2.
Reporting Dashboard	Story 6	KPI cards + tier distribution chart + top actions. Period selector. Read-only.

Mock data

Entity	Key fields	Volume	Notes
loyalty_program	id, name, status, eligible_segment_id, start_date, expiration_months	1	Status active; RCSC Charleroi season segment
loyalty_tiers	id, tier_name, min_points, max_points, color	4	Bronze 0–499 Silver 500–1 499 Gold 1 500–2 999 Legend 3 000+
loyalty_point_rules	action_type, points_delta, is_active	4	TICKET_PURCHASED ×10, MATCH_ATTENDED ×20, EMAIL_CLICK ×2, SEASON_SUBSCRIPTION ×200
loyalty_fan_snapshot	customer_id, email, balance, tier_name, points_to_next_tier	5	One fan at tier boundary (500 pts exactly); one at 0 pts; one Legend-tier fan
loyalty_ledger	id, customer_id, action_type, points_delta, balance_after, reason, admin_user_id, created_at	15	≥2 manual adjustments with reason; dates Sept 2025 – Jun 2026

5. Constraints

Constraint	Value
Stack / framework	Vite + React 19 — integrated into ax-prototypes as src/features/Loyalty/. DS/TY/Ico imported from utils/.
Accessibility	Keyboard-navigable modals (focus trap, Escape to close); aria-label on icon-only buttons; sufficient colour contrast on tier badges
Data & GDPR	Walnut only (Fullcustats, Tickets, Purchases, Representations, Links/Link_stats, Campaigns, Targets). Identity: customer_id = Fullcustats.id. All manual adjustments logged with admin_user_id.
Performance	Snapshot read target <200 ms. Batch ingestion jobs must be idempotent.
Other	Prototype uses static mock data — no live API calls. All 3 edge states must be togglable via developer controls in prototype mode.

Open questions

Question	Owner	Status
Is Story 5 (manual adjustment) confirmed MVP priority? Brief marks it Nice-to-have but CRM scope implies it.	Anne-Sophie Demars	Open
Is point expiration (Ticket 7) in scope for this prototype or deferred?	Anne-Sophie Demars	Open
Which Brevo attributes map to tier and balance? No schema provided.	Anne-Sophie Demars	Open
Dashboard: is "current season" a valid period option alongside 30/90/365 days?	Anne-Sophie Demars	Open
Loyalty Tab: new tab in contact detail page, or a drawer/panel?	Anne-Sophie Demars	Open

6. Pre-send checklist

- ☑ Context is one clear paragraph — who, what, why
- ☑ At least 1 goal uses outcome language
- ☑ At least 1 non-goal is stated explicitly
- ☑ Every story has acceptance criteria (inferred where absent from brief)
- ☑ All 3 edge states are specified for every story
- ☑ Every screen is listed with a description
- ☑ At least 1 mock data entity is defined (5 entities)
- ◐ All open questions have an owner — 5 open questions identified, owner assigned to PM, awaiting answers