How to organize text and chunks of text

December 16, 2021

Chapter 1

Text

1.1 Text types

Hello, I'm bold text
Hello, I'm italic text
Hello, I'm underline text
`Hello I'm teletype text`
Hello I'm small caps text
Hello I'm slanted text
Hello I'm roman text (good for math)
Hello I'm sans serif

1.2 Switches

Switches are a way of turning a huge block of text into one format instead of wrapping everything into one curly bracket pair. We reset the effect of the switch by using something like "normalfont" or using curly brackets (see next section)

bold
Medium weight (default format)
roman
`Teletype`
Upright (non-italic, default)
Slanted shape
Small caps shape

Switches can also be composed, as shown below:

bold italic

1.3   Text Sizes

Text size commands can be used as both switches and environments as they
are overloaded. If you use them with the curly brackets and the "begin" and
"end" key words, they are commands. Else, they are switches. Below, we use
switches for conveneience but we also show one example of an environment

Tiny text

Script Size

Footnote size

Small text

Normal text

medium text

large text

very large text

huge text

this is a tiny text environment

switches are also confined in curly brack-
ets

For arbitrary font sizes, we use a pretty weird format. Try not to use if
not needed. The first argument is the text size, and the second one is the
baseline skip. We also need to use a different that can go up to a certain size

This text is in size
50

Chapter 2

Organizing Text

Chapter 3

Paragraph formatting

Include how to make dividers, centering, etc