

Supplier Quality Analysis Report

Q2 2026 Management Report

Period	2026-04-01 to 2026-06-30
Supplier scope	15 represented (resolved tenant-wide scope)
Report generated	2026-08-15T08:25:18.877858+00:00
Task	T-46670018...

Executive Summary

Analysis period Q2 2026	Suppliers represented 15
Observed months 3	Evidence items 4

The controlled Q2 2026 analysis covers 15 supplier(s) represented in Calculation Evidence across 3 observed monthly period(s). It reports monthly defect rates and within-quarter period-over-period changes. Quarter-over-quarter comparison, supplier ranking, and root-cause conclusions are not available under the current analytics contract.

Key observations

- Supplier quality coverage. Calculation Evidence contains controlled quality metrics for 15 supplier(s) across 2026-04, 2026-05, 2026-06.
- Within-quarter trend view. The available trend metric compares each observed month with the prior observed month; the first month has no comparison baseline.
- Controlled policy context. 2 controlled document Evidence item(s) provide the policy and deviation-process context for management review.

Recommended focus

- Review recorded deviations and document containment in accordance with the cited controlled quality policy. Evidence: E-1ae3e0d9..., E-d6b8f2f5....


Supplier Quality Overview

Monthly values reproduce existing defect-rate Calculation Evidence. Latest change is the final available month-over-month ratio delta.

Supplier	Apr rate	May rate	Jun rate	Latest change
SUP-001	0.66%	0.73%	0.74%	+0.01 pp
SUP-002	4.77%	4.74%	4.85%	+0.11 pp
SUP-003	0.58%	0.64%	0.63%	-0.01 pp
SUP-004	4.02%	4.17%	4.16%	-0.01 pp
SUP-005	1.01%	1.04%	0.98%	-0.06 pp
SUP-006	2.95%	2.75%	2.50%	-0.25 pp
SUP-007	1.06%	1.03%	1.05%	+0.02 pp
SUP-008	1.85%	1.78%	1.74%	-0.04 pp
SUP-009	5.91%	5.69%	5.87%	+0.18 pp
SUP-010	0.83%	0.75%	0.74%	-0.01 pp
SUP-011	1.42%	1.67%	1.71%	+0.04 pp
SUP-012	0.54%	0.61%	0.54%	-0.07 pp
SUP-013	1.75%	1.82%	1.80%	-0.02 pp
SUP-014	0.95%	0.97%	0.93%	-0.04 pp
SUP-015	0.67%	0.62%	0.61%	-0.01 pp

Supplier Defect Rate - Q2 Monthly View

Supplier order is alphanumeric, not a risk ranking.



Unit: percent. Each dot is a formatted view of one existing defect_rate value; no ranking or aggregate KPI is calculated by the renderer.

Applicable Quality Policies

Controlled document references are summarized here. Full retrieved excerpts and Evidence identifiers are retained in Appendix B.

Document	Version	Relevant topic	Page / chunk	Evidence
quality-policy	v1	Retrieved quality-policy context	chunk-1	E-1ae3e0d9...
deviation-process	v1	Retrieved quality-policy context	chunk-2	E-d6b8f2f5...

quality-policy

Defect rate is defect count divided by inspected count; zero denominators are null.

deviation-process

Quality deviations above the reviewed threshold require documented containment.

Data Coverage

Evidence	Query ID	Rows	Snapshot
E-f15a041e...	fa0028e9fb...	45	2026-08-15T08:25:18.755898+00:00

Policy comparison boundary

The current contract retrieves controlled policy context but does not define a deterministic threshold-classification rule. This report therefore does not label suppliers as compliant, non-compliant, high risk, or low risk.

Findings and Recommended Actions

Major Findings

Finding	Evidence-backed observation	Evidence
Supplier quality coverage	Calculation Evidence contains controlled quality metrics for 15 supplier(s) across 2026-04, 2026-05, 2026-06.	E-f15a041e..., E-e1f1faa3...
Within-quarter trend view	The available trend metric compares each observed month with the prior observed month; the first month has no comparison baseline.	E-e1f1faa3...
Controlled policy context	2 controlled document Evidence item(s) provide the policy and deviation-process context for management review.	E-1ae3e0d9..., E-d6b8f2f5...

Business Risk Context

Classification	Statement	Evidence
INFORMATIONAL	The current analytics contract does not classify business risk or apply policy thresholds. Analytics notes are consolidated in Methodology and Limitations and must not be interpreted as business-risk findings.	E-e1f1faa3...

Recommended Actions

Action	Basis	Evidence
Review recorded deviations and document containment in accordance with the cited controlled quality policy.	POLICY_EVIDENCE	E-1ae3e0d9..., E-d6b8f2f5...

No priority level is assigned because the current deterministic contract does not define an action-prioritization rule.

Methodology and Limitations

Calculation methodology

Metric	Controlled formula
defect_count	sum(defect_count)
defect_rate	sum(defect_count) / sum(inspected_count)
inspected_count	sum(inspected_count)
period_over_period_trend	current_period_defect_rate - previous_period_defect_rate

Ratios are displayed as percentages. Ratio deltas are displayed as percentage points (pp). Canonical raw ratios, operands, and units remain unchanged in Appendix A and in the embedded report model.

Analytics notes and limitations

Code	Interpretation boundary
RANKING_NOT_AVAILABLE	Supplier ranking is not produced because quality_metrics.v1 does not define a ranking operation.
DETERMINISTIC_SCOPE	The report reproduces approved Evidence and Analytics outputs and does not infer root causes.
QUARTER_COMPARISON_NOT_AVAILABLE	Q1 versus Q2 comparison is not available because the authorized database request and quality_metrics.v1 calculation cover Q2 only.
FIRST_PERIOD_TREND_BASELINE	The first observed month has no previous-month comparison, so its period-over-period trend is not defined. This is an analytics note, not a business risk.
POLICY_CLASSIFICATION_NOT_AVAILABLE	No deterministic rule in the current contract applies policy thresholds or assigns supplier risk levels.

Verification lifecycle

This PDF is created before the independent workflow verifier runs. The final verification result is stored with task and Artifact metadata; it is not hard-coded into this render-time document.

Appendix A - Detailed Calculation Metrics

All canonical Analytics observations are retained below for audit. Values and formula operands are raw; no presentation scaling is applied.

Metric	Supplier	Period	Raw value	Unit	Formula operands
defect_count	SUP-001	2026-04	60	count	60 / null
defect_count	SUP-001	2026-05	68	count	68 / null
defect_count	SUP-001	2026-06	70	count	70 / null
defect_count	SUP-002	2026-04	230	count	230 / null
defect_count	SUP-002	2026-05	229	count	229 / null
defect_count	SUP-002	2026-06	239	count	239 / null
defect_count	SUP-003	2026-04	20	count	20 / null
defect_count	SUP-003	2026-05	22	count	22 / null
defect_count	SUP-003	2026-06	23	count	23 / null
defect_count	SUP-004	2026-04	158	count	158 / null
defect_count	SUP-004	2026-05	179	count	179 / null
defect_count	SUP-004	2026-06	191	count	191 / null
defect_count	SUP-005	2026-04	39	count	39 / null
defect_count	SUP-005	2026-05	45	count	45 / null
defect_count	SUP-005	2026-06	46	count	46 / null
defect_count	SUP-006	2026-04	143	count	143 / null
defect_count	SUP-006	2026-05	139	count	139 / null
defect_count	SUP-006	2026-06	126	count	126 / null
defect_count	SUP-007	2026-04	43	count	43 / null
defect_count	SUP-007	2026-05	42	count	42 / null
defect_count	SUP-007	2026-06	46	count	46 / null
defect_count	SUP-008	2026-04	305	count	305 / null
defect_count	SUP-008	2026-05	318	count	318 / null
defect_count	SUP-008	2026-06	331	count	331 / null
defect_count	SUP-009	2026-04	53	count	53 / null
defect_count	SUP-009	2026-05	53	count	53 / null
defect_count	SUP-009	2026-06	51	count	51 / null
defect_count	SUP-010	2026-04	23	count	23 / null
defect_count	SUP-010	2026-05	22	count	22 / null
defect_count	SUP-010	2026-06	21	count	21 / null
defect_count	SUP-011	2026-04	45	count	45 / null
defect_count	SUP-011	2026-05	57	count	57 / null
defect_count	SUP-011	2026-06	64	count	64 / null
defect_count	SUP-012	2026-04	14	count	14 / null
defect_count	SUP-012	2026-05	16	count	16 / null
defect_count	SUP-012	2026-06	15	count	15 / null
defect_count	SUP-013	2026-04	47	count	47 / null
defect_count	SUP-013	2026-05	51	count	51 / null
defect_count	SUP-013	2026-06	51	count	51 / null
defect_count	SUP-014	2026-04	14	count	14 / null
defect_count	SUP-014	2026-05	16	count	16 / null
defect_count	SUP-014	2026-06	16	count	16 / null

Metric	Supplier	Period	Raw value	Unit	Formula operands
defect_count	SUP-015	2026-04	6	count	6 / null
defect_count	SUP-015	2026-05	6	count	6 / null
defect_count	SUP-015	2026-06	6	count	6 / null
inspected_count	SUP-001	2026-04	9146	count	9146 / null
inspected_count	SUP-001	2026-05	9286	count	9286 / null
inspected_count	SUP-001	2026-06	9456	count	9456 / null
inspected_count	SUP-002	2026-04	4821	count	4821 / null
inspected_count	SUP-002	2026-05	4832	count	4832 / null
inspected_count	SUP-002	2026-06	4925	count	4925 / null
inspected_count	SUP-003	2026-04	3455	count	3455 / null
inspected_count	SUP-003	2026-05	3457	count	3457 / null
inspected_count	SUP-003	2026-06	3634	count	3634 / null
inspected_count	SUP-004	2026-04	3926	count	3926 / null
inspected_count	SUP-004	2026-05	4288	count	4288 / null
inspected_count	SUP-004	2026-06	4595	count	4595 / null
inspected_count	SUP-005	2026-04	3874	count	3874 / null
inspected_count	SUP-005	2026-05	4332	count	4332 / null
inspected_count	SUP-005	2026-06	4687	count	4687 / null
inspected_count	SUP-006	2026-04	4852	count	4852 / null
inspected_count	SUP-006	2026-05	5054	count	5054 / null
inspected_count	SUP-006	2026-06	5041	count	5041 / null
inspected_count	SUP-007	2026-04	4044	count	4044 / null
inspected_count	SUP-007	2026-05	4090	count	4090 / null
inspected_count	SUP-007	2026-06	4396	count	4396 / null
inspected_count	SUP-008	2026-04	16499	count	16499 / null
inspected_count	SUP-008	2026-05	17849	count	17849 / null
inspected_count	SUP-008	2026-06	18994	count	18994 / null
inspected_count	SUP-009	2026-04	897	count	897 / null
inspected_count	SUP-009	2026-05	931	count	931 / null
inspected_count	SUP-009	2026-06	869	count	869 / null
inspected_count	SUP-010	2026-04	2771	count	2771 / null
inspected_count	SUP-010	2026-05	2921	count	2921 / null
inspected_count	SUP-010	2026-06	2828	count	2828 / null
inspected_count	SUP-011	2026-04	3176	count	3176 / null
inspected_count	SUP-011	2026-05	3417	count	3417 / null
inspected_count	SUP-011	2026-06	3734	count	3734 / null
inspected_count	SUP-012	2026-04	2593	count	2593 / null
inspected_count	SUP-012	2026-05	2641	count	2641 / null
inspected_count	SUP-012	2026-06	2758	count	2758 / null
inspected_count	SUP-013	2026-04	2688	count	2688 / null
inspected_count	SUP-013	2026-05	2795	count	2795 / null
inspected_count	SUP-013	2026-06	2831	count	2831 / null
inspected_count	SUP-014	2026-04	1475	count	1475 / null
inspected_count	SUP-014	2026-05	1643	count	1643 / null
inspected_count	SUP-014	2026-06	1726	count	1726 / null
inspected_count	SUP-015	2026-04	892	count	892 / null

Metric	Supplier	Period	Raw value	Unit	Formula operands
inspected_count	SUP-015	2026-05	972	count	972 / null
inspected_count	SUP-015	2026-06	984	count	984 / null
defect_rate	SUP-001	2026-04	0.0066	ratio	60 / 9146
defect_rate	SUP-001	2026-05	0.0073	ratio	68 / 9286
defect_rate	SUP-001	2026-06	0.0074	ratio	70 / 9456
defect_rate	SUP-002	2026-04	0.0477	ratio	230 / 4821
defect_rate	SUP-002	2026-05	0.0474	ratio	229 / 4832
defect_rate	SUP-002	2026-06	0.0485	ratio	239 / 4925
defect_rate	SUP-003	2026-04	0.0058	ratio	20 / 3455
defect_rate	SUP-003	2026-05	0.0064	ratio	22 / 3457
defect_rate	SUP-003	2026-06	0.0063	ratio	23 / 3634
defect_rate	SUP-004	2026-04	0.0402	ratio	158 / 3926
defect_rate	SUP-004	2026-05	0.0417	ratio	179 / 4288
defect_rate	SUP-004	2026-06	0.0416	ratio	191 / 4595
defect_rate	SUP-005	2026-04	0.0101	ratio	39 / 3874
defect_rate	SUP-005	2026-05	0.0104	ratio	45 / 4332
defect_rate	SUP-005	2026-06	0.0098	ratio	46 / 4687
defect_rate	SUP-006	2026-04	0.0295	ratio	143 / 4852
defect_rate	SUP-006	2026-05	0.0275	ratio	139 / 5054
defect_rate	SUP-006	2026-06	0.025	ratio	126 / 5041
defect_rate	SUP-007	2026-04	0.0106	ratio	43 / 4044
defect_rate	SUP-007	2026-05	0.0103	ratio	42 / 4090
defect_rate	SUP-007	2026-06	0.0105	ratio	46 / 4396
defect_rate	SUP-008	2026-04	0.0185	ratio	305 / 16499
defect_rate	SUP-008	2026-05	0.0178	ratio	318 / 17849
defect_rate	SUP-008	2026-06	0.0174	ratio	331 / 18994
defect_rate	SUP-009	2026-04	0.0591	ratio	53 / 897
defect_rate	SUP-009	2026-05	0.0569	ratio	53 / 931
defect_rate	SUP-009	2026-06	0.0587	ratio	51 / 869
defect_rate	SUP-010	2026-04	0.0083	ratio	23 / 2771
defect_rate	SUP-010	2026-05	0.0075	ratio	22 / 2921
defect_rate	SUP-010	2026-06	0.0074	ratio	21 / 2828
defect_rate	SUP-011	2026-04	0.0142	ratio	45 / 3176
defect_rate	SUP-011	2026-05	0.0167	ratio	57 / 3417
defect_rate	SUP-011	2026-06	0.0171	ratio	64 / 3734
defect_rate	SUP-012	2026-04	0.0054	ratio	14 / 2593
defect_rate	SUP-012	2026-05	0.0061	ratio	16 / 2641
defect_rate	SUP-012	2026-06	0.0054	ratio	15 / 2758
defect_rate	SUP-013	2026-04	0.0175	ratio	47 / 2688
defect_rate	SUP-013	2026-05	0.0182	ratio	51 / 2795
defect_rate	SUP-013	2026-06	0.018	ratio	51 / 2831
defect_rate	SUP-014	2026-04	0.0095	ratio	14 / 1475
defect_rate	SUP-014	2026-05	0.0097	ratio	16 / 1643
defect_rate	SUP-014	2026-06	0.0093	ratio	16 / 1726
defect_rate	SUP-015	2026-04	0.0067	ratio	6 / 892
defect_rate	SUP-015	2026-05	0.0062	ratio	6 / 972

Metric	Supplier	Period	Raw value	Unit	Formula operands
defect_rate	SUP-015	2026-06	0.0061	ratio	6 / 984
period_over_period_trend	SUP-001	2026-04	null	ratio_delta	0.0066 / null
period_over_period_trend	SUP-001	2026-05	0.0007	ratio_delta	0.0073 / 0.0066
period_over_period_trend	SUP-001	2026-06	0.0001	ratio_delta	0.0074 / 0.0073
period_over_period_trend	SUP-002	2026-04	null	ratio_delta	0.0477 / null
period_over_period_trend	SUP-002	2026-05	-0.0003	ratio_delta	0.0474 / 0.0477
period_over_period_trend	SUP-002	2026-06	0.0011	ratio_delta	0.0485 / 0.0474
period_over_period_trend	SUP-003	2026-04	null	ratio_delta	0.0058 / null
period_over_period_trend	SUP-003	2026-05	0.0006	ratio_delta	0.0064 / 0.0058
period_over_period_trend	SUP-003	2026-06	-0.0001	ratio_delta	0.0063 / 0.0064
period_over_period_trend	SUP-004	2026-04	null	ratio_delta	0.0402 / null
period_over_period_trend	SUP-004	2026-05	0.0015	ratio_delta	0.0417 / 0.0402
period_over_period_trend	SUP-004	2026-06	-0.0001	ratio_delta	0.0416 / 0.0417
period_over_period_trend	SUP-005	2026-04	null	ratio_delta	0.0101 / null
period_over_period_trend	SUP-005	2026-05	0.0003	ratio_delta	0.0104 / 0.0101
period_over_period_trend	SUP-005	2026-06	-0.0006	ratio_delta	0.0098 / 0.0104
period_over_period_trend	SUP-006	2026-04	null	ratio_delta	0.0295 / null
period_over_period_trend	SUP-006	2026-05	-0.002	ratio_delta	0.0275 / 0.0295
period_over_period_trend	SUP-006	2026-06	-0.0025	ratio_delta	0.025 / 0.0275
period_over_period_trend	SUP-007	2026-04	null	ratio_delta	0.0106 / null
period_over_period_trend	SUP-007	2026-05	-0.0003	ratio_delta	0.0103 / 0.0106
period_over_period_trend	SUP-007	2026-06	0.0002	ratio_delta	0.0105 / 0.0103
period_over_period_trend	SUP-008	2026-04	null	ratio_delta	0.0185 / null
period_over_period_trend	SUP-008	2026-05	-0.0007	ratio_delta	0.0178 / 0.0185
period_over_period_trend	SUP-008	2026-06	-0.0004	ratio_delta	0.0174 / 0.0178
period_over_period_trend	SUP-009	2026-04	null	ratio_delta	0.0591 / null
period_over_period_trend	SUP-009	2026-05	-0.0022	ratio_delta	0.0569 / 0.0591
period_over_period_trend	SUP-009	2026-06	0.0018	ratio_delta	0.0587 / 0.0569
period_over_period_trend	SUP-010	2026-04	null	ratio_delta	0.0083 / null
period_over_period_trend	SUP-010	2026-05	-0.0008	ratio_delta	0.0075 / 0.0083
period_over_period_trend	SUP-010	2026-06	-0.0001	ratio_delta	0.0074 / 0.0075
period_over_period_trend	SUP-011	2026-04	null	ratio_delta	0.0142 / null
period_over_period_trend	SUP-011	2026-05	0.0025	ratio_delta	0.0167 / 0.0142
period_over_period_trend	SUP-011	2026-06	0.0004	ratio_delta	0.0171 / 0.0167
period_over_period_trend	SUP-012	2026-04	null	ratio_delta	0.0054 / null
period_over_period_trend	SUP-012	2026-05	0.0007	ratio_delta	0.0061 / 0.0054
period_over_period_trend	SUP-012	2026-06	-0.0007	ratio_delta	0.0054 / 0.0061
period_over_period_trend	SUP-013	2026-04	null	ratio_delta	0.0175 / null
period_over_period_trend	SUP-013	2026-05	0.0007	ratio_delta	0.0182 / 0.0175
period_over_period_trend	SUP-013	2026-06	-0.0002	ratio_delta	0.018 / 0.0182
period_over_period_trend	SUP-014	2026-04	null	ratio_delta	0.0095 / null
period_over_period_trend	SUP-014	2026-05	0.0002	ratio_delta	0.0097 / 0.0095
period_over_period_trend	SUP-014	2026-06	-0.0004	ratio_delta	0.0093 / 0.0097
period_over_period_trend	SUP-015	2026-04	null	ratio_delta	0.0067 / null
period_over_period_trend	SUP-015	2026-05	-0.0005	ratio_delta	0.0062 / 0.0067
period_over_period_trend	SUP-015	2026-06	-0.0001	ratio_delta	0.0061 / 0.0062

Appendix B - Evidence and Lineage

Controlled document excerpts

quality-policy - version v1, location chunk-1

Defect rate is defect count divided by inspected count; zero denominators are null.

Evidence ID: E-1ae3e0d9149b4a90 aae80d9b2bf7037e

deviation-process - version v1, location chunk-2

Quality deviations above the reviewed threshold require documented containment.

Evidence ID: E-d6b8f2f539d14a3b bf872ff05006c59e

Database Evidence

Evidence	Query ID	Rows	Snapshot
E-f15a041ec95844f185bade82e53fdaeb	fa0028e9fb49b50ecf54959d39fa7ad153ee322ceecda73bfc6e46daf620d6af	45	2026-08-15T08:25:18.755898+00:00

Evidence lineage index

Evidence ID	Type	Query / formula	Input lineage	Checksum
E-1ae3e0d9149b4a90 aae80d9b2bf7037e	DOCUMENT	-	-	sha256:0ba54fadccc2074d8aebfedceee12cc3b342ad27131a3369a1360afa794ddb6f6
E-d6b8f2f539d14a3b bf872ff05006c59e	DOCUMENT	-	-	sha256:d31fe10cd515a83c15bf0a31aa4b9132a6366fbdcd406546f44a1845b1644d92
E-f15a041ec95844f185bade82e53fdaeb	DATABASE	fa0028e9fb49b50ecf54959d39fa7ad153ee322ceecda73bfc6e46daf620d6af	-	008f064fa74932f1494de600c5e5965aeb25b9432f76cb4d8e3b4f799f91842
E-e1f1faa307a741529efc1869fe898334	CALCULATION	defect_count: sum(defect_count); defect_rate: sum(defect_count) / sum(inspected_count); inspected_count: sum(inspected_count); period_over_period_trend: current_period_defect_rate - previous_period_defect_rate	E-f15a041ec95844f185bade82e53fdaeb	fe9b2e913914afee2d1eb1dcb4762ff48fe213dbc728e198c1d441c399ca1961

Appendix C - Execution Trace

Complete identifiers are wrapped for display only. The canonical ReportDocument and Artifact metadata preserve the exact values.

Step	Tool Call	Evidence	Type
T-46670018fb6a4bb29636 bd357ed9c8fb:retrieve- quality-policy	TC-0eed95329e0b425 0846df033dc43e3ee	E-1ae3e0d9149b4a90 aae80d9b2bf7037e	DOCUMENT
T-46670018fb6a4bb29636 bd357ed9c8fb:retrieve- quality-policy	TC-0eed95329e0b425 0846df033dc43e3ee	E-d6b8f2f539d14a3b bf872ff05006c59e	DOCUMENT
T-46670018fb6a4bb29636 bd357ed9c8fb:query-sup plier-quality-data	TC-53fd6d7149e94f0 e91d9fe22e6da5a5a	E-f15a041ec95844f1 85bade82e53fdaeb	DATABASE
T-46670018fb6a4bb29636 bd357ed9c8fb:analyze-s upplier-quality	TC-31018afa227d429 68a2f2333bbf5fc71	E-e1f1faa307a74152 9efc1869fe898334	CALCULATION

Render and execution metadata

Field	Value
Task ID	T-46670018fb6a4bb2 9636bd357ed9c8fb
Workflow trace	Stored with Task metadata; report_generator.v1 input carries Task ID only
Generated at	2026-08-15T08:25:18.877858+00:00
Schema version	supplier_quality_report_model.v1
Template version	supplier_quality_report.v1
Generator version	report_generator.v1
Verification at render time	Pending - the independent verifier runs after Artifact creation