

Triangle Flow Top

Crochet Pattern for a Long Sleeve Crop Top

made by @igoz



Hi!

Thank you for choosing the Triangle Flow Top pattern. I'm so excited for you to make your own version of this top.

For extra guidance, I recommend following the video tutorial along with the written pattern. It walks you through each step and will make the process easier to follow.

I hope you enjoy the process and love your finished piece!

Let's get started!

Watch the VIDEO TUTORIAL here


This video tutorial is for personal use by the pattern purchaser only.
Please do not share or distribute the video link.

SKILL LEVEL:

Advanced Beginner - this pattern is suitable for crocheters who are comfortable with basic crochet stitches and techniques and are ready to try a more detailed stitch pattern. The instructions include step-by-step photos and a video tutorial to guide you through the process.

MATERIALS:

- Crochet hook 3.5 mm
- Yarn approximately 170 g for the sample shown (amount will vary depending on size and desired length).
- Yarn needle
- Scissors
- Stitch markers (optional)



Yarn suggestions:



This pattern works best with cotton, bamboo cotton, linen blends, or other yarns with good drape.

For the sample shown in this pattern I used:

70% bamboo fiber, 30% combed cotton

Color: blue-gray

PATTERN NOTES:

- This pattern uses US crochet terminology.
- Foundation chain must be a multiple of 5 + 1.
- The front and back panels are worked flat.
- Sleeves are worked in the round.
- The sample shown is size S/M.
- **Sample panel measurements:** approximately 40 cm (15.7 in) wide × 31 cm (12.2 in) long, measured flat and unstretched.
- **Gauge:** One full triangle measures approximately 2 cm (0.8 in) wide, measured flat and unstretched.
- Instructions can be adjusted to fit different sizes.

ABBREVIATIONS (US terms):

CH — chain

SL ST — slip stitch

SC — single crochet

DTR — double treble crochet

CONSTRUCTION OVERVIEW:

The top is made from two identical panels.


First, the panels are joined at the shoulders.

Next, one side seam is joined.

Without fastening off, stitches are worked around the armhole and the first sleeve is continued directly from there.

The same process is repeated on the other side to complete the second side seam and sleeve.

TRIANGLE FLOW STITCH PATTERN:



PIC #1

Note: This chart is a simplified example showing how the stitch pattern is constructed. The number of triangles can be adjusted to create any desired width.

Foundation Chain

CH 106.

The foundation chain must be a multiple of 5 + 1.

Example:

$$106 = (21 \times 5) + 1$$

To make the panel wider or narrower, adjust the foundation chain using this formula.

Row 1

- **Beginning Half-Triangle**

CH 8 (PIC #1)

These chains create the first half-triangle of the row.

You should now have 114 chains in total.

Yarn over three times and work an incomplete DTR into the chain at the base of the CH 8.

- An “incomplete DTR” is worked without completing the final yarn over and pull-through.

Skip 4 chains, and work another incomplete DTR in the 5th chain.

You should now have 3 loops on the hook.

Yarn over and pull through all 3 loops.

The first full triangle is complete.

- **To make the next triangle:**

CH 4.

Yarn over 3 times, and work an incomplete DTR into the base of the previous triangle.

Stop when 2 loops remain on the hook.

Skip 4 chains, and work another incomplete DTR in the 5th chain.

Yarn over and pull through all 3 loops.

The next triangle is complete.

Repeat Triangle Flow Stitch across the row.

End of Row 1

- **Ending Half-Triangle**

After completing the final triangle:

CH 2.

Yarn over 3 times and work 1 complete DTR into the base of the last triangle.

This creates the finishing half-triangle.

Row 2

- **Beginning Half-Triangle**

CH 6 (PIC #1)

Turn your work, and work 1 complete DTR into the apex of the triangle below.

This creates the beginning half-triangle.

- **Continue with Full Triangles**

CH 4.

Work an incomplete DTR into the base of the previous triangle.

Stop when 2 loops remain on the hook.

Skip 4 chains.

Work another incomplete DTR in the 5th chain.

Yarn over and pull through all 3 loops.

The next triangle is complete.

Repeat the triangle pattern across the entire row until only the final half-triangle remains.

End of Row 2

- **Ending Half-Triangle**

Complete the last full triangle of the row.

CH 4.

Work an incomplete DTR into the base of the previous triangle.

Stop when 2 loops remain on the hook.

For the second leg, skip 2 chains.

Work another incomplete DTR in the 3rd chain.

You should now have 3 loops on the hook.

Yarn over and pull through all 3 loops.

This creates the ending half-triangle and completes the row.

Repeat Rows 1 and 2 until the panel reaches the desired length.

FRONT PANEL

Work Rows 1 and 2 repeatedly until the panel reaches the desired length.

The sample shown was worked for 17 rows.

Fasten off.

BACK PANEL


Make a second panel identical to the Front Panel.

Fasten off.

JOINING THE PANELS

- Shoulder Seams

Place the Front and Back Panels together, aligning the top and side edges. Attach a new strand of yarn at one outer edge. Using SC stitches, join the shoulder section.




PIC #2

For the sample shown, each shoulder was joined across the outer half-triangle and the next 3 full triangles (PIC #2).

Adjust the number of joined triangles to create a wider or narrower neckline.

- Side Seams and Sleeves



PIC #3

Using SC stitches, join one side seam.

For the sample shown, 8 rows were joined starting from the bottom edge. The remaining rows were left open to create the armhole (PIC #3).

Adjust the number of joined rows to create larger or smaller armholes as desired.

Do not cut the yarn.


Continue directly by working the *foundation round* around the armhole opening and complete the first sleeve as described in the **Sleeves** section below (PIC #4).

Once the first sleeve is finished, join the second side seam in the same way.

Without cutting the yarn, work the foundation round around the second armhole and complete the second sleeve following the same instructions.

SLEEVES

- Foundation round for the sleeve



PIC #4


The armhole opening will be used as the foundation for the sleeve.

Work a round of SC stitches evenly around the entire armhole opening: work 4 SC evenly along the edge of each row, plus 1 additional SC between rows, as shown in PIC #4.

The total number of stitches in the foundation round must be a multiple of 5 in order to continue the stitch pattern in the round.

Join the foundation round with a SL ST.

This round will serve as the foundation round for the sleeve.



PIC #5 Working the Sleeve in the Round

Once the foundation round is complete, continue working the Triangle Flow Stitch pattern in the round, following the same instructions used for the panels (PIC #5):

Round 1:

- CH 8
- Yarn over three times and work an incomplete DTR into the same stitch at the base of the CH 8.
- Skip 4 stitches.
- Work another incomplete DTR in the next stitch.
- You should now have 3 loops on the hook.
- Yarn over and pull through all 3 loops.
- The first full triangle is complete.
- Repeat around the foundation round.
- **Joining the First Round of the Sleeve**

To complete the first sleeve round, connect the beginning and the end of the round using two mirrored half-triangles, as shown in the diagram (PIC #5).

Together, these two half-triangles form one complete triangle repeat and allow the stitch pattern to continue seamlessly in the round.

Round 2: Follow the Row 2 stitch sequence, beginning with CH 6 and 1 complete DTR into the apex of the triangle below. Continue in the round without turning.

To complete Round 2:

CH 4.

Work an incomplete DTR into the base of the previous triangle. Stop when 2 loops remain on the hook.

Work another incomplete DTR in the 5th chain. Stop when 2 loops remain on the hook.

Insert the hook into the top corner of the beginning half-triangle of Round 2 and make a SL ST to complete the join.

Repeat the Row 1 and Row 2 stitch sequences alternately for the remaining rounds, without turning.

For the sample shown, I worked 30 rounds, measuring approximately 25in (64 cm).

The sleeve length can be customized to create short, three-quarter, or long sleeves.

- **Second Sleeve**

Work the second sleeve in the same way as the first sleeve, starting by joining the other side seam of the top.

Repeat the foundation round for the armhole and continue the stitch pattern in the round until the sleeve reaches the desired length.

FINISHING:

Congratulations! You've finished your Triangle Flow Top!

Weave in all yarn ends securely.

For a more finished look, you may work a round of single crochet around the bottom edge, neckline, and sleeve cuffs, or use any edging of your choice.

I'd love to see your finished top! Tag me on Instagram [@igoz__](#).

If you have any questions or anything is unclear, feel free to message me on Etsy or Instagram [@igoz__](#).

Watch the VIDEO TUTORIAL here

This video tutorial is for personal use by the pattern purchaser only.
Please do not share or distribute the video link.

COPYRIGHT & USE

© 2026 @igoz__

This pattern and the accompanying video tutorial are for personal use only. Please do not copy, share, redistribute, resell, or reproduce any part of the pattern or video tutorial.

You are welcome to sell finished items made from this pattern in small quantities. Please credit [@igoz__](#) as the designer.