

Chapter 1

Explainability in Reinforcement Learning

Today, the majority of artificial intelligence agents with which humans interact are deployed in controlled or low-risk environments. For example, agents capable of playing games such as Go operate in settings where potential errors remain limited in terms of consequences. Even more autonomous systems, such as agents based on large language models, remain constrained by human supervision mechanisms and are often restricted to tasks such as code generation or information retrieval. Safety-critical applications integrating machine learning components are still rare. Introducing autonomous agents in such environments, requires the establishment of strong guarantees. These requirements include in particular:

- validating the system’s functioning before deployment,
- identifying the origin of a malfunction in case of failure,
- and certifying that an observed failure will not occur again.

The main challenge lies in the fact that the performing agents currently available rely on both reinforcement learning and deep learning. As a result, the mechanisms underlying their decisions cannot be understood directly from the learned model. This lack of explainability makes their use difficult in safety-critical contexts. To address this limitation, a research field has emerged: Explainable Reinforcement Learning (XRL), a subfield of Explainable Artificial Intelligence (XAI). The objective of XRL is to develop explainability methods that make it possible to obtain explanations of reinforcement learning agents.

This chapter presents the main existing XRL methods. We first define what is meant by an explanation in the context of XAI. We then propose a taxonomy for organizing existing XRL methods. This taxonomy serves as the basis for the state-of-the-art review presented in the remainder of the chapter.

1.1 Explanation in Artificial Intelligence

In this section, we define what an explanation is in the context of XAI and how it can be obtained. We first introduce the concept of explanation in a general.




Figure 1.1: Explanation process in explainable artificial intelligence.

31 We then describe how this concept applies to XAI. Finally, we introduce the
 32 concept of explainability methods and describe the properties that characterize
 33 explanations in the context of XAI.

34 1.1.1 Explanation

35 Establishing what is meant by an explanation is challenging due to the funda-
 36 mentally multidisciplinary nature of the concept. When we refer to explanation,
 37 we are inherently referring to an explanation provided to a human. As soon as
 38 humans are involved, the problem is no longer purely computational or math-
 39 ematical. It involves several fields of research, such as philosophy, psychology,
 40 and sociology. So far, these disciplines have not converged on a unified definition
 41 of explanation that can be directly applied to XAI.

42 For this reason, we propose the following definition of explanation. An
 43 explanation involves two entities: the object (Definition 1.1.1) being explained
 44 and the receiver of the explanation. The receiver is a human who aims to
 45 understand how the object operates and will be referred to as the observer
 46 throughout this manuscript (Definition 1.1.2). The observer seeks to understand
 47 the object and, in doing so, builds a mental model of its functioning. An
 48 explanation is therefore what allows the observer to refine and correct their
 49 mental model of how the object operates (Definition 1.1.4).

50 For an observer to understand an explanation, the information it contains
 51 must be interpretable (Definition 1.1.3). Information is considered interpretable
 52 when it can be directly understood by a human without requiring any additional
 53 transformation process.

Definition 1.1.1: Object

The object of an explanation is the system is to be understood by an observer.

54

Definition 1.1.2: Observer

The observer is the human who aims to understand a object. The observer possesses a mental model of the object being explained. This mental model is an internal representation of how the observer believes the system operates. This representation may be incomplete or inaccurate.

Definition 1.1.3: Interpretable

Information is interpretable when it can be directly understood by an observer without requiring any additional transformation process.

Definition 1.1.4: Explanation

An explanation is any interpretable information that enables an observer to refine or correct their mental model of the object of the explanation.

This definition of explanation provides the foundation for the approach to explainability adopted throughout this manuscript. Its generality allow it to encompass the different explainability methods considered in the following sections.

Moreover, it avoids a binary interpretation of explanation, where a system is considered either explainable or not explainable. From our perspective, the notion of non-explainable system is not meaningful. Considering a system as impossible to explain would therefore contradict the general objective of scientific understanding.

This quantitative perspective allows us to express an intuitive idea: not all explanations provide the same level of value. The effectiveness of an explanation depends on its ability to improve the observer's understanding of the system. For example, describing a marginal aspect of a system is different from correcting an observer's misunderstanding of a key mechanism.

Figure 1.1 summarizes this whole explanation process, from the object of the explanation to the mental model refined by the observer.

1.1.2 Explainable Artificial Intelligence

Now that the general framework of explanation has been established, we can examine how this concept applies in the context of artificial intelligence. In the context of XAI, the object of explanation is an artificial intelligence system. More precisely, XAI emerged as a response to the success of deep learning models. These models achieve high performance through connectionist architectures based on deep neural networks. In these architectures, information is represented in a distributed manner across the network through patterns of activation and connections between computational units. Unlike symbolic approaches, individual components of neural networks cannot be directly associated with human-defined concepts. From this starting point, we identify two types of approaches:

- **Substitutive explainability:** In this approach, the underlying assumption is that there is nothing to explain within a neural network. There is no semantic meaning associated with each computational component, and

therefore nothing to interpret. This corresponds to the so-called "black box" view of neural networks. Under this assumption, XAI consists of replacing as much of the deep learning system as possible with alternative AI methods.

- **Intrinsic explainability:** In this approach, it is argued that neural networks inherently contain mechanisms that can be explained. The limitation is considered to lie not in the networks themselves, but in the absence of adequate tools to analyze their functioning.

This manuscript considers methods from both approaches in order to provide a comprehensive overview of the XAI field. According to the definition of explanation adopted in this manuscript (Definition 1.1.4), any system can, in principle, be explained. Consequently, we adopt the intrinsic explainability perspective throughout this work. Nevertheless, methods from both approaches are presented and discussed as impartially as possible.

1.1.3 Explainability Method in XIA

Now that the general framework of XAI has been established, we need to further detail the properties of an explanation in this context. In our framework, an explanation in the field of XAI can be characterized by three components:

- **Source:** refers to the origin of the information used by the explainability method. The explainability method transforms the raw information produced by the AI system into an explanation that can be understood by an observer.
- **Form:** refers to the representation through which the explanation is communicated. The form defines how the information is presented to the observer and must allow human interpretation. An explanation can take many different forms, including text, images, computer code, and mathematical equations.
- **Subject:** refers to the aspect of the AI system that is being explained. In XAI, this distinction is commonly associated with the difference between local and global explanations. A local explanation describes why an AI system produced a specific output in a given situation. A global explanation aims to describe the general functioning of the AI system.

These three aspects of an explanation are entirely determined by the process used to produce it. We refer to this process as an explainability method. An explainability method is a transformation process that maps a source of information into an explanation characterized by a specific form and subject. Research in XAI focuses on developing new methods capable of performing this transformation in order to overcome the lack of interpretability associated with deep learning models.

1.2 Taxonomy of XRL Methods

Now that the concept of XAI has been defined, we turn to its application in reinforcement learning, known as XRL. As in XAI, explanations in XRL are

131 produced by explainability methods and can be described in terms of their
 132 subject, source, and form. This section reviews the possible variations of these
 133 three aspects in the specific context of reinforcement learning.

134 1.2.1 Subject

135 The first question to address is the subject of explanation in the context of
 136 reinforcement learning. To answer this question, it is necessary to identify the
 137 different components involved in a reinforcement learning system and determine
 138 which of them constitutes the object of explanation. A reinforcement learning
 139 system can be described through two main components: the environment and
 140 the policy.

141 The environment defines the dynamics in which the agent evolves, including
 142 the possible states, observations, actions, and transitions. Environments are
 143 simulations designed by humans, and their dynamics are explicitly defined.
 144 Therefore, it is assumed that the environment is known to the observer and does
 145 not require explanation.

146 The main object of interest is therefore the agent’s policy. The policy
 147 represents the decision-making mechanism of the agent. It is a function that maps
 148 observations to actions and is learned through interaction with the environment in
 149 order to maximize the expected cumulative reward. The policy is the component
 150 that encodes the learning process and that XRL aims to explain.

151 Explaining a policy introduces additional challenges compared with classical
 152 XAI settings. In traditional XAI problems, the objective is to explain an isolated
 153 decision, such as determining which features of an image led to a classification
 154 result. In contrast, reinforcement learning introduces a temporal dimension
 155 into the decision-making process. An action is not only determined by the
 156 current observation but also influences future states and rewards. Therefore,
 157 understanding the behavior of an agent may require considering a sequence of
 158 interactions between the agent and its environment.

159 This temporal dimension leads to a distinction between two objectives of
 160 explanation in XRL:

- 161 • **Decision explanations:** focus on identifying the elements of the current
 162 observation that influenced the action selected by the policy. This type of
 163 explanation is close to classical XAI approaches, as it analyzes the rela-
 164 tionship between inputs and outputs while abstracting away the sequential
 165 nature of the decision process.
- 166 • **Strategy explanations:** aim to characterize the agent’s behavior over
 167 time. They focus on sequences of decisions and interactions with the
 168 environment in order to understand how the agent achieves its long-term
 169 objective. This type of explanation is specific to reinforcement learning, as
 170 it addresses the temporal and goal-oriented nature of the learning process.

171 These two objectives should not be considered as strictly separated categories,
 172 but rather as two extremes of a continuum. Indeed, understanding the elements
 173 of an observation that influence a specific decision can help the observer generalize
 174 this information to infer broader aspects of the agent’s behavior. Conversely,
 175 understanding the agent’s overall strategy can provide insights into the reasoning
 176 behind individual decisions.

1.2.2 Source

We identify three sources of explanation in reinforcement learning, all obtained during or after the learning process and containing information about the agent:

- **Policies:** policies are functions that generate a distribution over the action space for a given observation. The objective of reinforcement learning is to learn a policy that maximizes the expected cumulative future rewards. During the learning phase, the policy is iteratively improved through interactions with the environment.
- **Trajectories:** trajectories represent sequences of successive interactions between the agent and the environment. At each step, the agent selects an action based on its observation, which modifies the environment and produces a reward as well as a new observation. This process continues until the end of the trajectory.
- **Value functions:** value functions provide predictions about the future outcome of a trajectory from a given observation. The most commonly used value function is the critic function, which estimates the expected sum of future rewards. This prediction guides the learning process, as the agent updates its policy to maximize the estimated future return. However, other types of value functions can also be used as sources of explainability.

1.2.3 Form

We identify six forms of explanation in the RL setting:

- **Policy Model:** an interpretable model of the agent’s policy function.
- **Saliency Map:** a weighting of the input features representing their influence on the output of the policy function.
- **Counterfactual:** a modified observation obtained by perturbing the original observation in order to produce a different action from the agent.
- **Agent Trajectory:** a sequence of successive interactions between the agent and the environment.
- **Trajectory Prediction:** a prediction about the future evolution of the trajectory produced by a value function.
- **Interaction Model:** an interpretable model of the interactions between the agent and the environment.

Among the three components characterizing an explanation, the form is the one that varies most significantly across explainability methods. While subjects and sources tend to be relatively stable in the XRL literature, the diversity in how explanations are presented is considerably greater. The list above is by no means definitive and may evolve as new approaches emerge. For this reason, the following section is organized according to the form of explanations and presents existing explainability methods based on this criterion.

Explanation Subject	Explanation Form	Explainability Method Family	Source of Explanation		
			Policy	Trajectories	Value functions
Decision	Policy Model	<i>Interpretable policy learning</i>	✓		
		<i>Policy approximation via interpretable model</i>	✓		
	Saliency Map	<i>Observation perturbation</i>	✓		
		<i>Observation gradient analysis</i>	✓		
		<i>Attention-based architecture</i>	✓		
	Counterfactual	<i>Latent space usage for counterfactual generation</i>	✓		
Strategy	Agent Trajectory	<i>Hierarchical decomposition</i>	✓	✓	
		<i>Extraction via critic analysis</i>		✓	✓
		<i>Extraction via multi-critic comparisons</i>		✓	✓
	Trajectory Prediction	<i>Value functions as observations</i>			✓
		<i>Critic enrichment</i>			✓
	Interaction Model	<i>Bayesian network learning</i>		✓	
		<i>Latent space usage for MDP generation</i>	✓		

Table 1.1: Taxonomy of explainability methods in reinforcement learning.

1.3 State-of-the-Art Review of XRL Methods

The purpose of this section is to detail the functioning of existing explainability methods (see Table 1.1). They are presented according to the form of explanation they produce, following the taxonomy introduced in Section 1.2.

Each subsection introduces one of the six forms of explanation identified in Section 1.2.3. For each form, we identify the corresponding family of methods and organize the related approaches within the appropriate subsection. A family of methods is defined as a set of methods that share the same source, form, and subject of explanation, as well as a similar procedure for generating explanations. Methods belonging to the same family may differ slightly in their implementation or in the details of the generation process. They share a common underlying principle that allows them to be described as part of the same family.

1.3.1 Policy Model

The policy function can be represented by a wide variety of function classes. In modern reinforcement learning, neural networks is the most commonly used models for representing policies. Although these models achieve the highest performance, their connectionist nature makes their internal representations non-interpretable.

For this reason, a substitutive approach to XRL aims to replace these models with alternative models considered interpretable. Such models can be understood through direct analysis of their representations. The main classes of interpretable models used to represent policy functions include decision trees [Topin et al., 2021], algorithms [Trivedi et al., 2022], formal logic [Payani and Fekri, 2019], and linear models [Garreau and von Luxburg, 2020].

Explanations derived from an interpretable model primarily provide insights into the decision-making process, since what is modeled is the mapping between an observation and an action. If the model is sufficiently simple or well structured, the observer can form a mental representation of a sequence of decisions across the environment and thus obtain information about the agent’s strategy.

The main limitation of these methods is that interpretable models rely on symbolic representations. When the policy to be represented is too complex, achieving comparable performance requires a large number of rules or conditions. The resulting model can quickly become difficult to analyze and lose its interpretability.

For example, representing a policy capable of playing Go using a symbolic model would require considering a very large number of possible situations and specific cases. Even if such a representation were possible, the resulting model would likely become intractable for human analysis due to its complexity. This illustrates why neural network-based approaches have become dominant in such domains, as they can learn complex decision strategies without requiring an explicit enumeration of rules.

To obtain an interpretable policy model, two explainability methods are available: *interpretable policy learning* and *policy approximation via interpretable model*.

Interpretable Policy Learning

This method aims at learning a policy represented by an **interpretable** model [Topin et al., 2021, Trivedi et al., 2022]. It is the most direct approach to addressing the challenges posed by explainable reinforcement learning (XRL). This type of training requires modifying the MDP in order to adapt it to the search space and to the type of policy representation. Moreover, this search space often needs to be reduced to make learning feasible. Such a **reduction** requires the integration of **expert knowledge** into the learning process. With this method, the *interpretable policy function* itself is used to provide explanations to the observer.

Policy Approximation via Interpretable Model

Using an interpretable model, it is possible to **approximate** a non-interpretable policy [Sieusahai and Guzdial, 2021]. In this setting, the problem is cast as a **supervised learning** task, where the non-interpretable policy is used to label each observation with the action it selects. Using this dataset, supervised learning is then performed with the interpretable model. The resulting *interpretable model* is subsequently used as an explanation for the observer. If this approximation is sufficiently faithful, it can be deployed in the environment in place of the original policy, thereby enabling a high degree of control over the agent.

1.3.2 Saliency Map

Heatmaps make it possible to identify which parts of the input vector are decisive in the selection of the output (as illustrated in Figure 1.2). When applied to the reinforcement learning setting, they highlight the regions of the observation space that are critical in the action selection process. By nature, this form of




Figure 1.2: Heatmaps obtained by [Greydanus et al., 2018] for the same observation of the Atari game “Breakout”. Highlighted areas correspond to the most influential regions for the policy function’s decision. (a) is obtained via observation perturbation (see Section 1.3.2), whereas (b) is obtained via observation gradient analysis (see Section 1.3.2).

explanation provides information about the policy’s decision-making process. The intuitive nature of this representation allows it to be used by a broad audience.

A limitation of heatmap-based methods is that the resulting explanations are not always directly meaningful to the observer. As illustrated in Figure 1.2b, interpreting which regions are important often requires human reasoning and involves a degree of subjectivity. This limitation becomes particularly relevant in reinforcement learning, where the objective is not only to explain a single decision but also to understand the factors influencing a sequence of decisions over time.

More generally, heatmap-based methods highlight a fundamental challenge in XAI: determining the relevance of an explanation. Different methods can produce different heatmaps for the same decision, raising the question of how to compare and select among potentially conflicting explanations. This is illustrated in Figure 1.2, where the perturbation-based method (Figure 1.2a) and the gradient-based method (Figure 1.2b) produce different heatmaps for the same observation. Rather than assuming that only one explanation can be valid, the definition of explanation adopted in this manuscript allows for multiple complementary perspectives. Different explanations may reveal different aspects of the system and contribute to improving the observer’s understanding.

Three explainability methods can be used to obtain this type of explanation: *observation perturbation*, *observation gradient analysis*, and *attention-based architectures*.




Figure 1.3: Attention-based heatmaps obtained by [Mott et al., 2019] for the Atari games “Breakout” and “Ms. Pac-Man” (see Section 1.3.2). In (a), the highlighted regions are easily interpretable, whereas in (b), the attention is spread across many regions of the observation, making the explanation much harder to interpret.

307 *Observation Perturbation*

308 Perturbation analysis consists in applying various **modifications** to the obser-
 309 vation in order to study their **impact** on the output of the **policy function**
 310 [Greydanus et al., 2018]. The greater the variation in the output caused by a
 311 perturbation applied to a given component of the input vector, the higher the
 312 **weight** assigned to that component. The magnitude of the perturbation is
 313 measured by computing the distance between the original output and the output
 314 obtained from the perturbed input. Using this set of weights, a *heatmap* is
 315 constructed, enabling the observer to visualize which parts of the observation
 316 vector are most sensitive in the action-selection process (see Figure 1.2a).

317 *Observation Gradient Analysis*

318 Observation **gradient** analysis refers to a set of methods that require a differen-
 319 tiable policy function in order to extract information from it [Simonyan et al., 2014,
 320 Weitkamp et al., 2019, Huber et al., 2019]. To this end, the gradient of the pol-
 321 icy function is computed with respect to all **components of the input vector**.
 322 For each input component, the resulting gradient provides a weighting that
 323 represents its importance in the output of the policy function. Based on these
 324 weightings, a *heatmap* is constructed to allow the observer to visually identify
 325 the parts of the input vector that are the most influential in the policy function’s
 326 output (see Figure 1.2b).




Figure 1.4: Counterfactual explanation of the agent’s behavior for the game *Space Invaders* [Olson et al., 2021]. In the left image, the observation leads to the action “LEFT”, whereas in the right image, the action selected by the agent is “RIGHT_FIRE”.

327 *Attention-Based Architecture*

328 **Attention** blocks constitute a neural network architecture that makes it possible
 329 to weight the relative importance of one part of a vector with respect to the other
 330 parts of the same vector [Vaswani et al., 2023]. These weights are computed
 331 as a function of the vector itself and are learned by the neural network during
 332 training. For a given observation, each component of the observation vector
 333 is assigned a scalar value. It can therefore be assumed that the components
 334 associated with the highest weights are the most influential in determining the
 335 output [Mott et al., 2019, Itaya et al., 2021]. This attention-based *heatmap* is
 336 then provided to the observer as the explanation (see Figure 1.3a). However, as
 337 shown in Figure 1.3b, the attention weights are not always concentrated on a
 338 small, easily interpretable set of regions, which can make this type of explanation
 339 difficult to exploit.

340 1.3.3 Counterfactual

341 In the context of reinforcement learning, counterfactual explanations are used
 342 to generate new observations (see Figure 1.4). This new observation, distinct
 343 from the original one, leads the agent to adopt an alternative behavior. A
 344 counterfactual explanation aims to explain the agent’s decision-making process.
 345 Modifying the observation informs the observer about the adjustments required
 346 for the agent to adopt a different behavior. The method available to generate
 347 counterfactuals is the *use of the latent space for counterfactual generation*.

348 *Latent Space Usage for Counterfactual Generation*

349 In this method, **generative models** are used [Bond-Taylor et al., 2021] to
 350 exploit the latent representation. This type of model learns to generate new
 351 data by imitating the training data distribution. In this context, generative
 352 models aim to produce alternative observations that are likely to alter the agent’s
 353 actions [Olson et al., 2021].

354 The main challenge of this approach lies in the fact that, to serve as explanations,
 355 counterfactuals must be both **close** and **feasible**. A close counterfactual
 356 refers to one that does not differ significantly from the original observation. A

feasible counterfactual corresponds to an observation that is meaningful within the considered environment.

1.3.4 Agent Trajectory

Trajectories represent a sequence of interactions between the agent and its environment. By analyzing these trajectories, the observer can infer the underlying dynamics governing the agent’s evolution within its environment.

Post-training trajectories are systematically used to obtain explanations of the agent’s strategy, even outside the scope of explainable reinforcement learning (XRL). This simple approach can be enhanced using methods such as *hierarchical decomposition* and *extraction via critic analysis*.

Training trajectories, on the other hand, can be used to explain the agent’s learning process, through the *extraction via multi-critic comparisons* method.

Hierarchical Decomposition

Hierarchical agents are composed of a set of **sub-policies** specialized for specific tasks within subsets of the environment’s states. This method distributes the optimization of the reward function across multiple models, significantly simplifying the learning process. Moreover, this **decomposition** of the policy function can also provide explainability in the agent’s strategy [Beyret et al., 2019]. If a sub-policy is selected, it indicates that the agent will execute a specialized behavior. This behavioral specialization provides insight into the strategy the agent employs to maximize the reward function. The agent’s *trajectory*, together with the *sub-policy* selected for each action, is used as interpretable information.

Extraction via Critic Analysis

In this method, the predictions of the critic are used to determine which **trajectories to present to the observer** [Sequeira and Gervasio, 2020]. A set of states is selected from multiple trajectories. For a given state, all possible actions are examined. The state is assigned a value equal to the difference between the critic’s prediction for the lowest-valued action and the prediction for the highest-valued action. Trajectories containing the states with the highest values according to this procedure are then chosen to be presented to the observer. These trajectories are considered **critical moments** of the agent and are therefore relevant for analysis. For this method, the *selected trajectories* represent the interpretable information provided to the observer.

Extraction via Multi-Critic Comparisons

In this approach, the main objective is to **weight the training interactions** between the agent and the environment according to their influence on the learning process. To achieve this, multiple critic functions are created using *off-policy* learning. Off-policy learning is a reinforcement learning process that allows a policy to learn from data generated by a different policy [Gottesman et al., 2020]. Each critic function is trained on a subset of the dataset.

A reference critic function is trained using the entire dataset. Then, for each agent-environment interaction, a critic function is retrained while specifically excluding that interaction. The **prediction disparity** between the retrained




Figure 1.5: Prediction of sub-rewards as a function of the action selected by the agent for a given state [Juozapaitis et al., 2019]. Depending on the action chosen by the agent, one can determine which sub-reward it aims to maximize.

critic and the reference critic represents the impact of removing that interaction on learning. Through this procedure, a value is assigned to each interaction based on this difference: the larger the disparity, the higher the value assigned to the interaction.

A higher value indicates that the interaction is considered more important in the learning process. These *values* over the *interactions* serve as explanations for the observer, providing a means to assess the significance of each agent-environment interaction within the learning process.

1.3.5 Trajectory Prediction

Making predictions about the future of a trajectory allows one to form a representation of what the system expects, based on its training experience (see Figure 1.5). These predictions are produced using value functions. Such functions provide insights into the future evolution of the agent’s trajectory. By their nature, this form of explanation informs the observer about the strategy adopted by the agent.

The main challenge of this type of approach lies in ensuring that the values predicted by these functions are truly decisive in the actions selected by the agent. To this end, the following methods are employed: *value functions as observations* and *critic enrichment*.

Value Functions as Observations

The objective is to train **interpretable value functions** to be used as observations for the agent. If the features predicted by these value functions are **meaningful** to the observer, they can determine which aspects the agent is attempting to maximize through its actions [Lin et al., 2021].

Critic Enrichment

In order to obtain interpretable information from the predictions of the **critic**, it is possible to **decompose** the critic into multiple **sub-functions** [Juozapaitis et al., 2019]. The reward function is thus decomposed into multiple sub-reward functions,




Figure 1.6: Agent-environment interaction model for the video game *StarCraft II* [Madumal et al., 2020]. Nodes represent random variables, and edges represent causal relationships between them.

each representing a **sub-objective** of the task to be accomplished. Similarly, for each of these sub-reward functions, corresponding sub-critic functions are defined, along with a function that combines their outputs. During training, the agent selects its actions so as to maximize this combination function of the sub-critics. Using this approach, for each observation and action, a prediction is obtained regarding the sub-objectives the agent is attempting to maximize. This *prediction* is then used as the explanation for the observer.

1.3.6 Interaction Model

Modeling the interactions between an agent and its environment makes it possible to understand how the agent's decisions are made and what impact they have on the environment (see Figure 1.6). By incorporating these interactions into an explanatory model, one can better grasp the complex relationships between the agent and its environment, thereby identifying the determining factors in the decision-making process. By explicitly handling the agent-environment interaction, this type of explanation aims to explain the agent's strategy. The methods used to obtain explanations in the form of agent-environment interactions are: *Bayesian network learning* and *latent space usage for MDP generation*.

Bayesian Network Learning

The evolution of an agent within an environment can be observed as a set of **random variables** connected through a **Bayesian network** [Madumal et al., 2020]. Random variables are defined to represent both external aspects (the environment) and internal aspects of the agent (the actions). By analyzing trajectories, it becomes possible to infer causal relationships among these random variables. At the end of this process, a weighted causal graph is obtained, which serves as an explanation for the observer. This *Bayesian network*, representing the interactions between the agent and the environment, is then used as the explanation.

Latent Space Usage for MDP Generation

Each layer of a neural network can be viewed as a projection from one space to another [Zahavy et al., 2017]. As information propagates through successive layers of a neural network, it becomes increasingly abstract. It can therefore be assumed that two vectors that are close in this projected space are also close

459 in terms of the agent’s perception. Based on this observation, it is possible to
460 **redefine an MDP** by leveraging the **abstract representations** produced by
461 the final layers of a neural network. Once the new MDP has been constructed,
462 a model of the interaction between the agent and its environment is obtained.
463 This model, represented as a *graph*, is then used as the explanation.

Bibliography

- [Beyret et al., 2019] Beyret, B., Shafti, A., and Faisal, A. A. (2019). Dot-to-dot: Explainable hierarchical reinforcement learning for robotic manipulation. In 2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS). IEEE. **Article**.
- [Bond-Taylor et al., 2021] Bond-Taylor, S., Leach, A., Long, Y., and Willcocks, C. G. (2021). Deep generative modelling: A comparative review of vaes, gans, normalizing flows, energy-based and autoregressive models. **Article**.
- [Garreau and von Luxburg, 2020] Garreau, D. and von Luxburg, U. (2020). Explaining the explainer: A first theoretical analysis of lime. In Chiappa, S. and Calandra, R., editors, Proceedings of the Twenty Third International Conference on Artificial Intelligence and Statistics, volume 108 of Proceedings of Machine Learning Research, pages 1287–1296. PMLR. **Article**.
- [Gottesman et al., 2020] Gottesman, O., Futoma, J., Liu, Y., Parbhoo, S., Celi, L. A., Brunskill, E., and Doshi-Velez, F. (2020). Interpretable off-policy evaluation in reinforcement learning by highlighting influential transitions. **Article**.
- [Greydanus et al., 2018] Greydanus, S., Koul, A., Dodge, J., and Fern, A. (2018). Visualizing and understanding atari agents. **Article**. **Code**.
- [Huber et al., 2019] Huber, T., Schiller, D., and André, E. (2019). Enhancing explainability of deep reinforcement learning through selective layer-wise relevance propagation. In KI 2019: Advances in Artificial Intelligence: 42nd German Conference on AI, Kassel, Germany, September 23–26, 2019, Proceedings 42, pages 188–202. Springer. **Article**.
- [Itaya et al., 2021] Itaya, H., Hirakawa, T., Yamashita, T., Fujiyoshi, H., and Sugiura, K. (2021). Visual explanation using attention mechanism in actor-critic-based deep reinforcement learning. **Article**.
- [Juozapaitis et al., 2019] Juozapaitis, Z., Koul, A., Fern, A., Erwig, M., and Doshi-Velez, F. (2019). Explainable reinforcement learning via reward decomposition. In IJCAI/ECAI Workshop on explainable artificial intelligence. **Article**.
- [Lin et al., 2021] Lin, Z., Lam, K.-H., and Fern, A. (2021). Contrastive explanations for reinforcement learning via embedded self predictions. **Article**. **Code**.

- [Madumal et al., 2020] Madumal, P., Miller, T., Sonenberg, L., and Vetere, F. (2020). Explainable reinforcement learning through a causal lens. In *Proceedings of the AAAI conference on artificial intelligence*, volume 34, pages 2493–2500. **Article**.
- [Mott et al., 2019] Mott, A., Zoran, D., Chrzanowski, M., Wierstra, D., and Jimenez Rezende, D. (2019). Towards interpretable reinforcement learning using attention augmented agents. *Advances in neural information processing systems*, 32. **Article**.
- [Olson et al., 2021] Olson, M. L., Khanna, R., Neal, L., Li, F., and Wong, W.-K. (2021). Counterfactual state explanations for reinforcement learning agents via generative deep learning. *Artificial Intelligence*, 295:103455. **Article**. **Code**.
- [Payani and Fekri, 2019] Payani, A. and Fekri, F. (2019). Inductive logic programming via differentiable deep neural logic networks. **Article**. **Code**.
- [Sequeira and Gervasio, 2020] Sequeira, P. and Gervasio, M. (2020). Interestingness elements for explainable reinforcement learning: Understanding agents’ capabilities and limitations. *Artificial Intelligence*, 288:103367. **Article**.
- [Sieusahai and Guzdial, 2021] Sieusahai, A. and Guzdial, M. (2021). Explaining deep reinforcement learning agents in the atari domain through a surrogate model. **Article**.
- [Simonyan et al., 2014] Simonyan, K., Vedaldi, A., and Zisserman, A. (2014). Deep inside convolutional networks: Visualising image classification models and saliency maps. **Article**. **Code**.
- [Topin et al., 2021] Topin, N., Milani, S., Fang, F., and Veloso, M. (2021). Iterative bounding mdps: Learning interpretable policies via non-interpretable methods. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 35, pages 9923–9931. **Article**.
- [Trivedi et al., 2022] Trivedi, D., Zhang, J., Sun, S.-H., and Lim, J. J. (2022). Learning to synthesize programs as interpretable and generalizable policies. **Article**. **Code**.
- [Vaswani et al., 2023] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L., and Polosukhin, I. (2023). Attention is all you need. **Article**.
- [Weitkamp et al., 2019] Weitkamp, L., van der Pol, E., and Akata, Z. (2019). Visual rationalizations in deep reinforcement learning for atari games. **Article**.
- [Zahavy et al., 2017] Zahavy, T., Zrihem, N. B., and Mannor, S. (2017). Graying the black box: Understanding dqns. **Article**.