



MBandWtasksAPI1.0OAS3

https://localhost:7031/swagger/v1/swagger.json

Holiday

GET/api/Holiday

Parameters

No parameters

ExecuteClear

Responses

Curl

Request URL

Server response

Code	Details
200	<div><div>Response body</div><div><pre>[   {     "holiday_Id": 0,     "holiday_Name": "New Years",     "holiday_Description": "New Years Day",     "holiday_Date": "2025-01-01T00:00:00",     "holiday_Host_Country": "USA",     "holiday_Status": "Federal Holiday",     "holiday_Created_Date": "2025-03-09T06:28:59.503",     "holiday_Modified_Date": "2025-03-09T06:28:59.503",     "holiday_Created_By": "John M. Figueroa",     "holiday_Modified_By": "John M. Figueroa",     "holiday_Active": 1   },   {     "holiday_Id": 1,     "holiday_Name": "Martin Luther King, Jr. Day",     "holiday_Description": "Birthday of Martin Luther King, Jr.",     "holiday_Date": "2025-01-20T00:00:00",     "holiday_Host_Country": "USA",     "holiday_Status": "Federal Holiday",     "holiday_Created_Date": "2025-03-09T06:28:59.503",     "holiday_Modified_Date": "2025-03-09T06:28:59.503",     "holiday_Created_By": "John M. Figueroa",     "holiday_Modified_By": "John M. Figueroa"   } ]</pre></div><div>Download</div></div> <div><div>Response headers</div><div>content-type: application/json; charset=utf-8 date: Tue, 11 Mar 2025 05:12:32 GMT server: Kestrel transfer-encoding: chunked</div></div>

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example ValueSchema

```
[
  {
    "holiday_Id": 0,
    "holiday_Name": "string",
    "holiday_Description": "string",
    "holiday_Date": "2025-03-11T05:14:44.925Z",
    "holiday_Host_Country": "string",
    "holiday_Status": "string",
    "holiday_Created_Date": "2025-03-11T05:14:44.925Z",
    "holiday_Modified_Date": "2025-03-11T05:14:44.925Z",
    "holiday_Created_By": "string",
    "holiday_Modified_By": "string",
    "holiday_Active": 0
  }
]
```

POST/api/Holiday

Parameters

No parameters

Request body

application/json

```
{
  "holiday_Id": 0,
  "holiday_Name": "string",
  "holiday_Description": "string",
  "holiday_Date": "2025-03-11T05:14:44.916Z",
  "holiday_Host_Country": "string",
  "holiday_Status": "string",
  "holiday_Created_Date": "2025-03-11T05:14:44.916Z",
  "holiday_Modified_Date": "2025-03-11T05:14:44.916Z",
  "holiday_Created_By": "string",
  "holiday_Modified_By": "string",
  "holiday_Active": 0
}
```

Execute

Responses

Code	Description	Links
200	Success	No links
<div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{   "holiday_Id": 0,   "holiday_Name": "string",   "holiday_Description": "string",   "holiday_Date": "2025-03-11T05:14:44.927Z",   "holiday_Host_Country": "string",   "holiday_Status": "string",   "holiday_Created_Date": "2025-03-11T05:14:44.927Z",   "holiday_Modified_Date": "2025-03-11T05:14:44.927Z",   "holiday_Created_By": "string",   "holiday_Modified_By": "string",   "holiday_Active": 0 }</pre></div>		

GET /api/Holiday/{id}

Parameters

Cancel

Name	Description
id <span>★ required</span>	
integer(int32)	id
(path)	

Execute

Responses

Code	Description	Links
200	Success	No links
<div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{   "holiday_Id": 0,   "holiday_Name": "string",   "holiday_Description": "string",   "holiday_Date": "2025-03-11T05:14:44.928Z",   "holiday_Host_Country": "string",   "holiday_Status": "string",   "holiday_Created_Date": "2025-03-11T05:14:44.928Z",   "holiday_Modified_Date": "2025-03-11T05:14:44.929Z",   "holiday_Created_By": "string",   "holiday_Modified_By": "string",   "holiday_Active": 0 }</pre></div>		

PUT /api/Holiday/{id}

Parameters

Cancel

Reset

Name	Description
id <span>★ required</span>	
integer(int32)	id
(path)	

Request body

application/json

```
{
  "holiday_Id": 0,
  "holiday_Name": "string",
  "holiday_Description": "string",
  "holiday_Date": "2025-03-11T05:12:57.621Z",
  "holiday_Host_Country": "string",
  "holiday_Status": "string",
  "holiday_Created_Date": "2025-03-11T05:12:57.621Z",
  "holiday_Modified_Date": "2025-03-11T05:12:57.621Z",
  "holiday_Created_By": "string",
  "holiday_Modified_By": "string",
  "holiday_Active": 0
}
```

Execute

Responses

Code	Description	Links
200	Success	No links

DELETE /api/Holiday/{id}

Parameters

Cancel

Name	Description
id <span>★ required</span>	

integer (\$int32) (path)

id

Execute

Responses

Code	Description	Links
200	Success	No links

Tasks

GET /api/Tasks

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7031/api/Tasks' \
  -H 'accept: text/plain'
```

Request URL

https://localhost:7031/api/Tasks

Server response

Code	Details
200	<div><p>Response body</p><pre>[   {     "id_task": 1,     "task_name": "Customer Retention Call",     "task_description": "Call the customer back confirm they are happy",     "task_due_date": "2025-04-08T00:00:00",     "task_start_date": "2025-03-12T00:00:00",     "task_end_date": "2025-04-22T00:00:00",     "task_priority": "High",     "task_status": "In Progress"   },   {     "id_task": 2,     "task_name": "Customer Service Call",     "task_description": "Follow Up Small project client",     "task_due_date": "2025-04-09T00:00:00",     "task_start_date": "2025-03-14T00:00:00",     "task_end_date": "2025-04-23T00:00:00",     "task_priority": "Medium",     "task_status": "Finished"   },   {     "id_task": 3,     "task_name": "Customer Retention Call",     "task_description": "Call the customer back confirm they are happy".   } ]</pre><p>Response headers</p><pre>content-type: application/json; charset=utf-8</pre></div>

Download

Code

Details

date: Tue, 11 Mar 2025 05:14:03 GMT  
server: Kestrel  
transfer-encoding: chunked

Responses

Code

Description

Links

200

Success

No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

[

{  
 "id\_task": 0,  
 "task\_name": "string",  
 "task\_description": "string",  
 "task\_due\_date": "2025-03-11T05:14:44.962Z",  
 "task\_start\_date": "2025-03-11T05:14:44.962Z",  
 "task\_end\_date": "2025-03-11T05:14:44.962Z",  
 "task\_priority": "string",  
 "task\_status": "string"  
}

]

POST

/api/Tasks

⌵

Parameters

Cancel

Reset

No parameters

Request body

application/json

{  
 "id\_task": 0,  
 "task\_name": "string",  
 "task\_description": "string",  
 "task\_due\_date": "2025-03-11T05:14:27.076Z",  
 "task\_start\_date": "2025-03-11T05:14:27.076Z",  
 "task\_end\_date": "2025-03-11T05:14:27.076Z",  
 "task\_priority": "string",  
 "task\_status": "string"  
}

↗

Execute

Responses

Code

Description

Links

200

Success

No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

{  
 "id\_task": 0,  
 "task\_name": "string",  
 "task\_description": "string",  
 "task\_due\_date": "2025-03-11T05:14:44.964Z",  
 "task\_start\_date": "2025-03-11T05:14:44.964Z",  
 "task\_end\_date": "2025-03-11T05:14:44.964Z",  
 "task\_priority": "string",  
 "task\_status": "string"  
}

GET

/api/Tasks/{id}

⌵

Parameters

Cancel

Name

Description

id ★ required

integer(int32)

id

(path)

Execute

Responses

Code

Description

Links

200

Success

No links

Code

Description

Links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
{  "id_task": 0,  "task_name": "string",  "task_description": "string",  "task_due_date": "2025-03-11T05:14:44.965Z",  "task_start_date": "2025-03-11T05:14:44.965Z",  "task_end_date": "2025-03-11T05:14:44.965Z",  "task_priority": "string",  "task_status": "string"}
```

PUT

/api/Tasks/{id}

^

Parameters

Cancel

Reset

Name

Description

id ★ required

integer (\$int32)

(path)

id

Request body

application/json

```
{  "id_task": 0,  "task_name": "string",  "task_description": "string",  "task_due_date": "2025-03-11T05:14:20.793Z",  "task_start_date": "2025-03-11T05:14:20.793Z",  "task_end_date": "2025-03-11T05:14:20.793Z",  "task_priority": "string",  "task_status": "string"}
```

Execute

Responses

Code

Description

Links

200

Success

No links

DELETE

/api/Tasks/{id}

^

Parameters

Cancel

Name

Description

id ★ required

integer (\$int32)

(path)

id

Execute

Responses

Code

Description

Links

200

Success

No links

Schemas

^

```
Holiday {
  holiday_Id      [...]
  holiday_Name    [...]
  holiday_Description [...]
  holiday_Date    [...]
  holiday_Host_Country [...]
  holiday_Status  [...]
  holiday_Created_Date [...]
  holiday_Modified_Date [...]
  holiday_Created_By [...]
  holiday_Modified_By [...]
  holiday_Active  [...]
}
```

```
Tasks {
  id_task      [...]
  task_name    [...]
  task_description [...]
  task_due_date  [...]
  task_start_date  [...]
  task_end_date  [...]
  task_priority  [...]
  task_status    [...]
}
```