

Установка инструментария и настройка среды разработки мобильных приложений. Настройка режима терминала.

Терминал: zsh 5.9

```

      +0000:
      +000000:
      -+000000+:
      `/:-:++0000+:
      `/++++/+++++:
      `/+++++////////+:
      `/+++00000000000000/`
      .000SSSSSO++OSSSSSSO+`
      .00SSSSSO-````/OSSSSSS+`
      -OSSSSSSO.      :SSSSSSSO.
      :OSSSSSSS/      OSSSSO+++.
      /OSSSSSSSS/      oSSSSO000/-
      `/OSSSSSSO+/-:-  -:/+OSSSSO+-
      +SSO+:-`         `.-/+OSO:
      ++:..            `.-/+/
      .`               `./

Host: AURUS 15 XE4
Kernel: 6.17.7-arch1-1
Uptime: 1 hour, 22 mins
Packages: 1759 (pacman), 21 (flatpak)
Shell: zsh 5.9
Resolution: 2560x1440
DE: Plasma 6.5.1
WM: kwin
Theme: WhiteSur-Dark-nord [GTK2/3]
Icons: candy-icons [GTK2/3]
Terminal: kitty
CPU: 12th Gen Intel i7-12700H (20) @ 4.600GHz
GPU: Intel Alder Lake-P GT2 [Iris Xe Graphics]
GPU: NVIDIA Geforce RTX 3070 Ti Laptop GPU
Memory: 11281MiB / 15649MiB

> flutter --version
Flutter 3.38.3 • channel stable • https://github.com/flutter/flutter.git
Framework • revision 19074d12f7 (4 days ago) • 2025-11-20 17:53:13 -0500
Engine • hash 8bf2090718fea3655f466049a757f823898f0ad1 (revision 13e658725d) (4 days ago) • 2025-11-20
20:19:23.000Z
Tools • Dart 3.10.1 • DevTools 2.51.1

> flutter doctor
Doctor summary (to see all details, run flutter doctor -v):
[✓] Flutter (Channel stable, 3.38.3, on Arch Linux 6.17.7-arch1-1, locale C)
[✓] Android toolchain - develop for Android devices (Android SDK version 36.1.0-rc1)
[✗] Chrome - develop for the web (Cannot find Chrome executable at google-chrome)
    ! Cannot find Chrome. Try setting CHROME_EXECUTABLE to a Chrome executable.
[✓] Linux toolchain - develop for Linux desktop
[✓] Connected device (1 available)
[✓] Network resources

! Doctor found issues in 1 category.

```

```
> flutter devices
Found 1 connected device:
  Linux (desktop) • linux • linux-x64 • Arch Linux 6.17.7-arch1-1



Run "flutter emulators" to list and start any available device emulators.


If you expected another device to be detected, please run "flutter doctor" to diagnose potential issues. You
may also try increasing the time to wait for connected devices with the "--device-timeout" flag. Visit
https://flutter.dev/setup/ for troubleshooting tips.
> flutter emulators
2 available emulators:

Id                                • Name                                • Manufacturer • Platform
Medium_Phone_API_36.0 • Medium Phone API 36.0 • Generic      • android
Pixel_7                        • Pixel 7                  • Google       • android

To run an emulator, run 'flutter emulators --launch <emulator id>'.
To create a new emulator, run 'flutter emulators --create [--name xyz]'.

You can find more information on managing emulators at the links below:
  https://developer.android.com/studio/run/managing-avds
  https://developer.android.com/studio/command-line/avdmanager
```





Проблемы и методы их решения.

Проблема: Приложение Flutter для Linux не запускалось из-за критической системной ошибки, связанной с невозможностью инициализации контекста OpenGL (Gdk-CRITICAL... gdk_gl_context_make_current), вызванной, в свою очередь, некорректной работой или отсутствием графических драйверов в системе Linux (подтверждено крахом утилиты glxinfo).

Решение: Проблема была решена путем диагностики и устранения системной ошибки графического драйвера (чаще всего это переустановка пакетов nvidia или mesa для Arch Linux), после чего утилита glxinfo стала корректно определять карту, и Flutter смог запустить графический интерфейс.