
Administrator Onboarding

Getting started with RTM View Shell — your first day as an administrator

Agenda

- What RTM View Shell is, and your role in it
- Your first 30 minutes — the first-run checklist
- Managing users and permission groups
- Dashboards, Info Slots and tenant settings
- The audit log and security essentials
- Where to go to learn more

What is RTM View Shell?

The big picture before the buttons.

- **A secure management shell for a contact-centre real-time monitoring system.**
- It manages users, permissions and dashboards — and provides the secure foundation (authentication, multi-tenancy, audit).
- Live data widgets and historical reports run on top of the shell.
- Built on .NET 8 / Blazor Server with PostgreSQL and Redis, hosted on Windows Server.

The four roles

- **Superadmin** — governs the whole platform; manages tenants; can switch into any tenant (audited).
- **Administrator** — manages users, permission groups and settings for one organisation.
- **Editor** — creates and edits dashboards (within permissions).
- **Viewer** — opens the dashboards permitted to them.
- You are most likely an Administrator.

Your first 30 minutes

A safe order of operations for day one.

- Sign in, complete two-factor, and set your own strong password.
- Get oriented in the navigation sidebar (Content · Administration · Tenant).
- Create the permission groups your teams need — before creating users.
- Create your first users and assign them to groups.
- Confirm the audit log is recording your actions.

- **Content**
 - Screens (dashboards) · Widget Catalogue
- **Administration**
 - Users · Permission Groups
- **Tenant**
 - Tenant Settings · Audit
 - You only see what your role allows.

- Create users with a username, e-mail, role and permission group; a temporary password is e-mailed to them.
- Edit names, e-mail, role, group, status and language.
- Block an account to deny sign-in immediately; reset a password; force sign-out of all sessions.
- Lists are server-side paged and filterable.
- Detail: Administrator's Guide (A-02).

Permission Groups — the idea

- Every non-Superadmin user belongs to exactly one permission group.
- The group carries the access rules — change the group to change access.
- Five tabs: Menu · Screens · Queues · Skills · BU/SG.
- Effective access is the union of grants — most-permissive wins.
- Detail: Permission Groups Configuration (A-03).

Permission Groups — the safe default

- **An empty resource list DENIES all — it does not allow all.**
- An empty Queues tab means the group sees no queues; you grant access by adding specific items.
- This protects data: a new or misconfigured group exposes nothing until you deliberately grant it.
- All restrictions are enforced in the backend, not just hidden in the UI.

- Editors and Administrators create dashboards; access is per permission group or public.
- A creator's group automatically gets Full on a new dashboard.
- The screen editor supports drag-and-drop layout, alignment guides and multi-select.
- Historical Reports (queue & agent) are available at /reports, permission-scoped.
- See B-05 (Viewer) and B-07 (Reports).

- Named channels for live on-screen messages written by staff — shift notes, alerts, reminders.
- You create the Info Slots and assign which permission groups may write to them.
- Messages support Normal/High priority and optional auto-expiry; they appear in real time.
- Detail: Info Slot Administration (A-08) · Messages (B-03).

- Each organisation has its own settings: password policy, 2FA requirement, locales, retention, SL threshold.
- The SignalR connection URL binds the tenant to its real-time data service.
- Agent-state model maps raw states into display groups (Superadmin).
- Detail: Multi-Tenant Management (A-07).

The audit log

- Every sign-in, permission change, user and tenant action is recorded — who, when, IP, details.
- Append-only: it cannot be edited or deleted through the application, only read and exported.
- Filter by event type and date; export large extracts as a background job.
- It is your first stop when investigating anything unexpected.

- Passwords: 12+ chars, mixed, last-10 history, 90-day expiry.
- Two-factor by e-mail; you can make it mandatory for the whole tenant.
- Lockout after 5 failed attempts; uniform error messages prevent account probing.
- Tenant data is isolated automatically at the database layer.
- Detail: Security Configuration (A-04) · Compliance Summary (D-02).

Where to learn more

This deck is an overview — these guides have the detail.

- Quick Start (B-01) — sign-in, 2FA, navigation.
- Administrator's Guide (A-02) — full admin reference with screenshots.
- Permission Groups (A-03) · Security (A-04) · SSO (A-05) · Multi-Tenant (A-07).
- Info Slots (A-08/B-03) · Dashboard Viewer (B-05) · Widget Catalogue (B-06) · Historical Reports (B-07).

Key takeaways

- Set up permission groups before users; empty resource lists deny by default.
- Everything is backend-enforced and fully audited.
- Two-factor and a strong password policy protect every account.
- When in doubt, the audit log and the linked guides have the answer.