

B1 - Unix & C Lab Seminar

B-CPE-100

Fir Tree

An ascii art resizable Fir tree



1.0





Fir Tree

language: C



• The totality of your source files, except all useless files (binary, temp files, obj files,...), must be included in your delivery.



- Don't push your main function into your delivery directory, we will be adding our own. Your files will be compiled adding our main.c and our my_putchar.c files.
- You are only allowed to use the $my_{putchar}$ function to complete the following tasks, but **don't push it** into your delivery directory, and don't copy it in *any* of your delivered files.



The only allowed system call for this project is write.

Write a function that displays a fir tree, based on its given size.

If the size is O, don't display anything.

The function must be prototyped as follows:

void tree(int size);

Delivery: tree.c

This is the only source file that will be checked-out.

It will be compiled with the command cc our_main.c our_my_putchar.c tree.c.



You can find a binary called, tree on the intranet along with the project description.

Don't forget that you need a coherent test policy to ensure your program outputs are correct. To do so:

- split your functions in **as many small functions as possible**, so that each function is responsible for one single thing (according to the Coding Style),
- Test each of your functions **individually** AND try to automate your testing process with some (shell?) scripts.





EXAMPLES

```
Terminal - + x
~/B-CPE-100> ./a.out 1

*
***
****

*****

|
```

```
Terminal
√/B-CPE-100> ./a.out 5
                 11111
```