AFRILANG Stdlib

std/c/netchecksum

Bibliothèque AFRILANG `std/c/netchecksum` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : ipChecksum, o

`import "std/c/netchecksum"` · `use netchecksum`

- `ipChecksum(data list number) ? number`
- `onesComplement(n number) ? number`
- `fold32(sum number) ? number`
- `verify(data list number, expected number) ? bool`
- `pseudoHeader(src list number, dst list number, proto number, len number) ? list number`
- `tcpChecksum(header list number, payload list number) ? number`

Category: complex | Tier: complex | Functions: 6

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/netchecksum` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : ipChecksum, o

`import "std/c/netchecksum"` · `use netchecksum`

- `ipChecksum(data list number) ? number`
- `onesComplement(n number) ? number`
- `fold32(sum number) ? number`
- `verify(data list number, expected number) ? bool`
- `pseudoHeader(src list number, dst list number, proto number, len number) ? list number`
- `tcpChecksum(header list number, payload list number) ? number`

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/netchecksum"
use netchecksum
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

? ipChecksum(data list number) ? number
? onesComplement(n number) ? number
? fold32(sum number) ? number
? verify(data list number, expected number) ? bool
? pseudoHeader(src list number, dst list number, proto number, len number) ? list
? tcpChecksum(header list number, payload list number) ? number

4. Exemples d'utilisation

```
import "std/c/netchecksum"
use netchecksum

create result = ipChecksum(/* args */)
say result

create result = onesComplement(/* args */)
say result

create result = fold32(/* args */)
say result

create result = verify(/* args */)
say result

create result = pseudoHeader(/* args */)
say result

create result = tcpChecksum(/* args */)
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/netchecksum"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module netchecksum

function ipChecksum(data list number) returns number
end
```

```
function onesComplement(n number) returns number
end

function fold32(sum number) returns number
end

function verify(data list number, expected number) returns bool
end

function pseudoHeader(src list number, dst list number, proto number, len number) returns list number
end

function tcpChecksum(header list number, payload list number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/netchecksum` (tier complex, category complex). Exports 6 function(s): ipChecksum, onesComplement

`import "std/c/netchecksum"` · `use netchecksum`

- `ipChecksum(data list number) ? number`
- `onesComplement(n number) ? number`
- `fold32(sum number) ? number`
- `verify(data list number, expected number) ? bool`
- `pseudoHeader(src list number, dst list number, proto number, len number) ? list number`
- `tcpChecksum(header list number, payload list number) ? number`

2. Installation & import

Add the module to your program:

```
import "std/c/netchecksum"
use netchecksum
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

? ipChecksum(data list number) ? number
? onesComplement(n number) ? number
? fold32(sum number) ? number
? verify(data list number, expected number) ? bool
? pseudoHeader(src list number, dst list number, proto number, len number) ? list
? tcpChecksum(header list number, payload list number) ? number

4. Usage examples

```
import "std/c/netchecksum"
use netchecksum

create result = ipChecksum(/* args */)
say result

create result = onesComplement(/* args */)
say result

create result = fold32(/* args */)
say result

create result = verify(/* args */)
say result

create result = pseudoHeader(/* args */)
say result

create result = tcpChecksum(/* args */)
say result
```

5. Best practices

? Prefer `import "std/c/netchecksum"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module netchecksum

function ipChecksum(data list number) returns number
end
```

```
function onesComplement(n number) returns number
end

function fold32(sum number) returns number
end

function verify(data list number, expected number) returns bool
end

function pseudoHeader(src list number, dst list number, proto number, len number) returns list
number
end

function tcpChecksum(header list number, payload list number) returns number
end
end
```