AFRILANG Stdlib

std/c/graphshort

Bibliothèque AFRILANG `std/c/graphshort` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : allPairsBfs, e

`import "std/c/graphshort"` · `use graphshort`

- `allPairsBfs(adj list number, n number) ? list number`
- `eccentricity(adj list number, n number) ? list number`
- `graphDiameter(adj list number, n number) ? number`
- `graphRadius(adj list number, n number) ? number`
- `centerNodes(adj list number, n number) ? list number`
- `peripheryNodes(adj list number, n number) ? list number`

Category: complex | Tier: complex | Functions: 6

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/graphshort` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : allPairsBfs, e

`import "std/c/graphshort"` · `use graphshort`

- `allPairsBfs(adj list number, n number) ? list number`
- `eccentricity(adj list number, n number) ? list number`
- `graphDiameter(adj list number, n number) ? number`
- `graphRadius(adj list number, n number) ? number`
- `centerNodes(adj list number, n number) ? list number`
- `peripheryNodes(adj list number, n number) ? list number`

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphshort"
use graphshort
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

? allPairsBfs(adj list number, n number) ? list
? eccentricity(adj list number, n number) ? list
? graphDiameter(adj list number, n number) ? number
? graphRadius(adj list number, n number) ? number
? centerNodes(adj list number, n number) ? list
? peripheryNodes(adj list number, n number) ? list

4. Exemples d'utilisation

```
import "std/c/graphshort"
use graphshort

create result = allPairsBfs(/* args */)
say result

create result = eccentricity(/* args */)
say result

create result = graphDiameter(/* args */)
say result

create result = graphRadius(/* args */)
say result

create result = centerNodes(/* args */)
say result

create result = peripheryNodes(/* args */)
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/graphshort"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module graphshort

function allPairsBfs(adj list number, n number) returns list number
end
```

```
function eccentricity(adj list number, n number) returns list number
end

function graphDiameter(adj list number, n number) returns number
end

function graphRadius(adj list number, n number) returns number
end

function centerNodes(adj list number, n number) returns list number
end

function peripheryNodes(adj list number, n number) returns list number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/graphshort` (tier complex, category complex). Exports 6 function(s): allPairsBfs, eccentricity,

`import "std/c/graphshort"` · `use graphshort`

- `allPairsBfs(adj list number, n number) ? list number`
- `eccentricity(adj list number, n number) ? list number`
- `graphDiameter(adj list number, n number) ? number`
- `graphRadius(adj list number, n number) ? number`
- `centerNodes(adj list number, n number) ? list number`
- `peripheryNodes(adj list number, n number) ? list number`

2. Installation & import

Add the module to your program:

```
import "std/c/graphshort"
use graphshort
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

? allPairsBfs(adj list number, n number) ? list
? eccentricity(adj list number, n number) ? list
? graphDiameter(adj list number, n number) ? number
? graphRadius(adj list number, n number) ? number
? centerNodes(adj list number, n number) ? list
? peripheryNodes(adj list number, n number) ? list

4. Usage examples

```
import "std/c/graphshort"
use graphshort

create result = allPairsBfs(/* args */)
say result

create result = eccentricity(/* args */)
say result

create result = graphDiameter(/* args */)
say result

create result = graphRadius(/* args */)
say result

create result = centerNodes(/* args */)
say result

create result = peripheryNodes(/* args */)
say result
```

5. Best practices

? Prefer `import "std/c/graphshort"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module graphshort

function allPairsBfs(adj list number, n number) returns list number
end
```

```
function eccentricity(adj list number, n number) returns list number
end

function graphDiameter(adj list number, n number) returns number
end

function graphRadius(adj list number, n number) returns number
end

function centerNodes(adj list number, n number) returns list number
end

function peripheryNodes(adj list number, n number) returns list number
end
end
```