AFRILANG Stdlib

std/c/geombezier

Français. Bibliothèque AFRILANG ‘std/c/geombezier‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : beziSum, beziMean, beziMin, beziMax, beziVar, beziStd, beziNorm.
‘import ”std/c/geombezier”‘ · ‘use geombezier‘
- ‘beziSum(v list number) → number‘ - ‘beziMean(v list number) → number‘ - ‘beziMin(v list number) → number‘ - ‘beziMax(v list number) → number‘ - ‘beziVar(v list number) → number‘ - ‘beziStd(v list number) → number‘ - ‘beziNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/geombezier‘ (tier complex, category complex). Exports 7 function(s): beziSum, beziMean, beziMin, beziMax, beziVar, beziStd, beziNorm.
‘import ”std/c/geombezier”‘ · ‘use geombezier‘
- ‘beziSum(v list number) → number‘ - ‘beziMean(v list number) → number‘ - ‘beziMin(v list number) → number‘ - ‘beziMax(v list number) → number‘ - ‘beziVar(v list number) → number‘ - ‘beziStd(v list number) → number‘ - ‘beziNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d’ensemble

Bibliothèque AFRILANG ‘std/c/geombezier‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : beziSum, beziMean, beziMin, beziMax, beziVar, beziStd, beziNorm.

‘import ”std/c/geombezier”‘ · ‘use geombezier‘

```
- `beziSum(v list number) → number`
- `beziMean(v list number) → number`
- `beziMin(v list number) → number`
- `beziMax(v list number) → number`
- `beziVar(v list number) → number`
- `beziStd(v list number) → number`
- `beziNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/geombezier"
use geombezier
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 beziSum(v list number) → number•
 beziMean(v list number) → number•
 beziMin(v list number) → number•
 beziMax(v list number) → number•
 beziVar(v list number) → number•
 beziStd(v list number) → number•
 beziNorm(v list number) → list
```

4. Exemples d’utilisation

```
import "std/c/geombezier"
use geombezier
```

```
create result = beziSum(/* args */)
say result
```

```
create result = beziMean(/* args */)
say result
```

```
create result = beziMin(/* args */)
say result
```

```
create result = beziMax(/* args */)
say result
```

```
create result = beziVar(/* args */)
say result
```

```
create result = beziStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/geombezier"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module geombezier

```
function beziSum(v list number) returns number
end
```

```
function beziMean(v list number) returns number
end
```

```
function beziMin(v list number) returns number
end
```

```
function beziMax(v list number) returns number
end
```

```
function beziVar(v list number) returns number
end
```

```
function beziStd(v list number) returns number
end
```

```
function beziNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/geombezier‘ (tier complex, category complex). Exports 7 function(s): beziSum, beziMean, beziMin, beziMax, beziVar, beziStd, beziNorm.

‘import ”std/c/geombezier”‘ · ‘use geombezier‘

```
- `beziSum(v list number) → number`
- `beziMean(v list number) → number`
- `beziMin(v list number) → number`
- `beziMax(v list number) → number`
- `beziVar(v list number) → number`
- `beziStd(v list number) → number`
- `beziNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/geombezier"
use geombezier
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 beziSum(v list number) → number•
 beziMean(v list number) → number•
 beziMin(v list number) → number•
 beziMax(v list number) → number•
 beziVar(v list number) → number•
 beziStd(v list number) → number•
 beziNorm(v list number) → list
```

4. Usage examples

```
import "std/c/geombezier"
use geombezier
```

```
create result = beziSum(/* args */)
say result
```

```
create result = beziMean(/* args */)
say result
```

```
create result = beziMin(/* args */)
say result
```

```
create result = beziMax(/* args */)
say result
```

```
create result = beziVar(/* args */)
say result
```

```
create result = beziStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/geombezier"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module geombezier

```
function beziSum(v list number) returns number
end
```

```
function beziMean(v list number) returns number
end
```

```
function beziMin(v list number) returns number
end
```

```
function beziMax(v list number) returns number
end
```

```
function beziVar(v list number) returns number
end
```

```
function beziStd(v list number) returns number
end
```

```
function beziNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/geombezier"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/geombezier/

Source (extrait)

```
module geombezier

function beziSum(v list number) returns number
end

function beziMean(v list number) returns number
```

```
end

function beziMin(v list number) returns number
end

function beziMax(v list number) returns number
end

function beziVar(v list number) returns number
end

function beziStd(v list number) returns number
end

function beziNorm(v list number) returns list number
end
end
```