AFRILANG Stdlib

std/c/sigspline

Français. Bibliothèque AFRILANG ‘std/c/sigspline‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : spliSum, spliMean, spliMin, spliMax, spliVar, spliStd, spliNorm.
‘import ”std/c/sigspline”‘ · ‘use sigspline‘
- ‘spliSum(v list number) → number‘ - ‘spliMean(v list number) → number‘ - ‘spliMin(v list number) → number‘ - ‘spliMax(v list number) → number‘ - ‘spliVar(v list number) → number‘ - ‘spliStd(v list number) → number‘ - ‘spliNorm(v list number) → list number‘ **English.**

AFRILANG library ‘std/c/sigspline‘ (tier complex, category complex). Exports 7 function(s): spliSum, spliMean, spliMin, spliMax, spliVar, spliStd, spliNorm.
‘import ”std/c/sigspline”‘ · ‘use sigspline‘
- ‘spliSum(v list number) → number‘ - ‘spliMean(v list number) → number‘ - ‘spliMin(v list number) → number‘ - ‘spliMax(v list number) → number‘ - ‘spliVar(v list number) → number‘ - ‘spliStd(v list number) → number‘ - ‘spliNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/sigspline' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : spliSum, spliMean, spliMin, spliMax, spliVar, spliStd, spliNorm. 'import "std/c/sigspline"' · 'use sigspline'

```
- `spliSum(v list number) → number`
- `spliMean(v list number) → number`
- `spliMin(v list number) → number`
- `spliMax(v list number) → number`
- `spliVar(v list number) → number`
- `spliStd(v list number) → number`
- `spliNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/sigspline"
use sigspline
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 spliSum(v list number) → number•
 spliMean(v list number) → number•
 spliMin(v list number) → number•
 spliMax(v list number) → number•
 spliVar(v list number) → number•
 spliStd(v list number) → number•
 spliNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/sigspline"
use sigspline
```

```
create result = spliSum(/* args */)
say result
```

```
create result = spliMean(/* args */)
say result
```

```
create result = spliMin(/* args */)
say result
```

```
create result = spliMax(/* args */)
say result
```

```
create result = spliVar(/* args */)
say result
```

```
create result = spliStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/sigspline"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module sigspline

```
function spliSum(v list number) returns number
end
```

```
function spliMean(v list number) returns number
end
```

```
function spliMin(v list number) returns number
end
```

```
function spliMax(v list number) returns number
end
```

```
function spliVar(v list number) returns number
end
```

```
function spliStd(v list number) returns number
end
```

```
function spliNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/sigspline‘ (tier complex, category complex). Exports 7 function(s): spliSum, spliMean, spliMin, spliMax, spliVar, spliStd, spliNorm.

‘import ”std/c/sigspline”‘ · ‘use sigspline‘

```
- `spliSum(v list number) → number`
- `spliMean(v list number) → number`
- `spliMin(v list number) → number`
- `spliMax(v list number) → number`
- `spliVar(v list number) → number`
- `spliStd(v list number) → number`
- `spliNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/sigspline"
use sigspline
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 spliSum(v list number) → number•
 spliMean(v list number) → number•
 spliMin(v list number) → number•
 spliMax(v list number) → number•
 spliVar(v list number) → number•
 spliStd(v list number) → number•
 spliNorm(v list number) → list
```

4. Usage examples

```
import "std/c/sigspline"
use sigspline
```

```
create result = spliSum(/* args */)
say result
```

```
create result = spliMean(/* args */)
say result
```

```
create result = spliMin(/* args */)
say result
```

```
create result = spliMax(/* args */)
say result
```

```
create result = spliVar(/* args */)
say result
```

```
create result = spliStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/sigspline"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module sigspline

```
function spliSum(v list number) returns number
end
```

```
function spliMean(v list number) returns number
end
```

```
function spliMin(v list number) returns number
end
```

```
function spliMax(v list number) returns number
end
```

```
function spliVar(v list number) returns number
end
```

```
function spliStd(v list number) returns number
end
```

```
function spliNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/sigspline"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/sigspline/

Source (extrait)

```
module sigspline

function spliSum(v list number) returns number
end

function spliMean(v list number) returns number
```

```
end

function spliMin(v list number) returns number
end

function spliMax(v list number) returns number
end

function spliVar(v list number) returns number
end

function spliStd(v list number) returns number
end

function spliNorm(v list number) returns list number
end
end
```