AFRILANG Stdlib

std/c/finamort

Français. Bibliothèque AFRILANG ‘std/c/finamort‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : amorSum, amorMean, amorMin, amorMax, amorVar, amorStd, amorNorm.
‘import ”std/c/finamort”‘ · ‘use finamort‘
- ‘amorSum(v list number) → number‘ - ‘amorMean(v list number) → number‘ - ‘amorMin(v list number) → number‘ - ‘amorMax(v list number) → number‘ - ‘amorVar(v list number) → number‘ - ‘amorStd(v list number) → number‘ - ‘amorNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/finamort‘ (tier complex, category complex). Exports 7 function(s): amorSum, amorMean, amorMin, amorMax, amorVar, amorStd, amorNorm.
‘import ”std/c/finamort”‘ · ‘use finamort‘
- ‘amorSum(v list number) → number‘ - ‘amorMean(v list number) → number‘ - ‘amorMin(v list number) → number‘ - ‘amorMax(v list number) → number‘ - ‘amorVar(v list number) → number‘ - ‘amorStd(v list number) → number‘ - ‘amorNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/finamort' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : amorSum, amorMean, amorMin, amorMax, amorVar, amorStd, amorNorm.

'import "std/c/finamort"' · 'use finamort'

```
- `amorSum(v list number) → number`
- `amorMean(v list number) → number`
- `amorMin(v list number) → number`
- `amorMax(v list number) → number`
- `amorVar(v list number) → number`
- `amorStd(v list number) → number`
- `amorNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/finamort"
use finamort
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 amorSum(v list number) → number•
 amorMean(v list number) → number•
 amorMin(v list number) → number•
 amorMax(v list number) → number•
 amorVar(v list number) → number•
 amorStd(v list number) → number•
 amorNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/finamort"
use finamort
```

```
create result = amorSum(/* args */)
say result
```

```
create result = amorMean(/* args */)
say result
```

```
create result = amorMin(/* args */)
say result
```

```
create result = amorMax(/* args */)
say result
```

```
create result = amorVar(/* args */)
say result
```

```
create result = amorStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/finamort"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module finamort

```
function amorSum(v list number) returns number
end
```

```
function amorMean(v list number) returns number
end
```

```
function amorMin(v list number) returns number
end
```

```
function amorMax(v list number) returns number
end
```

```
function amorVar(v list number) returns number
end
```

```
function amorStd(v list number) returns number
end
```

```
function amorNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/finamort‘ (tier complex, category complex). Exports 7 function(s): amorSum, amorMean, amorMin, amorMax, amorVar, amorStd, amorNorm.

‘import ”std/c/finamort”‘ · ‘use finamort‘

```
- `amorSum(v list number) → number`
- `amorMean(v list number) → number`
- `amorMin(v list number) → number`
- `amorMax(v list number) → number`
- `amorVar(v list number) → number`
- `amorStd(v list number) → number`
- `amorNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/finamort"
use finamort
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 amorSum(v list number) → number•
 amorMean(v list number) → number•
 amorMin(v list number) → number•
 amorMax(v list number) → number•
 amorVar(v list number) → number•
 amorStd(v list number) → number•
 amorNorm(v list number) → list
```

4. Usage examples

```
import "std/c/finamort"
use finamort
```

```
create result = amorSum(/* args */)
say result
```

```
create result = amorMean(/* args */)
say result
```

```
create result = amorMin(/* args */)
say result
```

```
create result = amorMax(/* args */)
say result
```

```
create result = amorVar(/* args */)
say result
```

```
create result = amorStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/finamort"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module finamort

```
function amorSum(v list number) returns number
end
```

```
function amorMean(v list number) returns number
end
```

```
function amorMin(v list number) returns number
end
```

```
function amorMax(v list number) returns number
end
```

```
function amorVar(v list number) returns number
end
```

```
function amorStd(v list number) returns number
end
```

```
function amorNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/finamort"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/finamort/`

Source (extrait)

```
module finamort

function amorSum(v list number) returns number
end

function amorMean(v list number) returns number
```

```
end

function amorMin(v list number) returns number
end

function amorMax(v list number) returns number
end

function amorVar(v list number) returns number
end

function amorStd(v list number) returns number
end

function amorNorm(v list number) returns list number
end
end
```