AFRILANG Stdlib

std/c/csvgroup

Bibliothèque AFRILANG `std/c/csvgroup` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : groupSum, groupC

`import "std/c/csvgroup"` · `use csvgroup`

- `groupSum(values list number, keys list number) ? list number`
- `groupCount(keys list number) ? list number`
- `groupMean(values list number, keys list number) ? list number`
- `uniqueKeys(keys list number) ? list number`
- `groupMax(values list number, keys list number) ? list number`
- `numGroups(keys list number) ? number`

Category: complex | Tier: complex | Functions: 6

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/csvgroup` (niveau complex, catégorie complex). Elle expose 6 fonction(s) : groupSum, groupC

`import "std/c/csvgroup"` · `use csvgroup`

- `groupSum(values list number, keys list number) ? list number`
- `groupCount(keys list number) ? list number`
- `groupMean(values list number, keys list number) ? list number`
- `uniqueKeys(keys list number) ? list number`
- `groupMax(values list number, keys list number) ? list number`
- `numGroups(keys list number) ? number`

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvgroup"
use csvgroup
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

? groupSum(values list number, keys list number) ? list
? groupCount(keys list number) ? list
? groupMean(values list number, keys list number) ? list
? uniqueKeys(keys list number) ? list
? groupMax(values list number, keys list number) ? list
? numGroups(keys list number) ? number

4. Exemples d'utilisation

```
import "std/c/csvgroup"
use csvgroup

create result = groupSum(/* args */)
say result

create result = groupCount(/* args */)
say result

create result = groupMean(/* args */)
say result

create result = uniqueKeys(/* args */)
say result

create result = groupMax(/* args */)
say result

create result = numGroups(/* args */)
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/csvgroup"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module csvgroup

function groupSum(values list number, keys list number) returns list number
end
```

```
function groupCount(keys list number) returns list number
end

function groupMean(values list number, keys list number) returns list number
end

function uniqueKeys(keys list number) returns list number
end

function groupMax(values list number, keys list number) returns list number
end

function numGroups(keys list number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/csvgroup` (tier complex, category complex). Exports 6 function(s): groupSum, groupCount, groupMe

`import "std/c/csvgroup"` · `use csvgroup`

- `groupSum(values list number, keys list number) ? list number`
- `groupCount(keys list number) ? list number`
- `groupMean(values list number, keys list number) ? list number`
- `uniqueKeys(keys list number) ? list number`
- `groupMax(values list number, keys list number) ? list number`
- `numGroups(keys list number) ? number`

2. Installation & import

Add the module to your program:

```
import "std/c/csvgroup"
use csvgroup
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

? groupSum(values list number, keys list number) ? list
? groupCount(keys list number) ? list
? groupMean(values list number, keys list number) ? list
? uniqueKeys(keys list number) ? list
? groupMax(values list number, keys list number) ? list
? numGroups(keys list number) ? number

4. Usage examples

```
import "std/c/csvgroup"
use csvgroup

create result = groupSum(/* args */)
say result

create result = groupCount(/* args */)
say result

create result = groupMean(/* args */)
say result

create result = uniqueKeys(/* args */)
say result

create result = groupMax(/* args */)
say result

create result = numGroups(/* args */)
say result
```

5. Best practices

? Prefer `import "std/c/csvgroup"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module csvgroup

function groupSum(values list number, keys list number) returns list number
end
```

```
function groupCount(keys list number) returns list number
end

function groupMean(values list number, keys list number) returns list number
end

function uniqueKeys(keys list number) returns list number
end

function groupMax(values list number, keys list number) returns list number
end

function numGroups(keys list number) returns number
end
end
```