AFRILANG Stdlib

`std/c/finoption`

Français. Bibliothèque AFRILANG ‘std/c/finoption‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : blackScholes, putPrice, intrinsic, timeValue, delta, gamma, vega.
‘import ”std/c/finoption”‘ · ‘use finoption‘
- ‘blackScholes(spot number, strike number, rate number, vol number, time number) → number‘ - ‘putPrice(spot number, strike number, rate number, vol number, time number) → number‘ - ‘intrinsic(spot number, strike number) → number‘ - ‘timeValue(spot number, strike number, rate number, vol number, time number) → number‘ - ‘delta(spot number, strike number, rate number, vol number, **English.** AFRILANG library ‘std/c/finoption‘ (tier complex, category complex). Exports 7 function(s): blackScholes, putPrice, intrinsic, timeValue, delta, gamma, vega.
‘import ”std/c/finoption”‘ · ‘use finoption‘
- ‘blackScholes(spot number, strike number, rate number, vol number, time number) → number‘ - ‘putPrice(spot number, strike number, rate number, vol number, time number) → number‘ - ‘intrinsic(spot number, strike number) → number‘ - ‘timeValue(spot number, strike number, rate number, vol number, time number) → number‘ - ‘delta(spot number, strike number, rate number, vol number, time number)

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/finoption' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : blackScholes, putPrice, intrinsic, timeValue, delta, gamma, vega.

'import "std/c/finoption"' · 'use finoption'

```
- `blackScholes(spot number, strike number, rate number, vol number, time number) →
   number`
- `putPrice(spot number, strike number, rate number, vol number, time number) →
   number`
- `intrinsic(spot number, strike number) → number`
- `timeValue(spot number, strike number, rate number, vol number, time number) →
   number`
- `delta(spot number, strike number, rate number, vol number, time number) → number`
- `gamma(spot number, strike number, rate number, vol number, time number) → number`
- `vega(spot number, strike number, rate number, vol number, time number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/finoption"
use finoption
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 blackScholes(spot number, strike number, rate number, vol number, time number) →
   number•
 putPrice(spot number, strike number, rate number, vol number, time number) → number•
 intrinsic(spot number, strike number) → number•
 timeValue(spot number, strike number, rate number, vol number, time number) → number
   •
 delta(spot number, strike number, rate number, vol number, time number) → number•
 gamma(spot number, strike number, rate number, vol number, time number) → number•
 vega(spot number, strike number, rate number, vol number, time number) → number
```

4. Exemples d'utilisation

```
import "std/c/finoption"
use finoption
```

```
create result = blackScholes(/* args */)
say result
```

```
create result = putPrice(/* args */)
say result
```

```
create result = intrinsic(/* args */)
say result
```

```
create result = timeValue(/* args */)
say result
```

```
create result = delta(/* args */)
say result
```

```
create result = gamma(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/finoption"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module finoption

```
function blackScholes(spot number, strike number, rate number, vol number, time
    number) returns number
end
```

```
function putPrice(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function intrinsic(spot number, strike number) returns number
end
```

```
function timeValue(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function delta(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function gamma(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function vega(spot number, strike number, rate number, vol number, time number)
    returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/finoption‘ (tier complex, category complex). Exports 7 function(s): blackScholes, putPrice, intrinsic, timeValue, delta, gamma, vega.
‘import ”std/c/finoption”‘ · ‘use finoption‘

```
- `blackScholes(spot number, strike number, rate number, vol number, time number) →
   number`
- `putPrice(spot number, strike number, rate number, vol number, time number) →
   number`
- `intrinsic(spot number, strike number) → number`
- `timeValue(spot number, strike number, rate number, vol number, time number) →
   number`
- `delta(spot number, strike number, rate number, vol number, time number) → number`
- `gamma(spot number, strike number, rate number, vol number, time number) → number`
- `vega(spot number, strike number, rate number, vol number, time number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/finoption"
use finoption
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 blackScholes(spot number, strike number, rate number, vol number, time number) →
   number•
 putPrice(spot number, strike number, rate number, vol number, time number) → number•
 intrinsic(spot number, strike number) → number•
 timeValue(spot number, strike number, rate number, vol number, time number) → number
   •
 delta(spot number, strike number, rate number, vol number, time number) → number•
 gamma(spot number, strike number, rate number, vol number, time number) → number•
 vega(spot number, strike number, rate number, vol number, time number) → number
```

4. Usage examples

```
import "std/c/finoption"
use finoption
```

```
create result = blackScholes(/* args */)
say result
```

```
create result = putPrice(/* args */)
say result
```

```
create result = intrinsic(/* args */)
say result
```

```
create result = timeValue(/* args */)
say result
```

```
create result = delta(/* args */)
say result
```

```
create result = gamma(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/finoption"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module finoption

```
function blackScholes(spot number, strike number, rate number, vol number, time
    number) returns number
end
```

```
function putPrice(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function intrinsic(spot number, strike number) returns number
end
```

```
function timeValue(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function delta(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function gamma(spot number, strike number, rate number, vol number, time number)
    returns number
end
```

```
function vega(spot number, strike number, rate number, vol number, time number)
    returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/finoption"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/finoption/`

Source (extrait)

```
module finoption

function blackScholes(spot number, strike number, rate number, vol number, time
    number) returns number
end

function putPrice(spot number, strike number, rate number, vol number, time number)
    returns number
end

function intrinsic(spot number, strike number) returns number
end

function timeValue(spot number, strike number, rate number, vol number, time number)
    returns number
end

function delta(spot number, strike number, rate number, vol number, time number)
    returns number
end

function gamma(spot number, strike number, rate number, vol number, time number)
    returns number
end

function vega(spot number, strike number, rate number, vol number, time number)
    returns number
end
end
```