AFRILANG Stdlib

std/m/linsolve2

Français. Bibliothèque AFRILANG ‘std/m/linsolve2‘ (niveau medium, catégorie medium). Elle expose 4 fonction(s) : solveLinear2, solve3eq, residual, isConsistent.
‘import ”std/m/linsolve2”‘ · ‘use linsolve2‘
- ‘solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) → list number‘ - ‘solve3eq(m list number, b list number) → list number‘ - ‘residual(a list number, x list number, b list number) → number‘ - ‘isConsistent(m list number) → bool‘ **English.** AFRILANG library ‘std/m/linsolve2‘ (tier medium, category medium). Exports 4 function(s): solveLinear2, solve3eq, residual, isConsistent.
‘import ”std/m/linsolve2”‘ · ‘use linsolve2‘
- ‘solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) → list number‘ - ‘solve3eq(m list number, b list number) → list number‘ - ‘residual(a list number, x list number, b list number) → number‘ - ‘isConsistent(m list number) → bool‘

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/linsolve2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : solveLinear2, solve3eq, residual, isConsistent.

'import "std/m/linsolve2"' · 'use linsolve2'

```
- `solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) →
    list number`
- `solve3eq(m list number, b list number) → list number`
- `residual(a list number, x list number, b list number) → number`
- `isConsistent(m list number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/linsolve2"
use linsolve2
```

```
Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires — import std/m…/
```

3. Référence API

```
•
 solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) →
    list•
 solve3eq(m list number, b list number) → list•
 residual(a list number, x list number, b list number) → number•
 isConsistent(m list number) → bool
```

4. Exemples d'utilisation

```
import "std/m/linsolve2"
use linsolve2
```

```
create result = solveLinear2(/* args */)
say result
```

```
create result = solve3eq(/* args */)
say result
```

```
create result = residual(/* args */)
say result
```

```
create result = isConsistent(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/m/linsolve2"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module linsolve2

```
function solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2
    number) returns list number
end
```

```
function solve3eq(m list number, b list number) returns list number
end
```

```
function residual(a list number, x list number, b list number) returns number
end
```

```
function isConsistent(m list number) returns bool
end
end
```

English

1. Overview

AFRILANG library ‘std/m/linsolve2‘ (tier medium, category medium). Exports 4 function(s): solveLinear2, solve3eq, residual, isConsistent.

‘import ”std/m/linsolve2”‘ · ‘use linsolve2‘

```
- `solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) →
    list number`
- `solve3eq(m list number, b list number) → list number`
- `residual(a list number, x list number, b list number) → number`
- `isConsistent(m list number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/m/linsolve2"
use linsolve2
```

```
Tier: medium · Category: Medium modules (m/)
Intermediate libraries — import std/m…/
```

3. API reference

```
•
 solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2 number) →
    list•
 solve3eq(m list number, b list number) → list•
 residual(a list number, x list number, b list number) → number•
 isConsistent(m list number) → bool
```

4. Usage examples

```
import "std/m/linsolve2"
use linsolve2
```

```
create result = solveLinear2(/* args */)
say result
```

```
create result = solve3eq(/* args */)
say result
```

```
create result = residual(/* args */)
say result
```

```
create result = isConsistent(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/m/linsolve2"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module linsolve2

```
function solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2
    number) returns list number
end
```

```
function solve3eq(m list number, b list number) returns list number
end
```

```
function residual(a list number, x list number, b list number) returns number
end
```

```
function isConsistent(m list number) returns bool
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/linsolve2"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/m/linsolve2/

Source (extrait)

```
module linsolve2

function solveLinear2(a1 number, b1 number, c1 number, a2 number, b2 number, c2
    number) returns list number
end

function solve3eq(m list number, b list number) returns list number
end

function residual(a list number, x list number, b list number) returns number
end

function isConsistent(m list number) returns bool
end
end
```