AFRILANG Stdlib

std/c/compdict

Français. Bibliothèque AFRILANG ‘std/c/compdict‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : dictEncode, dictDecode, dictRatio, dictSize, dictCompressed, dictRoundTrip.
‘import ”std/c/compdict”‘ · ‘use compdict‘
- ‘dictEncode(data list number) → list number‘ - ‘dictDecode(encoded list number) → list number‘ - ‘dictRatio(data list number) → number‘ - ‘dictSize(data list number) → number‘ - ‘dictCompressed(data list number) → number‘ - ‘dictRoundTrip(data list number) → bool‘ **English.**

AFRILANG library ‘std/c/compdict‘ (tier complex, category complex). Exports 6 function(s): dictEncode, dictDecode, dictRatio, dictSize, dictCompressed, dictRoundTrip.
‘import ”std/c/compdict”‘ · ‘use compdict‘
- ‘dictEncode(data list number) → list number‘ - ‘dictDecode(encoded list number) → list number‘ - ‘dictRatio(data list number) → number‘ - ‘dictSize(data list number) → number‘ - ‘dictCompressed(data list number) → number‘ - ‘dictRoundTrip(data list number) → bool‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/compdict' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : dictEncode, dictDecode, dictRatio, dictSize, dictCompressed, dictRoundTrip.

'import "std/c/compdict"' · 'use compdict'

```
- `dictEncode(data list number) → list number`
- `dictDecode(encoded list number) → list number`
- `dictRatio(data list number) → number`
- `dictSize(data list number) → number`
- `dictCompressed(data list number) → number`
- `dictRoundTrip(data list number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/compdict"
use compdict
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 dictEncode(data list number) → list•
 dictDecode(encoded list number) → list•
 dictRatio(data list number) → number•
 dictSize(data list number) → number•
 dictCompressed(data list number) → number•
 dictRoundTrip(data list number) → bool
```

4. Exemples d'utilisation

```
import "std/c/compdict"
use compdict
```

```
create result = dictEncode(/* args */)
say result
```

```
create result = dictDecode(/* args */)
say result
```

```
create result = dictRatio(/* args */)
say result
```

```
create result = dictSize(/* args */)
say result
```

```
create result = dictCompressed(/* args */)
say result
```

```
create result = dictRoundTrip(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/compdict"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module compdict

```
function dictEncode(data list number) returns list number
end
```

```
function dictDecode(encoded list number) returns list number
end
```

```
function dictRatio(data list number) returns number
end
```

```
function dictSize(data list number) returns number
end
```

```
function dictCompressed(data list number) returns number
end
```

```
function dictRoundTrip(data list number) returns bool
end
end
```

English

1. Overview

AFRILANG library ‘std/c/compdict‘ (tier complex, category complex). Exports 6 function(s): dictEncode, dictDecode, dictRatio, dictSize, dictCompressed, dictRoundTrip. ‘import ”std/c/compdict”‘ · ‘use compdict‘

```
- `dictEncode(data list number) → list number`
- `dictDecode(encoded list number) → list number`
- `dictRatio(data list number) → number`
- `dictSize(data list number) → number`
- `dictCompressed(data list number) → number`
- `dictRoundTrip(data list number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/c/compdict"
use compdict
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 dictEncode(data list number) → list•
 dictDecode(encoded list number) → list•
 dictRatio(data list number) → number•
 dictSize(data list number) → number•
 dictCompressed(data list number) → number•
 dictRoundTrip(data list number) → bool
```

4. Usage examples

```
import "std/c/compdict"
use compdict
```

```
create result = dictEncode(/* args */)
say result
```

```
create result = dictDecode(/* args */)
say result
```

```
create result = dictRatio(/* args */)
say result
```

```
create result = dictSize(/* args */)
say result
```

```
create result = dictCompressed(/* args */)
say result
```

```
create result = dictRoundTrip(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/compdict"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module compdict

```
function dictEncode(data list number) returns list number
end
```

```
function dictDecode(encoded list number) returns list number
end
```

```
function dictRatio(data list number) returns number
end
```

```
function dictSize(data list number) returns number
end
```

```
function dictCompressed(data list number) returns number
end
```

```
function dictRoundTrip(data list number) returns bool
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/compdict"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/compdict/

Source (extrait)

```
module compdict

function dictEncode(data list number) returns list number
end

function dictDecode(encoded list number) returns list number
end

function dictRatio(data list number) returns number
end

function dictSize(data list number) returns number
end

function dictCompressed(data list number) returns number
```

```
end

function dictRoundTrip(data list number) returns bool
end
end
```