AFRILANG Stdlib

std/c/gamebehavior

Bibliothèque AFRILANG `std/c/gamebehavior` (niveau complex, catégorie complex). Elle expose 7 fonction(s) : evalSelector

`import "std/c/gamebehavior"` · `use gamebehavior`

- `evalSelector(scores list number) ? number`
- `evalSequence(scores list number) ? number`
- `evalParallel(scores list number) ? number`
- `blackboardGet(keys list text, values list number, key text) ? number`
- `blackboardSet(keys list text, values list number, key text, val number) ? list number`
- `cooldownReady(last number, now number, cd number) ? bool`
- `weightedPick(weights list number) ? number`

Category: complex | Tier: complex | Functions: 7

FRANCAIS

1. Vue d'ensemble

Bibliothèque AFRILANG `std/c/gamebehavior` (niveau complex, catégorie complex). Elle expose 7 fonction(s) : evalSelector

`import "std/c/gamebehavior"` · `use gamebehavior`

- `evalSelector(scores list number) ? number`
- `evalSequence(scores list number) ? number`
- `evalParallel(scores list number) ? number`
- `blackboardGet(keys list text, values list number, key text) ? number`
- `blackboardSet(keys list text, values list number, key text, val number) ? list number`
- `cooldownReady(last number, now number, cd number) ? bool`
- `weightedPick(weights list number) ? number`

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/gamebehavior"
use gamebehavior
```

Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés ? graphes, NLP, réseaux complexes.

3. Référence API

? evalSelector(scores list number) ? number
? evalSequence(scores list number) ? number
? evalParallel(scores list number) ? number
? blackboardGet(keys list text, values list number, key text) ? number
? blackboardSet(keys list text, values list number, key text, val number) ? list
? cooldownReady(last number, now number, cd number) ? bool
? weightedPick(weights list number) ? number

4. Exemples d'utilisation

```
import "std/c/gamebehavior"
use gamebehavior

create result = evalSelector(/* args */)
say result

create result = evalSequence(/* args */)
say result

create result = evalParallel(/* args */)
say result

create result = blackboardGet(/* args */)
say result

create result = blackboardSet(/* args */)
say result

create result = cooldownReady(/* args */)
say result
```

5. Bonnes pratiques

? Préférez `import "std/c/gamebehavior"` en tête de fichier.
? Lancez `afrilang check` avant de livrer.
? Combinez avec les modules stdlib de la même catégorie.
? Voir /stdlib/ pour le source live et les démos playground.
? Signalez les problèmes sur GitHub si une export manque.

6. Annexe ? source

```
module gamebehavior
```

```
function evalSelector(scores list number) returns number
end

function evalSequence(scores list number) returns number
end

function evalParallel(scores list number) returns number
end

function blackboardGet(keys list text, values list number, key text) returns number
end

function blackboardSet(keys list text, values list number, key text, val number) returns list number
end

function cooldownReady(last number, now number, cd number) returns bool
end

function weightedPick(weights list number) returns number
end
end
```

ENGLISH

1. Overview

AFRILANG library `std/c/gamebehavior` (tier complex, category complex). Exports 7 function(s): evalSelector, evalSequenc

`import "std/c/gamebehavior"` · `use gamebehavior`

- `evalSelector(scores list number) ? number`
- `evalSequence(scores list number) ? number`
- `evalParallel(scores list number) ? number`
- `blackboardGet(keys list text, values list number, key text) ? number`
- `blackboardSet(keys list text, values list number, key text, val number) ? list number`
- `cooldownReady(last number, now number, cd number) ? bool`
- `weightedPick(weights list number) ? number`

2. Installation & import

Add the module to your program:

```
import "std/c/gamebehavior"
use gamebehavior
```

Tier: complex · Category: Complex modules (c/)
Advanced domains ? graphs, NLP, complex networks.

3. API reference

? evalSelector(scores list number) ? number
? evalSequence(scores list number) ? number
? evalParallel(scores list number) ? number
? blackboardGet(keys list text, values list number, key text) ? number
? blackboardSet(keys list text, values list number, key text, val number) ? list
? cooldownReady(last number, now number, cd number) ? bool
? weightedPick(weights list number) ? number

4. Usage examples

```
import "std/c/gamebehavior"
use gamebehavior

create result = evalSelector(/* args */)
say result

create result = evalSequence(/* args */)
say result

create result = evalParallel(/* args */)
say result

create result = blackboardGet(/* args */)
say result

create result = blackboardSet(/* args */)
say result

create result = cooldownReady(/* args */)
say result
```

5. Best practices

? Prefer `import "std/c/gamebehavior"` at the top of your file.
? Run `afrilang check` before shipping.
? Combine with related stdlib modules from the same category.
? See /stdlib/ for the live source and playground demos.
? Report issues on GitHub if an export is missing or undocumented.

6. Appendix ? source

```
module gamebehavior
```

```
function evalSelector(scores list number) returns number
end
function evalSequence(scores list number) returns number
end
function evalParallel(scores list number) returns number
end
function blackboardGet(keys list text, values list number, key text) returns number
end
function blackboardSet(keys list text, values list number, key text, val number) returns list number
end
function cooldownReady(last number, now number, cd number) returns bool
end
function weightedPick(weights list number) returns number
end
end
```