AFRILANG Stdlib

std/c/gamenavmesh

Français. Bibliothèque AFRILANG ‘std/c/gamenavmesh‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : pointInTri, triArea, portalMid, navDistance, funnelCost, centroid, meshQuality.
‘import ”std/c/gamenavmesh”‘ · ‘use gamenavmesh‘
- ‘pointInTri(px number, py number, ax number, ay number, bx number, by number, cx number, cy number) → bool‘ - ‘triArea(ax number, ay number, bx number, by number, cx number, cy number) → number‘ - ‘portalMid(a list number, b list number) → list number‘ - ‘navDistance(a list number, b list number) → number‘ - ‘funnelCost(path list number) → number‘ - ‘centroi **English.** AFRILANG library ‘std/c/gamenavmesh‘ (tier complex, category complex). Exports 7 function(s): pointInTri, triArea, portalMid, navDistance, funnelCost, centroid, meshQuality.
‘import ”std/c/gamenavmesh”‘ · ‘use gamenavmesh‘
- ‘pointInTri(px number, py number, ax number, ay number, bx number, by number, cx number, cy number) → bool‘ - ‘triArea(ax number, ay number, bx number, by number, cx number, cy number) → number‘ - ‘portalMid(a list number, b list number) → list number‘ - ‘navDistance(a list number, b list number) → number‘ - ‘funnelCost(path list number) → number‘ - ‘centroid(ax number,

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/gamenavmesh' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : pointInTri, triArea, portalMid, navDistance, funnelCost, centroid, meshQuality.

'import "std/c/gamenavmesh"' · 'use gamenavmesh'

```
- `pointInTri(px number, py number, ax number, ay number, bx number, by number, cx
   number, cy number) → bool`
- `triArea(ax number, ay number, bx number, by number, cx number, cy number) → number
   `
- `portalMid(a list number, b list number) → list number`
- `navDistance(a list number, b list number) → number`
- `funnelCost(path list number) → number`
- `centroid(ax number, ay number, bx number, by number, cx number, cy number) → list
   number`
- `meshQuality(ax number, ay number, bx number, by number, cx number, cy number) →
   number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/gamenavmesh"
use gamenavmesh
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 pointInTri(px number, py number, ax number, ay number, bx number, by number, cx
   number, cy number) → bool•
 triArea(ax number, ay number, bx number, by number, cx number, cy number) → number•
 portalMid(a list number, b list number) → list•
 navDistance(a list number, b list number) → number•
 funnelCost(path list number) → number•
 centroid(ax number, ay number, bx number, by number, cx number, cy number) → list•
 meshQuality(ax number, ay number, bx number, by number, cx number, cy number) →
   number
```

4. Exemples d'utilisation

```
import "std/c/gamenavmesh"
use gamenavmesh
```

```
create result = pointInTri(/* args */)
say result
```

```
create result = triArea(/* args */)
say result
```

```
create result = portalMid(/* args */)
say result
```

```
create result = navDistance(/* args */)
say result
```

```
create result = funnelCost(/* args */)
say result
```

```
create result = centroid(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/gamenavmesh"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module gamenavmesh

```
function pointInTri(px number, py number, ax number, ay number, bx number, by number,
     cx number, cy number) returns bool
end
```

```
function triArea(ax number, ay number, bx number, by number, cx number, cy number)
    returns number
end
```

```
function portalMid(a list number, b list number) returns list number
end
```

```
function navDistance(a list number, b list number) returns number
end
```

```
function funnelCost(path list number) returns number
end
```

```
function centroid(ax number, ay number, bx number, by number, cx number, cy number)
    returns list number
end
```

```
function meshQuality(ax number, ay number, bx number, by number, cx number, cy number
    ) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/gamenavmesh‘ (tier complex, category complex). Exports 7 function(s): pointInTri, triArea, portalMid, navDistance, funnelCost, centroid, meshQuality.

‘import ”std/c/gamenavmesh”‘ · ‘use gamenavmesh‘

```
- `pointInTri(px number, py number, ax number, ay number, bx number, by number, cx
   number, cy number) → bool`
- `triArea(ax number, ay number, bx number, by number, cx number, cy number) → number
   `
- `portalMid(a list number, b list number) → list number`
- `navDistance(a list number, b list number) → number`
- `funnelCost(path list number) → number`
- `centroid(ax number, ay number, bx number, by number, cx number, cy number) → list
   number`
- `meshQuality(ax number, ay number, bx number, by number, cx number, cy number) →
   number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/gamenavmesh"
use gamenavmesh
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 pointInTri(px number, py number, ax number, ay number, bx number, by number, cx
   number, cy number) → bool•
 triArea(ax number, ay number, bx number, by number, cx number, cy number) → number•
 portalMid(a list number, b list number) → list•
 navDistance(a list number, b list number) → number•
 funnelCost(path list number) → number•
 centroid(ax number, ay number, bx number, by number, cx number, cy number) → list•
 meshQuality(ax number, ay number, bx number, by number, cx number, cy number) →
   number
```

4. Usage examples

```
import "std/c/gamenavmesh"
use gamenavmesh
```

```
create result = pointInTri(/* args */)
say result
```

```
create result = triArea(/* args */)
say result
```

```
create result = portalMid(/* args */)
say result
```

```
create result = navDistance(/* args */)
say result
```

```
create result = funnelCost(/* args */)
say result
```

```
create result = centroid(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/gamenavmesh"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module gamenavmesh

```
function pointInTri(px number, py number, ax number, ay number, bx number, by number,
     cx number, cy number) returns bool
end
```

```
function triArea(ax number, ay number, bx number, by number, cx number, cy number)
    returns number
end
```

```
function portalMid(a list number, b list number) returns list number
end
```

```
function navDistance(a list number, b list number) returns number
end
```

```
function funnelCost(path list number) returns number
end
```

```
function centroid(ax number, ay number, bx number, by number, cx number, cy number)
    returns list number
end
```

```
function meshQuality(ax number, ay number, bx number, by number, cx number, cy number
    ) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/gamenavmesh"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/gamenavmesh/

Source (extrait)

```
module gamenavmesh

function pointInTri(px number, py number, ax number, ay number, bx number, by number,
     cx number, cy number) returns bool
end

function triArea(ax number, ay number, bx number, by number, cx number, cy number)
    returns number
end

function portalMid(a list number, b list number) returns list number
end

function navDistance(a list number, b list number) returns number
end

function funnelCost(path list number) returns number
end

function centroid(ax number, ay number, bx number, by number, cx number, cy number)
    returns list number
end

function meshQuality(ax number, ay number, bx number, by number, cx number, cy number
    ) returns number
end
end
```