AFRILANG Stdlib

std/c/sigpower

Français. Bibliothèque AFRILANG ‘std/c/sigpower‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : poweSum, poweMean, poweMin, poweMax, poweVar, poweStd, poweNorm.
‘import ”std/c/sigpower”‘ · ‘use sigpower‘
- ‘poweSum(v list number) → number‘ - ‘poweMean(v list number) → number‘ - ‘poweMin(v list number) → number‘ - ‘poweMax(v list number) → number‘ - ‘poweVar(v list number) → number‘ - ‘poweStd(v list number) → number‘ - ‘poweNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/sigpower‘ (tier complex, category complex). Exports 7 function(s): poweSum, poweMean, poweMin, poweMax, poweVar, poweStd, poweNorm.
‘import ”std/c/sigpower”‘ · ‘use sigpower‘
- ‘poweSum(v list number) → number‘ - ‘poweMean(v list number) → number‘ - ‘poweMin(v list number) → number‘ - ‘poweMax(v list number) → number‘ - ‘poweVar(v list number) → number‘ - ‘poweStd(v list number) → number‘ - ‘poweNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/sigpower' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : poweSum, poweMean, poweMin, poweMax, poweVar, poweStd, poweNorm.

'import "std/c/sigpower"' · 'use sigpower'

```
- `poweSum(v list number) → number`
- `poweMean(v list number) → number`
- `poweMin(v list number) → number`
- `poweMax(v list number) → number`
- `poweVar(v list number) → number`
- `poweStd(v list number) → number`
- `poweNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/sigpower"
use sigpower
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 poweSum(v list number) → number•
 poweMean(v list number) → number•
 poweMin(v list number) → number•
 poweMax(v list number) → number•
 poweVar(v list number) → number•
 poweStd(v list number) → number•
 poweNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/sigpower"
use sigpower
```

```
create result = poweSum(/* args */)
say result
```

```
create result = poweMean(/* args */)
say result
```

```
create result = poweMin(/* args */)
say result
```

```
create result = poweMax(/* args */)
say result
```

```
create result = poweVar(/* args */)
say result
```

```
create result = poweStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/sigpower"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module sigpower

```
function poweSum(v list number) returns number
end
```

```
function poweMean(v list number) returns number
end
```

```
function poweMin(v list number) returns number
end
```

```
function poweMax(v list number) returns number
end
```

```
function poweVar(v list number) returns number
end
```

```
function poweStd(v list number) returns number
end
```

```
function poweNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/sigpower‘ (tier complex, category complex). Exports 7 function(s): poweSum, poweMean, poweMin, poweMax, poweVar, poweStd, poweNorm. ‘import ”std/c/sigpower”‘ · ‘use sigpower‘

```
- `poweSum(v list number) → number`
- `poweMean(v list number) → number`
- `poweMin(v list number) → number`
- `poweMax(v list number) → number`
- `poweVar(v list number) → number`
- `poweStd(v list number) → number`
- `poweNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/sigpower"
use sigpower
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 poweSum(v list number) → number•
 poweMean(v list number) → number•
 poweMin(v list number) → number•
 poweMax(v list number) → number•
 poweVar(v list number) → number•
 poweStd(v list number) → number•
 poweNorm(v list number) → list
```

4. Usage examples

```
import "std/c/sigpower"
use sigpower
```

```
create result = poweSum(/* args */)
say result
```

```
create result = poweMean(/* args */)
say result
```

```
create result = poweMin(/* args */)
say result
```

```
create result = poweMax(/* args */)
say result
```

```
create result = poweVar(/* args */)
say result
```

```
create result = poweStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/sigpower"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module sigpower

```
function poweSum(v list number) returns number
end
```

```
function poweMean(v list number) returns number
end
```

```
function poweMin(v list number) returns number
end
```

```
function poweMax(v list number) returns number
end
```

```
function poweVar(v list number) returns number
end
```

```
function poweStd(v list number) returns number
end
```

```
function poweNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/sigpower"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/sigpower/

Source (extrait)

```
module sigpower

function poweSum(v list number) returns number
end

function poweMean(v list number) returns number
```

```
end

function poweMin(v list number) returns number
end

function poweMax(v list number) returns number
end

function poweVar(v list number) returns number
end

function poweStd(v list number) returns number
end

function poweNorm(v list number) returns list number
end
end
```