AFRILANG Stdlib

std/c/graphmatch

Français. Bibliothèque AFRILANG ‘std/c/graphmatch‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : maxMatching, matchingPairs, isPerfectMatching, unmatchedCount, matchingWeight, vertexCoverSize, isMatched.
‘import ”std/c/graphmatch”‘ · ‘use graphmatch‘
- ‘maxMatching(adj list number, n number) → number‘ - ‘matchingPairs(adj list number, n number) → list number‘ - ‘isPerfectMatching(adj list number, n number) → bool‘ - ‘unmatchedCount(adj list number, n number) → number‘ - ‘matchingWeight(adj list number, n number) → number‘ - ‘vertexCoverSize(adj list number, n number) → number‘ - ‘is **English.** AFRILANG library ‘std/c/graphmatch‘ (tier complex, category complex). Exports 7 function(s): maxMatching, matchingPairs, isPerfectMatching, unmatchedCount, matchingWeight, vertexCoverSize, isMatched.
‘import ”std/c/graphmatch”‘ · ‘use graphmatch‘
- ‘maxMatching(adj list number, n number) → number‘ - ‘matchingPairs(adj list number, n number) → list number‘ - ‘isPerfectMatching(adj list number, n number) → bool‘ - ‘unmatchedCount(adj list number, n number) → number‘ - ‘matchingWeight(adj list number, n number) → number‘ - ‘vertexCoverSize(adj list number, n number) → number‘ - ‘isMatched(adj l

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/graphmatch' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : maxMatching, matchingPairs, isPerfectMatching, unmatchedCount, matchingWeight, vertexCoverSize, isMatched.

'import "std/c/graphmatch"' · 'use graphmatch'

```
- `maxMatching(adj list number, n number) → number`
- `matchingPairs(adj list number, n number) → list number`
- `isPerfectMatching(adj list number, n number) → bool`
- `unmatchedCount(adj list number, n number) → number`
- `matchingWeight(adj list number, n number) → number`
- `vertexCoverSize(adj list number, n number) → number`
- `isMatched(adj list number, n number, node number) → bool`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/graphmatch"
use graphmatch
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 maxMatching(adj list number, n number) → number•
 matchingPairs(adj list number, n number) → list•
 isPerfectMatching(adj list number, n number) → bool•
 unmatchedCount(adj list number, n number) → number•
 matchingWeight(adj list number, n number) → number•
 vertexCoverSize(adj list number, n number) → number•
 isMatched(adj list number, n number, node number) → bool
```

4. Exemples d'utilisation

```
import "std/c/graphmatch"
use graphmatch
```

```
create result = maxMatching(/* args */)
say result
```

```
create result = matchingPairs(/* args */)
say result
```

```
create result = isPerfectMatching(/* args */)
say result
```

```
create result = unmatchedCount(/* args */)
say result
```

```
create result = matchingWeight(/* args */)
say result
```

```
create result = vertexCoverSize(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/graphmatch"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module graphmatch

```
function maxMatching(adj list number, n number) returns number
end
```

```
function matchingPairs(adj list number, n number) returns list number
end
```

```
function isPerfectMatching(adj list number, n number) returns bool
end
```

```
function unmatchedCount(adj list number, n number) returns number
end
```

```
function matchingWeight(adj list number, n number) returns number
end
```

```
function vertexCoverSize(adj list number, n number) returns number
end
```

```
function isMatched(adj list number, n number, node number) returns bool
end
end
```

English

1. Overview

AFRILANG library ‘std/c/graphmatch‘ (tier complex, category complex). Exports 7 function(s): maxMatching, matchingPairs, isPerfectMatching, unmatchedCount, matchingWeight, vertexCoverSize, isMatched.

‘import ”std/c/graphmatch”‘ · ‘use graphmatch‘

```
- `maxMatching(adj list number, n number) → number`
- `matchingPairs(adj list number, n number) → list number`
- `isPerfectMatching(adj list number, n number) → bool`
- `unmatchedCount(adj list number, n number) → number`
- `matchingWeight(adj list number, n number) → number`
- `vertexCoverSize(adj list number, n number) → number`
- `isMatched(adj list number, n number, node number) → bool`
```

2. Installation & import

Add the module to your program:

```
import "std/c/graphmatch"
use graphmatch
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 maxMatching(adj list number, n number) → number•
 matchingPairs(adj list number, n number) → list•
 isPerfectMatching(adj list number, n number) → bool•
 unmatchedCount(adj list number, n number) → number•
 matchingWeight(adj list number, n number) → number•
 vertexCoverSize(adj list number, n number) → number•
 isMatched(adj list number, n number, node number) → bool
```

4. Usage examples

```
import "std/c/graphmatch"
use graphmatch
```

```
create result = maxMatching(/* args */)
say result
```

```
create result = matchingPairs(/* args */)
say result
```

```
create result = isPerfectMatching(/* args */)
say result
```

```
create result = unmatchedCount(/* args */)
say result
```

```
create result = matchingWeight(/* args */)
say result
```

```
create result = vertexCoverSize(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/graphmatch"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module graphmatch

```
function maxMatching(adj list number, n number) returns number
end
```

```
function matchingPairs(adj list number, n number) returns list number
end
```

```
function isPerfectMatching(adj list number, n number) returns bool
end
```

```
function unmatchedCount(adj list number, n number) returns number
end
```

```
function matchingWeight(adj list number, n number) returns number
end
```

```
function vertexCoverSize(adj list number, n number) returns number
end
```

```
function isMatched(adj list number, n number, node number) returns bool
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/graphmatch"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/graphmatch/`

Source (extrait)

```
module graphmatch

function maxMatching(adj list number, n number) returns number
end

function matchingPairs(adj list number, n number) returns list number
end

function isPerfectMatching(adj list number, n number) returns bool
end

function unmatchedCount(adj list number, n number) returns number
end

function matchingWeight(adj list number, n number) returns number
end

function vertexCoverSize(adj list number, n number) returns number
end

function isMatched(adj list number, n number, node number) returns bool
end
end
```