AFRILANG Stdlib

std/c/csvgroup

Français. Bibliothèque AFRILANG ‘std/c/csvgroup‘ (niveau complex, catégorie complex). Elle expose 6 fonction(s) : groupSum, groupCount, groupMean, uniqueKeys, groupMax, numGroups.
‘import ”std/c/csvgroup”‘ · ‘use csvgroup‘
- ‘groupSum(values list number, keys list number) → list number‘ - ‘groupCount(keys list number) → list number‘ - ‘groupMean(values list number, keys list number) → list number‘ - ‘uniqueKeys(keys list number) → list number‘ - ‘groupMax(values list number, keys list number) → list number‘ - ‘numGroups(keys list number) → number‘ **English.** AFRILANG library ‘std/c/csvgroup‘ (tier complex, category complex). Exports 6 function(s): groupSum, groupCount, groupMean, uniqueKeys, groupMax, numGroups.
‘import ”std/c/csvgroup”‘ · ‘use csvgroup‘
- ‘groupSum(values list number, keys list number) → list number‘ - ‘groupCount(keys list number) → list number‘ - ‘groupMean(values list number, keys list number) → list number‘ - ‘uniqueKeys(keys list number) → list number‘ - ‘groupMax(values list number, keys list number) → list number‘ - ‘numGroups(keys list number) → number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	6

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/csvgroup' (niveau complex, catégorie complex). Elle expose 6 fonction(s) : groupSum, groupCount, groupMean, uniqueKeys, groupMax, numGroups.

'import "std/c/csvgroup"' · 'use csvgroup'

```
- `groupSum(values list number, keys list number) → list number`
- `groupCount(keys list number) → list number`
- `groupMean(values list number, keys list number) → list number`
- `uniqueKeys(keys list number) → list number`
- `groupMax(values list number, keys list number) → list number`
- `numGroups(keys list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/csvgroup"
use csvgroup
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 groupSum(values list number, keys list number) → list•
 groupCount(keys list number) → list•
 groupMean(values list number, keys list number) → list•
 uniqueKeys(keys list number) → list•
 groupMax(values list number, keys list number) → list•
 numGroups(keys list number) → number
```

4. Exemples d'utilisation

```
import "std/c/csvgroup"
use csvgroup
```

```
create result = groupSum(/* args */)
say result
```

```
create result = groupCount(/* args */)
say result
```

```
create result = groupMean(/* args */)
say result
```

```
create result = uniqueKeys(/* args */)
say result
```

```
create result = groupMax(/* args */)
say result
```

```
create result = numGroups(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/csvgroup"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module csvgroup

```
function groupSum(values list number, keys list number) returns list number
end
```

```
function groupCount(keys list number) returns list number
end
```

```
function groupMean(values list number, keys list number) returns list number
end
```

```
function uniqueKeys(keys list number) returns list number
end
```

```
function groupMax(values list number, keys list number) returns list number
end
```

```
function numGroups(keys list number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/csvgroup‘ (tier complex, category complex). Exports 6 function(s): groupSum, groupCount, groupMean, uniqueKeys, groupMax, numGroups.
‘import ”std/c/csvgroup”‘ · ‘use csvgroup‘

```
- `groupSum(values list number, keys list number) → list number`
- `groupCount(keys list number) → list number`
- `groupMean(values list number, keys list number) → list number`
- `uniqueKeys(keys list number) → list number`
- `groupMax(values list number, keys list number) → list number`
- `numGroups(keys list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/csvgroup"
use csvgroup
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 groupSum(values list number, keys list number) → list•
 groupCount(keys list number) → list•
 groupMean(values list number, keys list number) → list•
 uniqueKeys(keys list number) → list•
 groupMax(values list number, keys list number) → list•
 numGroups(keys list number) → number
```

4. Usage examples

```
import "std/c/csvgroup"
use csvgroup
```

```
create result = groupSum(/* args */)
say result
```

```
create result = groupCount(/* args */)
say result
```

```
create result = groupMean(/* args */)
say result
```

```
create result = uniqueKeys(/* args */)
say result
```

```
create result = groupMax(/* args */)
say result
```

```
create result = numGroups(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/csvgroup"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module csvgroup

```
function groupSum(values list number, keys list number) returns list number
end
```

```
function groupCount(keys list number) returns list number
end
```

```
function groupMean(values list number, keys list number) returns list number
end
```

```
function uniqueKeys(keys list number) returns list number
end
```

```
function groupMax(values list number, keys list number) returns list number
end
```

```
function numGroups(keys list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/csvgroup"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/csvgroup/`

Source (extrait)

```
module csvgroup

function groupSum(values list number, keys list number) returns list number
end

function groupCount(keys list number) returns list number
end

function groupMean(values list number, keys list number) returns list number
end

function uniqueKeys(keys list number) returns list number
end

function groupMax(values list number, keys list number) returns list number
```

```
end

function numGroups(keys list number) returns number
end
end
```