AFRILANG Stdlib

std/c/tsforecast

Français. Bibliothèque AFRILANG ‘std/c/tsforecast‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : foreSum, foreMean, foreMin, foreMax, foreVar, foreStd, foreNorm.
‘import ”std/c/tsforecast”‘ · ‘use tsforecast‘
- ‘foreSum(v list number) → number‘ - ‘foreMean(v list number) → number‘ - ‘foreMin(v list number) → number‘ - ‘foreMax(v list number) → number‘ - ‘foreVar(v list number) → number‘ - ‘foreStd(v list number) → number‘ - ‘foreNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/tsforecast‘ (tier complex, category complex). Exports 7 function(s): foreSum, foreMean, foreMin, foreMax, foreVar, foreStd, foreNorm.
‘import ”std/c/tsforecast”‘ · ‘use tsforecast‘
- ‘foreSum(v list number) → number‘ - ‘foreMean(v list number) → number‘ - ‘foreMin(v list number) → number‘ - ‘foreMax(v list number) → number‘ - ‘foreVar(v list number) → number‘ - ‘foreStd(v list number) → number‘ - ‘foreNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/tsforecast' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : foreSum, foreMean, foreMin, foreMax, foreVar, foreStd, foreNorm.
'import "std/c/tsforecast"' · 'use tsforecast'

```
- `foreSum(v list number) → number`
- `foreMean(v list number) → number`
- `foreMin(v list number) → number`
- `foreMax(v list number) → number`
- `foreVar(v list number) → number`
- `foreStd(v list number) → number`
- `foreNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/tsforecast"
use tsforecast
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 foreSum(v list number) → number•
 foreMean(v list number) → number•
 foreMin(v list number) → number•
 foreMax(v list number) → number•
 foreVar(v list number) → number•
 foreStd(v list number) → number•
 foreNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/tsforecast"
use tsforecast
```

```
create result = foreSum(/* args */)
say result
```

```
create result = foreMean(/* args */)
say result
```

```
create result = foreMin(/* args */)
say result
```

```
create result = foreMax(/* args */)
say result
```

```
create result = foreVar(/* args */)
say result
```

```
create result = foreStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/tsforecast"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module tsforecast

```
function foreSum(v list number) returns number
end
```

```
function foreMean(v list number) returns number
end
```

```
function foreMin(v list number) returns number
end
```

```
function foreMax(v list number) returns number
end
```

```
function foreVar(v list number) returns number
end
```

```
function foreStd(v list number) returns number
end
```

```
function foreNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/tsforecast‘ (tier complex, category complex). Exports 7 function(s): foreSum, foreMean, foreMin, foreMax, foreVar, foreStd, foreNorm.
‘import ”std/c/tsforecast”‘ · ‘use tsforecast‘

```
- `foreSum(v list number) → number`
- `foreMean(v list number) → number`
- `foreMin(v list number) → number`
- `foreMax(v list number) → number`
- `foreVar(v list number) → number`
- `foreStd(v list number) → number`
- `foreNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/tsforecast"
use tsforecast
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 foreSum(v list number) → number•
 foreMean(v list number) → number•
 foreMin(v list number) → number•
 foreMax(v list number) → number•
 foreVar(v list number) → number•
 foreStd(v list number) → number•
 foreNorm(v list number) → list
```

4. Usage examples

```
import "std/c/tsforecast"
use tsforecast
```

```
create result = foreSum(/* args */)
say result
```

```
create result = foreMean(/* args */)
say result
```

```
create result = foreMin(/* args */)
say result
```

```
create result = foreMax(/* args */)
say result
```

```
create result = foreVar(/* args */)
say result
```

```
create result = foreStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/tsforecast"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module tsforecast

```
function foreSum(v list number) returns number
end
```

```
function foreMean(v list number) returns number
end
```

```
function foreMin(v list number) returns number
end
```

```
function foreMax(v list number) returns number
end
```

```
function foreVar(v list number) returns number
end
```

```
function foreStd(v list number) returns number
end
```

```
function foreNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/tsforecast"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/tsforecast/

Source (extrait)

```
module tsforecast

function foreSum(v list number) returns number
end

function foreMean(v list number) returns number
```

```
end

function foreMin(v list number) returns number
end

function foreMax(v list number) returns number
end

function foreVar(v list number) returns number
end

function foreStd(v list number) returns number
end

function foreNorm(v list number) returns list number
end
end
```