AFRILANG Stdlib

std/c/mlcluster

Français. Bibliothèque AFRILANG ‘std/c/mlcluster‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : clusSum, clusMean, clusMin, clusMax, clusVar, clusStd, clusNorm.
‘import ”std/c/mlcluster”‘ · ‘use mlcluster‘
- ‘clusSum(v list number) → number‘ - ‘clusMean(v list number) → number‘ - ‘clusMin(v list number) → number‘ - ‘clusMax(v list number) → number‘ - ‘clusVar(v list number) → number‘ - ‘clusStd(v list number) → number‘ - ‘clusNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/mlcluster‘ (tier complex, category complex). Exports 7 function(s): clusSum, clusMean, clusMin, clusMax, clusVar, clusStd, clusNorm.
‘import ”std/c/mlcluster”‘ · ‘use mlcluster‘
- ‘clusSum(v list number) → number‘ - ‘clusMean(v list number) → number‘ - ‘clusMin(v list number) → number‘ - ‘clusMax(v list number) → number‘ - ‘clusVar(v list number) → number‘ - ‘clusStd(v list number) → number‘ - ‘clusNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/mlcluster' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : clusSum, clusMean, clusMin, clusMax, clusVar, clusStd, clusNorm.

'import "std/c/mlcluster"' · 'use mlcluster'

```
- `clusSum(v list number) → number`
- `clusMean(v list number) → number`
- `clusMin(v list number) → number`
- `clusMax(v list number) → number`
- `clusVar(v list number) → number`
- `clusStd(v list number) → number`
- `clusNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/mlcluster"
use mlcluster
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 clusSum(v list number) → number•
 clusMean(v list number) → number•
 clusMin(v list number) → number•
 clusMax(v list number) → number•
 clusVar(v list number) → number•
 clusStd(v list number) → number•
 clusNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/mlcluster"
use mlcluster
```

```
create result = clusSum(/* args */)
say result
```

```
create result = clusMean(/* args */)
say result
```

```
create result = clusMin(/* args */)
say result
```

```
create result = clusMax(/* args */)
say result
```

```
create result = clusVar(/* args */)
say result
```

```
create result = clusStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/mlcluster"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module mlcluster

```
function clusSum(v list number) returns number
end
```

```
function clusMean(v list number) returns number
end
```

```
function clusMin(v list number) returns number
end
```

```
function clusMax(v list number) returns number
end
```

```
function clusVar(v list number) returns number
end
```

```
function clusStd(v list number) returns number
end
```

```
function clusNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/mlcluster‘ (tier complex, category complex). Exports 7 function(s): clusSum, clusMean, clusMin, clusMax, clusVar, clusStd, clusNorm.
‘import ”std/c/mlcluster”‘ · ‘use mlcluster‘

```
- `clusSum(v list number) → number`
- `clusMean(v list number) → number`
- `clusMin(v list number) → number`
- `clusMax(v list number) → number`
- `clusVar(v list number) → number`
- `clusStd(v list number) → number`
- `clusNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/mlcluster"
use mlcluster
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 clusSum(v list number) → number•
 clusMean(v list number) → number•
 clusMin(v list number) → number•
 clusMax(v list number) → number•
 clusVar(v list number) → number•
 clusStd(v list number) → number•
 clusNorm(v list number) → list
```

4. Usage examples

```
import "std/c/mlcluster"
use mlcluster
```

```
create result = clusSum(/* args */)
say result
```

```
create result = clusMean(/* args */)
say result
```

```
create result = clusMin(/* args */)
say result
```

```
create result = clusMax(/* args */)
say result
```

```
create result = clusVar(/* args */)
say result
```

```
create result = clusStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/mlcluster"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module mlcluster

```
function clusSum(v list number) returns number
end
```

```
function clusMean(v list number) returns number
end
```

```
function clusMin(v list number) returns number
end
```

```
function clusMax(v list number) returns number
end
```

```
function clusVar(v list number) returns number
end
```

```
function clusStd(v list number) returns number
end
```

```
function clusNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/mlcluster"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/mlcluster/`

Source (extrait)

```
module mlcluster

function clusSum(v list number) returns number
end

function clusMean(v list number) returns number
```

```
end

function clusMin(v list number) returns number
end

function clusMax(v list number) returns number
end

function clusVar(v list number) returns number
end

function clusStd(v list number) returns number
end

function clusNorm(v list number) returns list number
end
end
```