AFRILANG Stdlib

std/c/statcorrel

Français. Bibliothèque AFRILANG ‘std/c/statcorrel‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : pearson, covariance, crossCorr, autocorr1, partialCorr, corrMatrix2, rankCorr.
‘import ”std/c/statcorrel”‘ · ‘use statcorrel‘
- ‘pearson(a list number, b list number) → number‘ - ‘covariance(a list number, b list number) → number‘ - ‘crossCorr(a list number, b list number, lag number) → number‘ - ‘autocorr1(v list number) → number‘ - ‘partialCorr(a list number, b list number, c list number) → number‘ - ‘corrMatrix2(a list number, b list number) → list number‘ - ‘rankCorr(a list number, b **English.** AFRILANG library ‘std/c/statcorrel‘ (tier complex, category complex). Exports 7 function(s): pearson, covariance, crossCorr, autocorr1, partialCorr, corrMatrix2, rankCorr.
‘import ”std/c/statcorrel”‘ · ‘use statcorrel‘
- ‘pearson(a list number, b list number) → number‘ - ‘covariance(a list number, b list number) → number‘ - ‘crossCorr(a list number, b list number, lag number) → number‘ - ‘autocorr1(v list number) → number‘ - ‘partialCorr(a list number, b list number, c list number) → number‘ - ‘corrMatrix2(a list number, b list number) → list number‘ - ‘rankCorr(a list number, b list number)

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/statcorrel' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : pearson, covariance, crossCorr, autocorr1, partialCorr, corrMatrix2, rankCorr.

'import "std/c/statcorrel"' · 'use statcorrel'

```
- `pearson(a list number, b list number) → number`
- `covariance(a list number, b list number) → number`
- `crossCorr(a list number, b list number, lag number) → number`
- `autocorr1(v list number) → number`
- `partialCorr(a list number, b list number, c list number) → number`
- `corrMatrix2(a list number, b list number) → list number`
- `rankCorr(a list number, b list number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/statcorrel"
use statcorrel
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 pearson(a list number, b list number) → number•
 covariance(a list number, b list number) → number•
 crossCorr(a list number, b list number, lag number) → number•
 autocorr1(v list number) → number•
 partialCorr(a list number, b list number, c list number) → number•
 corrMatrix2(a list number, b list number) → list•
 rankCorr(a list number, b list number) → number
```

4. Exemples d'utilisation

```
import "std/c/statcorrel"
use statcorrel
```

```
create result = pearson(/* args */)
say result
```

```
create result = covariance(/* args */)
say result
```

```
create result = crossCorr(/* args */)
say result
```

```
create result = autocorr1(/* args */)
say result
```

```
create result = partialCorr(/* args */)
say result
```

```
create result = corrMatrix2(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/statcorrel"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module statcorrel

```
function pearson(a list number, b list number) returns number
end
```

```
function covariance(a list number, b list number) returns number
end
```

```
function crossCorr(a list number, b list number, lag number) returns number
end
```

```
function autocorr1(v list number) returns number
end
```

```
function partialCorr(a list number, b list number, c list number) returns number
end
```

```
function corrMatrix2(a list number, b list number) returns list number
end
```

```
function rankCorr(a list number, b list number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/statcorrel‘ (tier complex, category complex). Exports 7 function(s): pearson, covariance, crossCorr, autocorr1, partialCorr, corrMatrix2, rankCorr.

‘import ”std/c/statcorrel”‘ · ‘use statcorrel‘

```
- `pearson(a list number, b list number) → number`
- `covariance(a list number, b list number) → number`
- `crossCorr(a list number, b list number, lag number) → number`
- `autocorr1(v list number) → number`
- `partialCorr(a list number, b list number, c list number) → number`
- `corrMatrix2(a list number, b list number) → list number`
- `rankCorr(a list number, b list number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/statcorrel"
use statcorrel
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 pearson(a list number, b list number) → number•
 covariance(a list number, b list number) → number•
 crossCorr(a list number, b list number, lag number) → number•
 autocorr1(v list number) → number•
 partialCorr(a list number, b list number, c list number) → number•
 corrMatrix2(a list number, b list number) → list•
 rankCorr(a list number, b list number) → number
```

4. Usage examples

```
import "std/c/statcorrel"
use statcorrel
```

```
create result = pearson(/* args */)
say result
```

```
create result = covariance(/* args */)
say result
```

```
create result = crossCorr(/* args */)
say result
```

```
create result = autocorr1(/* args */)
say result
```

```
create result = partialCorr(/* args */)
say result
```

```
create result = corrMatrix2(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/statcorrel"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module statcorrel

```
function pearson(a list number, b list number) returns number
end
```

```
function covariance(a list number, b list number) returns number
end
```

```
function crossCorr(a list number, b list number, lag number) returns number
end
```

```
function autocorr1(v list number) returns number
end
```

```
function partialCorr(a list number, b list number, c list number) returns number
end
```

```
function corrMatrix2(a list number, b list number) returns list number
end
```

```
function rankCorr(a list number, b list number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/statcorrel"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/statcorrel/`

Source (extrait)

```
module statcorrel

function pearson(a list number, b list number) returns number
end

function covariance(a list number, b list number) returns number
end

function crossCorr(a list number, b list number, lag number) returns number
end

function autocorr1(v list number) returns number
end

function partialCorr(a list number, b list number, c list number) returns number
end

function corrMatrix2(a list number, b list number) returns list number
end

function rankCorr(a list number, b list number) returns number
end
end
```