AFRILANG Stdlib

std/m/depreciation2

Français. Bibliothèque AFRILANG ‘std/m/depreciation2‘ (niveau medium, catégorie medium). Elle expose 4 fonction(s) : straightLine, decliningBalance, sumOfYears, accumDepreciation.
‘import ”std/m/depreciation2”‘ · ‘use depreciation2‘
- ‘straightLine(cost number, salvage number, years number) → number‘ - ‘decliningBalance(bookValue number, rate number) → number‘ - ‘sumOfYears(cost number, salvage number, years number, year number) → number‘ - ‘accumDepreciation(annual number, yearsElapsed number) → number‘ **English.** AFRILANG library ‘std/m/depreciation2‘

(tier medium, category medium). Exports 4 function(s): straightLine, decliningBalance, sumOfYears, accumDepreciation.
‘import ”std/m/depreciation2”‘ · ‘use depreciation2‘
- ‘straightLine(cost number, salvage number, years number) → number‘ - ‘decliningBalance(bookValue number, rate number) → number‘ - ‘sumOfYears(cost number, salvage number, years number, year number) → number‘ - ‘accumDepreciation(annual number, yearsElapsed number) → number‘

Catégorie / Category	Modules medium (m/)
Niveau / Tier	medium
Fonctions / Functions	4

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/m/depreciation2' (niveau medium, catégorie medium). Elle expose 4 fonction(s) : straightLine, decliningBalance, sumOfYears, accumDepreciation.

'import "std/m/depreciation2"' · 'use depreciation2'

```
- `straightLine(cost number, salvage number, years number) → number`
- `decliningBalance(bookValue number, rate number) → number`
- `sumOfYears(cost number, salvage number, years number, year number) → number`
- `accumDepreciation(annual number, yearsElapsed number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/m/depreciation2"
use depreciation2
```

```
Niveau : medium · Catégorie : Modules medium (m/)
Bibliothèques intermédiaires — import std/m…/
```

3. Référence API

```
•
 straightLine(cost number, salvage number, years number) → number•
 decliningBalance(bookValue number, rate number) → number•
 sumOfYears(cost number, salvage number, years number, year number) → number•
 accumDepreciation(annual number, yearsElapsed number) → number
```

4. Exemples d'utilisation

```
import "std/m/depreciation2"
use depreciation2
```

```
create result = straightLine(/* args */)
say result
```

```
create result = decliningBalance(/* args */)
say result
```

```
create result = sumOfYears(/* args */)
say result
```

```
create result = accumDepreciation(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/m/depreciation2"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module depreciation2

```
function straightLine(cost number, salvage number, years number) returns number
end
```

```
function decliningBalance(bookValue number, rate number) returns number
end
```

```
function sumOfYears(cost number, salvage number, years number, year number) returns
    number
end
```

```
function accumDepreciation(annual number, yearsElapsed number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/m/depreciation2‘ (tier medium, category medium). Exports 4 function(s): straightLine, decliningBalance, sumOfYears, accumDepreciation.
‘import ”std/m/depreciation2”‘ · ‘use depreciation2‘

```
- `straightLine(cost number, salvage number, years number) → number`
- `decliningBalance(bookValue number, rate number) → number`
- `sumOfYears(cost number, salvage number, years number, year number) → number`
- `accumDepreciation(annual number, yearsElapsed number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/m/depreciation2"
use depreciation2
```

```
Tier: medium · Category: Medium modules (m/)
Intermediate libraries — import std/m…/
```

3. API reference

```
•
 straightLine(cost number, salvage number, years number) → number•
 decliningBalance(bookValue number, rate number) → number•
 sumOfYears(cost number, salvage number, years number, year number) → number•
 accumDepreciation(annual number, yearsElapsed number) → number
```

4. Usage examples

```
import "std/m/depreciation2"
use depreciation2
```

```
create result = straightLine(/* args */)
say result
```

```
create result = decliningBalance(/* args */)
say result
```

```
create result = sumOfYears(/* args */)
say result
```

```
create result = accumDepreciation(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/m/depreciation2"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module depreciation2

```
function straightLine(cost number, salvage number, years number) returns number
end
```

```
function decliningBalance(bookValue number, rate number) returns number
end
```

```
function sumOfYears(cost number, salvage number, years number, year number) returns
    number
end
```

```
function accumDepreciation(annual number, yearsElapsed number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/m/depreciation2"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/m/depreciation2/`

Source (extrait)

```
module depreciation2

function straightLine(cost number, salvage number, years number) returns number
end

function decliningBalance(bookValue number, rate number) returns number
end

function sumOfYears(cost number, salvage number, years number, year number) returns
    number
end

function accumDepreciation(annual number, yearsElapsed number) returns number
end
end
```