AFRILANG Stdlib

std/c/nlpstop

Français. Bibliothèque AFRILANG ‘std/c/nlpstop‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : stopLen, stopUpper, stopLower, stopTrim, stopSplit, stopJoin, stopReplace.
‘import ”std/c/nlpstop”‘ · ‘use nlpstop‘
- ‘stopLen(s text) → number‘ - ‘stopUpper(s text) → text‘ - ‘stopLower(s text) → text‘ - ‘stopTrim(s text) → text‘ - ‘stopSplit(s text, delim text) → list text‘ - ‘stopJoin(parts list text, delim text) → text‘ - ‘stopReplace(s text, from text, to text) → text‘ **English.** AFRILANG library ‘std/c/nlpstop‘ (tier complex, category complex). Exports 7 function(s): stopLen, stopUpper, stopLower, stopTrim, stopSplit, stopJoin, stopReplace.
‘import ”std/c/nlpstop”‘ · ‘use nlpstop‘
- ‘stopLen(s text) → number‘ - ‘stopUpper(s text) → text‘ - ‘stopLower(s text) → text‘ - ‘stopTrim(s text) → text‘ - ‘stopSplit(s text, delim text) → list text‘ - ‘stopJoin(parts list text, delim text) → text‘ - ‘stopReplace(s text, from text, to text) → text‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/c/nlpstop' (niveau complex, catégorie complex). Elle expose 7 fonction(s) : stopLen, stopUpper, stopLower, stopTrim, stopSplit, stopJoin, stopReplace.

'import "std/c/nlpstop"' · 'use nlpstop'

```
- `stopLen(s text) → number`
- `stopUpper(s text) → text`
- `stopLower(s text) → text`
- `stopTrim(s text) → text`
- `stopSplit(s text, delim text) → list text`
- `stopJoin(parts list text, delim text) → text`
- `stopReplace(s text, from text, to text) → text`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/nlpstop"
use nlpstop
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 stopLen(s text) → number•
 stopUpper(s text) → text•
 stopLower(s text) → text•
 stopTrim(s text) → text•
 stopSplit(s text, delim text) → list•
 stopJoin(parts list text, delim text) → text•
 stopReplace(s text, from text, to text) → text
```

4. Exemples d'utilisation

```
import "std/c/nlpstop"
use nlpstop
```

```
create result = stopLen(/* args */)
say result
```

```
create result = stopUpper(/* args */)
say result
```

```
create result = stopLower(/* args */)
say result
```

```
create result = stopTrim(/* args */)
say result
```

```
create result = stopSplit(/* args */)
say result
```

```
create result = stopJoin(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/nlpstop"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module nlpstop

```
function stopLen(s text) returns number
end
```

```
function stopUpper(s text) returns text
end
```

```
function stopLower(s text) returns text
end
```

```
function stopTrim(s text) returns text
end
```

```
function stopSplit(s text, delim text) returns list text
end
```

```
function stopJoin(parts list text, delim text) returns text
end
```

```
function stopReplace(s text, from text, to text) returns text
end
end
```

English

1. Overview

AFRILANG library ‘std/c/nlpstop‘ (tier complex, category complex). Exports 7 function(s): stopLen, stopUpper, stopLower, stopTrim, stopSplit, stopJoin, stopReplace.
‘import ”std/c/nlpstop”‘ · ‘use nlpstop‘

```
- `stopLen(s text) → number`
- `stopUpper(s text) → text`
- `stopLower(s text) → text`
- `stopTrim(s text) → text`
- `stopSplit(s text, delim text) → list text`
- `stopJoin(parts list text, delim text) → text`
- `stopReplace(s text, from text, to text) → text`
```

2. Installation & import

Add the module to your program:

```
import "std/c/nlpstop"
use nlpstop
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 stopLen(s text) → number•
 stopUpper(s text) → text•
 stopLower(s text) → text•
 stopTrim(s text) → text•
 stopSplit(s text, delim text) → list•
 stopJoin(parts list text, delim text) → text•
 stopReplace(s text, from text, to text) → text
```

4. Usage examples

```
import "std/c/nlpstop"
use nlpstop
```

```
create result = stopLen(/* args */)
say result
```

```
create result = stopUpper(/* args */)
say result
```

```
create result = stopLower(/* args */)
say result
```

```
create result = stopTrim(/* args */)
say result
```

```
create result = stopSplit(/* args */)
say result
```

```
create result = stopJoin(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/nlpstop"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module nlpstop

```
function stopLen(s text) returns number
end
```

```
function stopUpper(s text) returns text
end
```

```
function stopLower(s text) returns text
end
```

```
function stopTrim(s text) returns text
end
```

```
function stopSplit(s text, delim text) returns list text
end
```

```
function stopJoin(parts list text, delim text) returns text
end
```

```
function stopReplace(s text, from text, to text) returns text
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/nlpstop"`
- Vérification : `afrilang check`
- Documentation : https://afrilang.dev/stdlib/std/c/nlpstop/

Source (extrait)

```
module nlpstop

function stopLen(s text) returns number
end

function stopUpper(s text) returns text
```

```
end

function stopLower(s text) returns text
end

function stopTrim(s text) returns text
end

function stopSplit(s text, delim text) returns list text
end

function stopJoin(parts list text, delim text) returns text
end

function stopReplace(s text, from text, to text) returns text
end
end
```