AFRILANG Stdlib

std/tax

Français. Bibliothèque AFRILANG ‘std/tax‘ (niveau simple, catégorie finance). Elle expose 2 fonction(s) : addTax, taxAmount.
‘import ”std/tax”‘ · ‘use tax‘
- ‘addTax(amount number, rate number) → number‘ - ‘taxAmount(amount number, rate number) → number‘ **English.** AFRILANG library ‘std/tax‘ (tier simple, category finance). Exports 2 function(s): addTax, taxAmount.
‘import ”std/tax”‘ · ‘use tax‘
- ‘addTax(amount number, rate number) → number‘ - ‘taxAmount(amount number, rate number) → number‘

Catégorie / Category	Finance
Niveau / Tier	simple
Fonctions / Functions	2

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG 'std/tax' (niveau simple, catégorie finance). Elle expose 2 fonction(s) : addTax, taxAmount.

'import "std/tax"' · 'use tax'

```
- `addTax(amount number, rate number) → number`
- `taxAmount(amount number, rate number) → number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/tax"
use tax
```

```
Niveau : simple · Catégorie : Finance
Monnaie, intérêts, budgets, marchés.
```

3. Référence API

```
•
 addTax(amount number, rate number) → number•
 taxAmount(amount number, rate number) → number
```

4. Exemples d'utilisation

```
import "std/tax"
use tax
```

```
create result = addTax(/* args */)
say result
```

```
create result = taxAmount(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/tax"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module tax

```
function addTax(amount number, rate number) returns number
end
```

```
function taxAmount(amount number, rate number) returns number
end
end
```

English

1. Overview

AFRILANG library ‘std/tax‘ (tier simple, category finance). Exports 2 function(s): addTax, taxAmount.

‘import ”std/tax”‘ · ‘use tax‘

```
- `addTax(amount number, rate number) → number`
- `taxAmount(amount number, rate number) → number`
```

2. Installation & import

Add the module to your program:

```
import "std/tax"
use tax
```

```
Tier: simple · Category: Finance
Currency, interest, budgets, markets.
```

3. API reference

```
•
 addTax(amount number, rate number) → number•
 taxAmount(amount number, rate number) → number
```

4. Usage examples

```
import "std/tax"
use tax
```

```
create result = addTax(/* args */)
say result
```

```
create result = taxAmount(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/tax"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module tax

```
function addTax(amount number, rate number) returns number
end
```

```
function taxAmount(amount number, rate number) returns number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/tax"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/tax/`

Source (extrait)

```
module tax

function addTax(amount number, rate number) returns number
end

function taxAmount(amount number, rate number) returns number
end
end
```