AFRILANG Stdlib

std/c/mldecision

Français. Bibliothèque AFRILANG ‘std/c/mldecision‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : deciSum, deciMean, deciMin, deciMax, deciVar, deciStd, deciNorm.
‘import ”std/c/mldecision”‘ · ‘use mldecision‘
- ‘deciSum(v list number) → number‘ - ‘deciMean(v list number) → number‘ - ‘deciMin(v list number) → number‘ - ‘deciMax(v list number) → number‘ - ‘deciVar(v list number) → number‘ - ‘deciStd(v list number) → number‘ - ‘deciNorm(v list number) → list number‘ **English.** AFRILANG library ‘std/c/mldecision‘ (tier complex, category complex). Exports 7 function(s): deciSum, deciMean, deciMin, deciMax, deciVar, deciStd, deciNorm.
‘import ”std/c/mldecision”‘ · ‘use mldecision‘
- ‘deciSum(v list number) → number‘ - ‘deciMean(v list number) → number‘ - ‘deciMin(v list number) → number‘ - ‘deciMax(v list number) → number‘ - ‘deciVar(v list number) → number‘ - ‘deciStd(v list number) → number‘ - ‘deciNorm(v list number) → list number‘

Catégorie / Category	Modules complex (c/)
Niveau / Tier	complex
Fonctions / Functions	7

June 16, 2026

Contents

Français

1. Vue d'ensemble

Bibliothèque AFRILANG ‘std/c/mldecision‘ (niveau complex, catégorie complex). Elle expose 7 fonction(s) : deciSum, deciMean, deciMin, deciMax, deciVar, deciStd, deciNorm.

‘import ”std/c/mldecision”‘ · ‘use mldecision‘

```
- `deciSum(v list number) → number`
- `deciMean(v list number) → number`
- `deciMin(v list number) → number`
- `deciMax(v list number) → number`
- `deciVar(v list number) → number`
- `deciStd(v list number) → number`
- `deciNorm(v list number) → list number`
```

2. Installation & import

Ajoutez le module à votre programme :

```
import "std/c/mldecision"
use mldecision
```

```
Niveau : complex · Catégorie : Modules complex (c/)
Domaines avancés — graphes, NLP, réseaux complexes.
```

3. Référence API

```
•
 deciSum(v list number) → number•
 deciMean(v list number) → number•
 deciMin(v list number) → number•
 deciMax(v list number) → number•
 deciVar(v list number) → number•
 deciStd(v list number) → number•
 deciNorm(v list number) → list
```

4. Exemples d'utilisation

```
import "std/c/mldecision"
use mldecision
```

```
create result = deciSum(/* args */)
say result
```

```
create result = deciMean(/* args */)
say result
```

```
create result = deciMin(/* args */)
say result
```

```
create result = deciMax(/* args */)
say result
```

```
create result = deciVar(/* args */)
say result
```

```
create result = deciStd(/* args */)
say result
```

5. Bonnes pratiques

```
•
 Préférez `import "std/c/mldecision"` en tête de fichier.•
 Lancez `afrilang check` avant de livrer.•
 Combinez avec les modules stdlib de la même catégorie.•
 Voir /stdlib/ pour le source live et les démos playground.•
 Signalez les problèmes sur GitHub si une export manque.
```

6. Annexe — source

module mldecision

```
function deciSum(v list number) returns number
end
```

```
function deciMean(v list number) returns number
end
```

```
function deciMin(v list number) returns number
end
```

```
function deciMax(v list number) returns number
end
```

```
function deciVar(v list number) returns number
end
```

```
function deciStd(v list number) returns number
end
```

```
function deciNorm(v list number) returns list number
end
end
```

English

1. Overview

AFRILANG library ‘std/c/mldecision‘ (tier complex, category complex). Exports 7 function(s): deciSum, deciMean, deciMin, deciMax, deciVar, deciStd, deciNorm.
‘import ”std/c/mldecision”‘ · ‘use mldecision‘

```
- `deciSum(v list number) → number`
- `deciMean(v list number) → number`
- `deciMin(v list number) → number`
- `deciMax(v list number) → number`
- `deciVar(v list number) → number`
- `deciStd(v list number) → number`
- `deciNorm(v list number) → list number`
```

2. Installation & import

Add the module to your program:

```
import "std/c/mldecision"
use mldecision
```

```
Tier: complex · Category: Complex modules (c/)
Advanced domains — graphs, NLP, complex networks.
```

3. API reference

```
•
 deciSum(v list number) → number•
 deciMean(v list number) → number•
 deciMin(v list number) → number•
 deciMax(v list number) → number•
 deciVar(v list number) → number•
 deciStd(v list number) → number•
 deciNorm(v list number) → list
```

4. Usage examples

```
import "std/c/mldecision"
use mldecision
```

```
create result = deciSum(/* args */)
say result
```

```
create result = deciMean(/* args */)
say result
```

```
create result = deciMin(/* args */)
say result
```

```
create result = deciMax(/* args */)
say result
```

```
create result = deciVar(/* args */)
say result
```

```
create result = deciStd(/* args */)
say result
```

5. Best practices

```
•
 Prefer `import "std/c/mldecision"` at the top of your file.•
 Run `afrilang check` before shipping.•
 Combine with related stdlib modules from the same category.•
 See /stdlib/ for the live source and playground demos.•
 Report issues on GitHub if an export is missing or undocumented.
```

6. Appendix — source

module mldecision

```
function deciSum(v list number) returns number
end
```

```
function deciMean(v list number) returns number
end
```

```
function deciMin(v list number) returns number
end
```

```
function deciMax(v list number) returns number
end
```

```
function deciVar(v list number) returns number
end
```

```
function deciStd(v list number) returns number
end
```

```
function deciNorm(v list number) returns list number
end
end
```

Référence rapide / Quick reference

- Import : `import "std/c/mldecision"`
- Vérification : `afrilang check`
- Documentation : `https://afrilang.dev/stdlib/std/c/mldecision/`

Source (extrait)

```
module mldecision

function deciSum(v list number) returns number
end

function deciMean(v list number) returns number
```

```
end

function deciMin(v list number) returns number
end

function deciMax(v list number) returns number
end

function deciVar(v list number) returns number
end

function deciStd(v list number) returns number
end

function deciNorm(v list number) returns list number
end
end
```